IO-SHIELD- iodine solution Ecolab Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

FOR COMMERCIAL USE ONLY KEEP OUT OF REACH OF CHILDREN NOT FOR HUMAN USE

CAUTION

Not for internal use. May cause eye irritation. If swallowed, may cause irritation, nausea, stomach distress.

PRECAUTIONARY STATEMENTS

No protective equipment is necessary under normal use conditions. If splashing may occur, eye protection is recommended.

Consult your Ecolab Representative for specific use instructions and recommended dispensing equipment.

FIRST AID

If in Eyes: Immediately flush eyes with plenty of cool, running water. Remove contact lenses; then continue flushing for at least 15 minutes, holding eyelids apart. If Swallowed: Rinse mouth; then immediately drink 1 or 2 large glasses of water. DO NOT induce vomiting. Never give anything by mouth to an unconscious person.

IF IRRITATION OR DISCOMFORT PERSISTS, CALL A PHYSICIAN.

FOR EMERGENCY MEDICAL INFORMATION IN USA OR CANADA, CALL: 1-800-328-0026. FOR EMERGENCY MEDICAL INFORMATION WORLDWIDE, CALL: 1-651- 222-5352 (IN THE USA).

Formula ingredients contain no Phosphorus.

DIRECTIONS FOR USE

IMPORTANT: Do not mix *Io-Shield* with water, any other teat dips, or other products unless specified in product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for *Io-Shield*.

If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.

Before Milking: Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip to avoid contamination of milk. Teats should then be dried with

single-service towels. Use proper procedures for udder washing or pre-dipping.

Post-Milk Dipping: Immediately after each milking, use *Io-Shield* at full-strength. Dip each teat full-length into the teat dip cup containing *Io-Shield*. Allow to air dry. Do not wipe. Always use fresh, full-strength *Io-Shield*. Do not turn cows out in freezing weather until *Io-Shield* is completely dry.

Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving.

PRECAUTION: *Io-Shield* is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

PRINCIPAL DISPLAY PANEL/REPRESENTATIVE LABEL

ECOLAB 40998

Net Contents: 15 U.S. gal/56.78 L

IO-Shield

Unique Iodine Barrier Teat Dip

An Aid in Reducing the Spread of Organisms Which May Cause Mastitis **ACTIVE INGREDIENT:**

(Contains an emollient system.)

Ecolab Food and Beverage Division Ecolab Inc., 370 Wabasha Street N. St. Paul, Minnesota 55102-1390 U.S.A.



Net Contents: 15 U.S. gal/56.78 L

Unique Iodine Barrier Teat Dip

An Aid in Reducing the Spread of Organisms Which May Cause Mastitis

ACTIVE INGREDIENT

...0.25% INACTIVE INGREDIENTS: (Contains an emollient system.)

FOR COMMERCIAL USE ONLY KEEP OUT OF REACH OF CHILDREN NOT FOR HUMAN USE

Not for internal use. May cause eye irritation, if swallowed, may cause irritation, nausea, stomach distress.

PRECAUTIONARY STATEMENTS

No protective equipment is necessary under normal use conditions. If splashing may occur, eye protection is recommended.

Consult your Ecolab Representative for specific use instructions and recommended dispensing equipment.

Food & Beverage Division onc., 370 Wabasha Street N. dl, Minnesota 55102-1390 U.S.A. 03 Ecolab Inc. Made in U.S.A. 892745/S301/0603. ights Reserved

FIRST AID

If in Eyes: Immediately flush eyes with alienty of cool, running water. Remove contact lerges, then continue flushing for at least 15 minutes, holding eyelids apart. If Swallowed: Rinse mouth; then immediately drink 1 or 2 large glasses of water. DO NOT induce verniting. Never give anything by mouth to an unconscious person. IF IRRITATION OR DISCOMFORT PERSISTS. CALL A PRYSICIAN

FOR EMERGENCY MEDICAL INFORMATION IN USA OR CANADA, CALL: 1-800-328-0026. FOR EMERGENCY MEDICAL INFORMATION WORLDWIDE. CALL: 1-651-222-5352 (IN THE USA).

Formula ingredients contain no Phosphoru

DIRECTIONS FOR USE

IMPORTANT: Do not mix /o-Shield with water, any other test dice, or other products unless specified in product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container isobeling for io-Shield.

If product in dip cup becomes visibly dirfy, discard contents and replemen with undiluted product. Do not reuse or return any unused product to the original container.

Before Milking: Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-miking teat dip to avoid contamination of milk. Teats should then be dired with single-service towels. Use proper procedures for udder washing or pre-dipping.

Post-Milk Dipping: Immediately after each milking, use *lo-Shield* at full-strength. Dio each teat full-length into the teat dip cup containing *lo-Shield*. Allow to air dry, Do not wipe. Always use fresh, full-strength *lo-Shield*. Oo not turn cows out in freezing weather until *lo-Shield* is completely dry.

Expanded Usage: When freshening cows, begin dipping tests twice daily for about 10 days before calving.

PRECAUTION: to Shield is not intended to cure or help the healing of chapped or irritated tests. As with any permicide, irritation or sensitization may occur in sensitive animals. In case of feet irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.





IO-SHIELD

iodine solution

Product Information

Product Type	OTC ANIMAL DRUG LABEL	Item Code (Source)	NDC:47593-132
Route of Administration	TOPICAL	DEA Schedule	

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (IODINE)	IODINE	2.59 mg in 1 mL

Inactive Ingredients

mactive ingredients		
Ingredient Name	Strength	
SORBITOL		
GLYCERIN		

Packaging					
# Item Code	Package Description	Marketing Start Date	Marketing End Date		
1 NDC:47593-132-11	3780 mL in 1 JUG				
2 NDC:47593-132-16	18930 mL in 1 PAIL				
3 NDC:47593-132-17	56780 mL in 1 DRUM				
4 NDC:47593-132-21	208200 mL in 1 DRUM				

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved drug other		05/25/1993			

Labeler - Ecolab Inc. (006154611)

Revised: 10/2012 Ecolab Inc.