**EQUALINE ALLERGY- chlorpheniramine maleate tablet**
**Supervalu Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

---

**SuperValu Inc. Allergy Drug Facts**

**Active ingredient (in each tablet)**

Chlorpheniramine maleate 4 mg

**Purpose**

Antihistamine

**Uses**

- temporarily relieves the following symptoms due to hay fever or other upper respiratory allergies:
- sneezing
- runny nose
- itchy, watery eyes
- itching of the nose or throat

**Warnings**

**Do not use**

to make a child sleepy

**Ask a doctor before use if you have**

- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis
- glaucoma

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers

**When using this product**

- alcohol, sedatives and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- drowsiness may occur
- excitability may occur, especially in children
- avoid alcoholic beverages

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

| | |
|---|---|
| adults and children 12 years and over | 1 tablet every 4 to 6 hours, not to exceed 6 tablets in 24 hours |
| children 6 to under 12 years of age | ½ tablet (break tablet in half) every 4 to 6 hours, not to exceed 3 whole tablets in 24 hours |
| children 4 to under 6 years of age | do not use unless directed by a doctor |
| children under 4 years of age | do not use |

**Inactive ingredients**

D&C yellow no. 10 aluminum lake, lactose monohydrate, magnesium stearate, pregelatinized starch

**Questions or comments?**

1-877-932-7948

**Principal Display Panel**

compare to Chlor-Trimeton® Allergy 4 Hour Tablets active ingredient

allergy

4 hour

chlorpheniramine maleate 4 mg

antihistamine

allergy relief:

sneezing

itchy, watery eyes

runny nose

itchy throat

equaline®

compare to
Chlor-Trimeton®
Allergy 4 Hour Tablets
active ingredient*

NDC 41163-463-62

# allergy

4 hour

chlorpheniramine maleate 4 mg
antihistamine

allergy relief:
• sneezing • itchy, watery eyes
• runny nose • itchy throat

24 tablets

OPEN OTHER END

CONVENIENT RECLOSING TAB

**Drug Facts** (continued)

***Inactive ingredients*** D&C yellow no. 10 aluminum lake, lactose monohydrate, magnesium stearate, pregelatinized starch

**Questions or comments?** 1-877-932-7948

GLUTEN FREE

SUPERVALU QUALITY Guaranteed

: 4E3E2 EL C5

Store between 20° to 25° C (68° to 77°F).
*This product is not manufactured or distributed by Schering-Plough HealthCare Products, Inc., distributor of Chlor-Trimeton® Allergy 4 Hour Tablets.
**Distributed by SUPERVALU INC., Eden Prairie, MN 55344 USA**
**We're committed to your satisfaction and guarantee the quality of this product. Contact us at 1-877-932-7948, or www.supervalu-ourownbrands.com**
**Please have package available.**

0 41163 46110 9

**DO NOT USE IF BLISTER UNIT IS BROKEN OR TORN**

## Drug Facts

| Active ingredient (in each tablet) | Purpose |
|---|---|
| Chlorpheniramine maleate 4 mg | Antihistamine |

**Uses** ■ temporarily relieves the following symptoms due to hay fever or other upper respiratory allergies: ■ sneezing ■ runny nose ■ itchy, watery eyes ■ itching of the nose or throat

**Warnings**

**Do not use** to make a child sleepy

**Ask a doctor before use if you have** ■ trouble urinating due to an enlarged prostate gland ■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma

**Ask a doctor or pharmacist before use if you are** taking sedatives or tranquilizers

**When using this product** ■ alcohol, sedatives and tranquilizers may increase drowsiness ■ use caution when driving a motor vehicle or operating machinery ■ drowsiness may occur ■ excitability may occur, especially in children ■ avoid alcoholic beverages

**If pregnant or breast-feeding,** ask a health professional before use.
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

| | |
|---|---|
| adults and children 12 years and over | 1 tablet every 4 to 6 hours, not to exceed 6 tablets in 24 hours |
| children 6 to under 12 years of age | ½ tablet (break tablet in half) every 4 to 6 hours, not to exceed 3 whole tablets in 24 hours |
| children 4 to under 6 years of age | do not use unless directed by a doctor |
| children under 4 years of age | do not use |

# EQUALINE ALLERGY

chlorpheniramine maleate tablet

## Product Information

| | | | |
|---|---|---|---|
| **Product Type** | HUMAN OTC DRUG LABEL | **Item Code (Source)** | NDC:41163-463 |
| **Route of Administration** | ORAL | **DEA Schedule** | |

## Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|---|---|
| **CHLORPHENIRAMINE MALEATE** (CHLORPHENIRAMINE) | CHLORPHENIRAMINE MALEATE | 4 mg |

## Inactive Ingredients

| Ingredient Name | Strength |
|---|---|
| **LACTOSE MONOHYDRATE** | |
| **MAGNESIUM STEARATE** | |

## Product Characteristics

| | | | |
|---|---|---|---|
| **Color** | YELLOW | **Score** | 2 pieces |
| **Shape** | ROUND | **Size** | 8mm |
| **Flavor** | | **Imprint Code** | L463 |
| **Contains** | | | |

## Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|---|---|---|---|
| **1** | NDC:41163-463-62 | 1 in 1 CARTON | | |
| **1** | | 24 in 1 BLISTER PACK | | |
| **2** | NDC:41163-463-78 | 1 in 1 CARTON | | |
| **2** | | 100 in 1 BOTTLE | | |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---|---|---|---|
| OTC monograph final | part341 | 08/30/2004 | |

## Labeler - Supervalu Inc (006961411)

Revised: 10/2012 Supervalu Inc