# DRUG FACTS

Purpose Active ingredient(s)

# Use(s)

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- · itchy, watery eyes
- sneezing
- · itching of the nose or throat

# Warnings

#### Do not use

If you have ever had an allergic reaction to this product or any of its ingredients.

## Ask a doctor before use if you have

Liver or kidney disease. Your doctor should determine if you need a different dose.

## Ask a doctor or pharmacist before use if you are

When using this product
Do not take more than directed. Taking more than directed may cause drowsiness.

## Stop use and ask a doctor if

An allergic reaction to this product occurs. Seek medical help right away.

## If pregnant or breast-feeding

## Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### Directions

· place 1 tablet on tongue; tablet disintegrates, with or without water

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

## Other information

- Phenylketonurics: Contains Phenylalanine 0.6 mg Per Tablet.

  TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING. store between 20° to 25° C (68° to 77° F). Protect from excessive moisture.
- keep in a dry place.
- use tablet immediately after opening individual blister.

## Inactive ingredients

Aspartame, croscarmellose sodium, fruit flavors, magnesium stearate, mannitol, sodium stearyl fumarate