DRUG FACTS

Active ingredient(s) ***Purpose***

Use(s)

- temporarily relieves the following symptoms due to hay fever or other upper respiratory allergies:
- sneezing
- runny nose
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use
to make a child sleepy

Ask a doctor before use if you have
- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are
taking sedatives or tranquilizers

When using this product
- excitability may occur, especially in children
- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

If pregnant or breast-feeding

Keep out of reach of children
In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

adults and children 12 years and over	1 tablet every 4 to 6 hours, not to exceed 6 tablets in 24 hours
children 6 to under 12 years of age	½ tablet (break tablet in half) every 4 to 6 hours, not to exceed 3 whole tablets in 24 hours
children 4 to under 6 years of age	do not use unless directed by a doctor
children under 4 years of age	do not use

Other information

Inactive ingredients
D&C yellow no. 10 aluminum lake, lactose monohydrate, magnesium stearate, pregelatinized starch