# DRUG FACTS

Purpose Active ingredient(s)

### Use(s)

for the relief of

- acid indigestion
- heartburn
- sour stomach
- upset stomach associated with these symptoms
- pressure and bloating commonly referred to as gas

### Warnings

### Do not use

## Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

### Ask a doctor or pharmacist before use if you are

presently taking a prescription drug. Antacids may interact with certain prescription drugs.

### When using this product

do not exceed 16 teaspoonsful (80 mL) in a 24-hour period, or use the maximum dosage for more than 2 weeks, unless directed by a doctor

### Stop use and ask a doctor if

### If pregnant or breast-feeding

### Keep out of reach of children

#### Directions

- shake well before using
- adults and children 12 years and older: take 2 to 4 teaspoonsful (10-20 mL) four times a day or as directed by a physician do not take more than 16 teaspoonsful in 24 hours or use the maximum dosage for more than 2 weeks
- children under 12 years: consult a physician

## $Other\ information$

- each teaspoonful contains: magnesium 85 mg does not meet USP requirements for preservative effectiveness

## Inactive ingredients

butylparaben, flavor, hypromellose, microcrystalline cellulose and carboxymethylcellulose sodium, peppermint oil, propylparaben, purified water, saccharin sodium, simethicone emulsion, sorbitol, sorbitol solution