DG HEALTH TUSSIN DM ADULT- dextromethorphan hydrobromide and guaifenes in liquid Dolgencorp Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Dolgencorp, LLC Tussin DM Drug Facts

Active ingredient (in each 5 mL tsp)

Dextromethorphan HBr, USP 10 mg Guaifenesin, USP 100 mg

Purpose

Cough suppressant Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if

cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- do not take more than 6 doses in any 24-hour period
- use only with enclosed measuring cup. Do not use any other device.
- this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	2 teaspoons (tsp) every 4 hours
children under 12 years	do not use

Other information

- each teaspoon contains: sodium 3 mg
- store at 20°-25°C (68°-77°F)

Inactive ingredients

anhydrous citric acid, FD&C red no. 40, flavor, glycerin, high fructose corn syrup, menthol, propylene glycol, purified water, sodium benzoate, sodium citrate, sucralose

Questions or comments?

1-888-309-9030

Principal Display Panel

For Ages 12 and over

Adult

Tussin DM

Cough & Chest Congestion

Cough Suppressant: Dextromethorphan HBr

Expectorant: Guaifenesin

Compare to active ingredients of Robitussin® Cough + Chest Congestion DM

Relieves

Coughs

Chest Congestion

Mucus

Non-Drowsy

Alcohol Free

Cherry Flavor





For Ages 12 and over

Adult

Tussin DM

Cough & Chest Congestion



health of pg pg pg



For Ages 12 and over

Adult

Tussin DM

Cough & Chest Congestion

Drug Facts

Active ingredients (in each 5 mL tsp)

xtromethorphan HBr, USP 10 mg......Co Guaifenesin, USP 100 mg.....

Purposes

- Uses
 temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
 helps loosen phlegm (mucus) and thin
- bronchial secretions to drain bronchial tubes

Warnings
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. taking this product.

Ask a doctor before use if you have
 cough that occurs with too much
 phlegm (mucus)
 cough that lasts or is chronic such as occurs

with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health

Keep out of reach of children. In case of verdose, get medical help or contact a Poisor control Center right away. (1-800-222-1222)

Drug Facts (continued)

Directions

- do not take more than 6 doses in any 24-hour period
 use only with enclosed measuring cup.
- Do not use any other device.

 this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	2 teaspoons (tsp) every 4 hours
children under 12 years	do not use

Other information

■ each teaspoon contains: sodium 3 mg ■ store at 20°-25°C (68°-77°F)

Inactive ingredients anhydrous citric acid, FD&C red no. 40, flavor, glycerin, high fructose corn syrup, menthol, propylene glycol, purified water, sodium benzoate, sodium citrate, sucralose

(Questions or comments? 1-888-309-9030

*This product is not manufactured or distributed by Pfizer, distributor of Robitussin® Cough + Chest Congestion DM.

DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING

100% -Quality Guaranteed (888) 309-9030

DISTRIBUTED BY DOLGENCORP, LLC

100 MISSION RIDGE GOODLETTSVILLE, TN 37072 USA



For Ages 12 and over

Adult

Tussin DM

Cough & Chest Congestion

Cough Suppressant: Dextromethorphan HBr Expectorant: Guaifenesin

Relieves

- Coughs
- Chest Congestion
- Mucus
- Non-Drowsy

Alcohol Free

Cherry Flavor



4 FL OZ (118 ml)

Adult Tussin DM

Cough & Chest Congestion

For Ages 12 and over

Cough Suppressant: Dextromethorphan HBr Expectorant: Guaifenesin

Relieves

- Coughs
- Chest Congestion
- · Mucus
- Non-Drowsy

Alcohol Free



Cherry Flavor

4 FL OZ (118 ml)





LOT NO.

EXP.

: 3592L VT C3

DG HEALTH TUSSIN DM ADULT

dextromethorphan hydrobromide, guaifenesin liquid

Product Information				
Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:55910-359	
Route of Administration	ORAL	DEA Schedule		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
DEXTROMETHORPHAN HYDROBROMIDE (DEXTROMETHORPHAN)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL	
GUAIFENESIN (GUAIFENESIN)	GUAIFENESIN	100 mg in 5 mL	

Inactive Ingredients		
Ingredient Name	Strength	
ANHYDRO US CITRIC ACID		
FD&C RED NO. 40		
GLYCERIN		
HIGH FRUCTO SE CORN SYRUP		
PROPYLENE GLYCOL		
WATER		
SO DIUM BENZO ATE		
SODIUM CITRATE		
SUCRALOSE		
MENTHO L		

Product Characteristics			
Color	RED (Orange-Red)	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

F	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:55910-359-26	1 in 1 CARTON			
1		118 mL in 1 BOTTLE			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	02/22/2010	

Labeler - Dolgencorp Inc (068331990)

Revised: 11/2012 Dolgencorp Inc