HISTENOL FORTE II - phenylephrine hydrochloride, acetaminophen and guaifenes in tablet Zee Medical Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredient (in each tablet) Acetaminophen 325 mg, Phenylephrine HCL-5 mg, Guaifenesin-100 mg

Purpose-Pain reliever, Expectorant, Nasal Decongestant

Uses ■ temporarily relieves the following cold and flu symptoms:

- nasal and sinus congestion headache minor aches and pains
- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

Directions | adults: take 2 tablets every 4 hours, not more than 12 tablets in 24 hours | children under 12 years: ask a doctor

Warnings:Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

hore than 12 tablets in 24 hours, which is the maximum daily amount with other drugs containing acetaminophen

\$\frac{1}{3}\$ or more alcoholic drinks every day while using this product

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional

conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug

contains an MAOI, ask a doctor or pharmacist before taking this product.

with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains

acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have

heart disease high blood pressure diabetes liver disease thyroid disease

trouble urinating due to an enlarged prostate gland

cough that occurs with too much phlegm (mucus)

cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

¦ you get nervous, dizzy or sleepless

pain, nasal congestion or cough gets worse or lasts more than 7 days

cough comes back or occurs with fever, rash or headache that lasts. These could be signs of a serious condition.

redness or swelling is present in the painful area any new symptoms appear


If pregnant or breast-feeding baby, ask a health professional before use

KEEP OUT OF REACH OF CHILDREN. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Inactive ingredients

FDC red 40, maltodextrin, microcrystalline cellulose, povidone, silica, sodium starch glycolate, starch, stearic acid

MM1



HISTENOL FORTE II

phenylephrine hcl, acetaminophen, guaifenesin tablet

| Product Information | | | | | |
|-------------------------|----------------------|--------------------|---------------|--|--|
| Product Type | HUMAN OTC DRUG LABEL | Item Code (Source) | NDC:35418-111 | | |
| Route of Administration | ORAL | DEA Schedule | | | |

| Active Ingredient/Active Moiety | | | | |
|---|-----------------------------|----------|--|--|
| Ingredient Name | Basis of Strength | Strength | | |
| PHENYLEPHRINE HYDRO CHLO RIDE (PHENYLEPHRINE) | PHENYLEPHRINE HYDROCHLORIDE | 5 mg | | |
| ACETAMINO PHEN (ACETAMINO PHEN) | ACETAMINOPHEN | 325 mg | | |
| GUAIFENESIN (GUAIFENESIN) | GUAIFENESIN | 100 mg | | |

| Inactive Ingredients | |
|----------------------|----------|
| Ingredient Name | Strength |

| FD&C RED NO. 40 | |
|---------------------------------------|--|
| MALTO DEXTRIN | |
| CELLULO SE, MICRO CRYSTALLINE | |
| PO VIDO NE K29/32 | |
| SILICON DIO XIDE | |
| SODIUM STARCH GLYCOLATE TYPE A POTATO | |
| STARCH, CORN | |
| STEARIC ACID | |

| Product Characteristics | | | | |
|-------------------------|------------------|--------------|----------|--|
| Color | pink (rose pink) | Score | no score | |
| Shape | ROUND (ZEE;HF2) | Size | 12mm | |
| Flavor | | Imprint Code | ZEE;HF2 | |
| Contains | | | | |

| P | Packaging | | | | |
|---|------------------|---------------------|----------------------|--------------------|--|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date | |
| 1 | NDC:35418-111-67 | 125 in 1 CARTON | | | |
| 1 | NDC:35418-111-68 | 50 in 1 CARTON | | | |
| 1 | NDC:35418-111-02 | 2 in 1 PACKET | | | |

| Marketing Information | | | | |
|-----------------------|--|----------------------|--------------------|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| OTC monograph final | part341 | 06/12/2012 | | |
| | | | | |

Labeler - Zee Medical Inc (009645623)

Registrant - Ultra Seal Corporation (085752004)

| Establishment | | | | |
|-----------------------------|---------|-----------|------------------------|--|
| Name | Address | ID/FEI | Business Operations | |
| Ultratab Laboratories, Inc. | | 151051757 | manufacture(35418-111) | |

| Establishment | | | | |
|------------------------|---------|-----------|---------------------|--|
| Name | Address | ID/FEI | Business Operations | |
| Ultra Seal Corporation | | 085752004 | repack(35418-111) | |

Revised: 11/2012 Zee Medical Inc