DRUG FACTS

Active ingredient(s) ***Purpose***

Use(s)

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves sinus congestion and pressure

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- diabetes
- heart disease
- high blood pressure
- thyroid disease
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

When using this product

- **do not exceed recommended dose**

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with fever

If pregnant or breast-feeding

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years and over: take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours.
- children under 12 years: do not use this product in children under 12 years of age

Other information

- store at controlled room temperature 15º-30ºC (59º-86ºF)
- see end flap for expiration date and lot number

Inactive ingredients

croscarmellose sodium, dextrose, monohydrate, dicalcium phosphate dihydrate, FD&C red #40, lecithin, magnesiums stearate, maltodextrin, microcrystalline cellulose, silica gel, sodium carboxymethylcellulose, sodium citrate dihydrate, titanium dioxide