# ECOLAB - iodine solution Ecolab Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

# FOR COMMERCIAL USE ONLY KEEP OUT OF REACH OF CHILDREN

#### **CAUTION**

Not for internal use. May cause eye irritation. If swallowed, may cause irritation, nausea, stomach distress.

#### PRECAUTIONARY STATEMENTS

No protective equipment is necessary under normal use conditions. If splashing may occur, eye protection

is recommended.

Consult your Ecolab Representative for specific use instructions and recommended dispensing equipment.

#### **FIRST AID**

**If in Eyes:** Immediately flush eyes with plenty of cool, running water. Remove contact lenses; then continue

flushing for at least 15 minutes, holding eyelids apart.

**If Swallowed:** Rinse mouth; then immediately drink 1 or 2 large glasses of water. DO NOT induce vomiting.

Never give anything by mouth to an unconscious person.

IF IRRITATION OR DISCOMFORT PERSISTS, CALL A PHYSICIAN.

FOR EMERGENCY MEDICAL INFORMATION IN USA OR CANADA, CALL: 1-800-328-0026.

FOR EMERGENCY MEDICAL INFORMATION WORLDWIDE, CALL: 1-651- 222-5352 (IN THE USA).

#### **DIRECTIONS FOR USE**

**IMPORTANT:** Do not mix 1% *Iodine with 10% Emollients Teat Spray* with water, any other teat dips, or other products unless

specified in product use instructions. If transferred from this container to any other, make sure that the other container is

thoroughly pre-cleaned and bears the proper container labeling for 1% *Iodine with 10% Emollients Teat Spray*.

If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any

unused product to the original container.

**Before Milking:** Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip or

teat spray to avoid contamination of milk. Teats should then be dried with single-service towels. Use proper procedures for udder

washing or pre-dipping.

### **Directions for Teat Dipping**

**Pre-Milk Dipping:** Fill teat dip cup with 1% *Iodine with 10% Emollients Teat Spray*. Do not dilute.

Before each cow is milked, dip

each teat full-length into the teat dip cup containing the product. Wipe teats dry after dipping, using single-service towels to avoid

contamination of milk.

**Post-Milk Dipping:** Immediately after each milking, use 1% *Iodine with 10% Emollients Teat Spray* at full-strength. Dip each teat

full-length into the teat dip cup containing the product. Allow to air dry. Do not wipe. Always use fresh, full-strength *1% Iodine* 

with 10% Emollients Teat Spray. Do not turn cows out in freezing weather until product is completely dry.

#### **Directions for Teat Spraying**

**Pre-Milk Spraying:** Before each cow is milked, spray entire teat with 1% *Iodine with 10% Emollients Teat Spray*. Wipe teats after

spraying using single-service towels to avoid contamination of milk.

**Post-Milk Spraying:** Immediately after each milking, use *1% Iodine with 10% Emollients Teat Spray* at full-strength. Spray entire teat with

the product. Allow to air dry. Do not wipe. Always use fresh, full-strength *1% Iodine with 10% Emollients Teat Spray*. Do not turn

cows out in freezing weather until the product is completely dry.

**Expanded Usage:** When freshening cows, begin dipping teats twice daily for about 10 days before calving.

**PRECAUTION:**1% *Iodine with 10% Emollients Teat Spray* is not intended to cure or help the healing of chapped or irritated teats.

As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the

condition examined and, if necessary, treated by a veterinarian.

#### **Principal Display Panel and Representative Label**

ECOLAB 51432005

1% IODINE WITH 10% EMOLLIENTS TEAT SPRAY

An Aid in Reducing the Spread of Organisms Which May Cause Mastitis

#### ACTIVE INGREDIENT:

Iodine ......1.0%

(Contains a 10% emollient system.)

Ecolab Food and Beverage Division

Ecolab Inc., 370 Wabasha Street N.

St. Paul, Minnesota 55102-1390 U.S.A.

© 2002 Ecolab Inc. Made in U.S.A. 890156/5300/0802

All Rights Reserved





# 1% IODINE WITH 10% EMOLLIENTS TEAT SPRAY

## Sanitizing Teat Spray

An Aid in Reducing the Spread of Organisms Which May Cause Mastitis

ACTIVE INGREDIENT:

FOR COMMERCIAL USE ONLY KEEP OUT OF REACH OF CHILDREN CAUTION

May cause eye irritation. If swallowed, may cause irritation, nausea, stomach distress.

#### PRECAUTIONARY STATEMENTS

ecommended. nsuit your Ecolab Representative for specific use instructions and recommended dispensing equipment.

#### FIRST AID

If in Eyes: immediately flush eyes with plenty of cool, running water. Permove contact lenses; then continue flushing for at least 15 minutes, holding eyelids apart.

If Swallowed: Plinse mouth; then immediately drink 1 or 2 large glasses of water. DO NOT induce vorniting. Never give anything by mouth to an unconscious person.

IF IPRITATION OR DISCOMFORT PERSISTS, CALL A PHYSICIAN.

FOR EMERGENCY MEDICAL INFORMATION IN USA OR CANADA, CALL: 1-800-326-0026. FOR EMERGENCY MEDICAL INFORMATION WORLDWIDE, CALL: 1-651-222-5352 (IN THE USA).

Ecolab Food & Beverage Division Ecolab Inc., 370 Wabasha Street N. St. Paul, Minnesota 55102-1390 U.S.A. © 2002 Ecolab Inc. Made in U.S.A. 891 At Rights Reserved

#### DIRECTIONS FOR USE

IMPORTANT: Do not nice 1% Indiae with 10% Emollients Test Spray with water, any other test dips, or other products unless specified in product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for 1% fortine with 10% Emollients Test Spray.

If product in dip cup becomes visibly dirty, discard contents and replenish with unditated product. Do not reuse or return any unused product to the original container.

Before Miking: Wash basis thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip or teat spany to anoid contamination of milk. Teats should then be dried with single-service towels. Use proper procedures for udder washing or pre-dipping.

Volcamp or proving any or proving any or proving a second or provi

consumation or max.

Post-Milk Dipping: Immediately after each milking, use 1% Fodine with 10% Emollients Teat Spray at full-strength. Dip each teat full-length into the teat dip cup containing the product. Allow to air dry. Do not wipe. Allows use fresh, full-strength 1% indices with 10% Emollients Teat Spray. Do not turn coas out in freezing weather until product is completely dry.

uith 16% Emollients Tead Spray. Do not turn coas our in treumy women who a round the Tead Spray. Do not turn coas our in treumy women who a round the Tead Spray Wipe beats after spraying using single-service loveds to avoid contamination of milk.

Post-Milk Spraying: Emericately after each milking, use 1% inches with 16% Emollients Tead Spray hill-strength. Spray entire tead with the product. Allow to air dry. Do not wise. Allows use firesh, hill-strength 1% inches with 16% Emollients Tead Spray. Do not him cows and in feeding evaluate until the product is completed you.

Expanded Usage: When he-shreing cows, begin display for about 10 days before calving.

Expanded Usage: When he-shreing cows, begin display for about 10 days before calving. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or charping, have the condition examined and, if necessary, treated by a veterinarian.

Formula ingredients contain no Phosphorus.





#### **ECOLAB**

iodine solution

Produ	ct Informat	ion	

OTC ANIMAL DRUG LABEL NDC:47593-395 Product Type Item Code (Source) Route of Administration TOPICAL **DEA Schedule** 

## Active Ingredient/Active Moiety

**Ingredient Name Basis of Strength** Strength IODINE (IODINE) IODINE 10.65 mg in 1 mL

**SORBITOL** 

Ingredient Name	Strength
GLYCERIN	

Packaging										
# Item Code	Package Description	Marke	Marketing Start Date		Marketing End Date					
1 NDC:47593-395-35	2000000 mL in 1 CONTAINER									
Marketing Information										
Marketing Category	Application Number or Monograph	Citation Marketing Start		ate	Marketing End Date					
unapproved drug other			08/12/2005							

Labeler - Ecolab Inc. (006154611)

Revised: 11/2012 Ecolab Inc.