MOTION SICKNESS RELIEF- meclizine hydrochloride tablet, chewable WALGREEN CO.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Walgreens 44-404

Active ingredient (in each tablet)

Meclizine HCl 25 mg

Purpose

Antiemetic

Uses

prevents and treats nausea, vomiting, or dizzines associated with motion sickness

Warnings

Do not use

for children under 12 years of age unless directed by a doctor

Ask a doctor before use if you have

- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- do not exceed recommended dosage
- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careul when driving a motor vehicle or operating machinery

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- dosage should be taken one hour before travel starts
- adults and children 12 years of age and over: take 1 to 2 tablets once daily or as directed by a doctor

Other information

- store at controlled room temperature 15°-30°C (59°-86°F)
- protect from heat and humidity
- for better identification keep talbets in carton until used
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, FD&C red #40 aluminum lake, lactose, magnesium stearate, rasberry flavor, silica gel, sodium saccharin

Questions or comments?

1-800-426-9391

Principal Display Panel

NDC 0363-0404-21

Well at Walgreens

WALGREENS PHARMACIST RECOMMENDED†

LESS DROWSY FORMULA

Motion Sickness Relief

Meclizine HCl Tablets, 25 mg

Antiemetic

- Prevents motion sickness
- Chewable once-a-day protection

Compare to Bonine® active ingredient††

†Walgreens Pharmacist Survey Study, November 2010.

††This product is not manufactured or distributed by Insight Pharmaceuticals, owner of the registered trademark Bonine® Chewable Tablets.

50844 ORG011240421

Distributed by: Walgreen Co.,

200 Wilmot Rd., Deerfield, IL 60015-4616

TAMPER EVIDENT: DO NOT USE IF THE CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

Chewable once-a-day protection that prevents motion sickness.

LESS DROWSY FORMULA

Motion Sickness Relief

Meclizine HCI Tablets, 25 mg **Antiemetic**

- Prevents motion sickness
- · Chewable once-a-day protection

16 CHEWABLE TABLETS



WALGREENS PHARMACIST RECOMMENDED



Compare to Bonine® active ingredient#

B-2201-404-21-R ORG011240421

7R

rademark Bonine® Chewable Tablets

DISTRIBUTED BY: WALGREEN CO. 200 WILMOT RD., DEERFIELD, IL 60015 100% SATISFACTION GUARANTEED walgreens.com @2012 Walgreen Co.



(Uuestions or comments? 1-800-426-9391

flavor, silica gel, sodium saccharin aluminum lake, lactose, magnesium stearate, raspberry Inactive ingredients com starch, FD&C red #40

- see end flap for expiration date and lot number
- for better identification keep tablets in carton until (26,-86,E)

 brotect from heat and humidity
 - 3.06-3t sintrangement moon believing a store ■

Other information

- 1 to 2 tablets once daily or as directed by a doctor squits and children 12 years of age and over: take
- dosage should be taken one hour before travel starts

Directions

medical help or contact a Poison Control Center right Keep out of reach of children. In case of overdose, get

If pregnant or breast-feeding, ask a health professional

Drug Facts (continued)

- drowsiness drowsiness be careful when driving a motor vehicle or operating **QLOWSIDESS**
 - sicohol, sedatives, and tranquilizers may increase
 - quowsiuess may occur
 avoid alcoholic drinks ■ do not exceed recommended dosage

When using this product

taking sedatives or tranquilizers

Ask a doctor or pharmacist before use if you are

- s preathing problem such as emphysema or chronic brostate gland
- difficulty in unination due to enlargement of the Ask a doctor before use if you have

 glaucoma

quected by a doctor Do not use for children under 12 years of age unless Warnings

dizziness associated with motion sickness USes

prevents and treats nausea, vomiting, or

Antiemetic

Purpose

Meclizine HCI 25 mg.

(in each tablet) Active ingredient

Urug Facts

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

W

This product is not manufactured or distributed by Walgreens Pharmacist Survey Study, November 2010 ght Pharmaceuticals, owner of the registered

Walgreens 44-404

MOTION SICKNESS RELIEF

meclizine hcl tablet, chewable

Product Information				
Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:0363-0404	
Route of Administration	ORAL	DEA Schedule		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
MECLIZINE HYDRO CHLO RIDE (MECLIZINE)	MECLIZINE HYDROCHLORIDE	25 mg

Inactive Ingredients	
Ingredient Name	Strength
FD&C RED NO. 40	
LACTOSE	
MAGNESIUM STEARATE	

Product Characteristics				
Color	PINK	Score	no score	
Shape	ROUND	Size	10 mm	
Flavor	RASPBERRY	Imprint Code	44;404	
Contains				

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0404-21	1 in 1 CARTON		
1		16 in 1 BLISTER PACK		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part336	05/29/2002	

Labeler - WALGREEN CO. (008965063)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(0363-0404)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(0363-0404)

Revised: 12/2012 WALGREEN CO.