# TUSSIN DM- dextromethorphan hydrobromide and guaifenes in liquid CVS Pharmacy

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

# **CVS Pharmacy, Inc. Tussin DM Drug Facts**

# Active ingredients (in each 5 mL tsp)

Dextromethorphan HBr, USP 10 mg Guaifenesin, USP 200 mg

# **Purposes**

Cough suppressant Expectorant

### Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

# **Warnings**

### Do not use

• if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

# Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

# Stop use and ask a doctor if

cough lasts for more than 7 days, comes back, or occurs with fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

# If pregnant or breast-feeding,

ask a health professional before use.

## Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

## **Directions**

- shake well before using
- do not take more than 6 doses in any 24-hour period
- this adult product is not intended for use in children under 12 years of age

age	dose	
adults and children 12 years and over	2 teaspoons every 4 hours	
children under 12 years	der 12 years do not use	

## Other information

- each teaspoon contains: sodium 4 mg
- store at 20°-25°C (68°-77°F)

# **Inactive ingredients**

anhydrous citric acid, D&C red no. 33, FD&C red no. 40, flavor, glycerin, high fructose corn syrup, menthol, microcrystalline cellulose and carboxymethylcellulose sodium, polyethylene glycol, povidone, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution, xanthan gum

## Questions or comments?

1-800-719-9260

# Package/Label Principal Display Panel

Compare to the active ingredients in Robitussin® Maximum Strength Cough + Chest Congestion DM Maximum Strength

For Mucus Relief

TUSSIN DM

ADULT COUGH & CHEST CONGESTION

COUGH SUPPRESSANT (DEXTROMETHORPHAN HBr)

**EXPECTORANT (GUAIFENESIN)** 

Relieves:

Cough

Chest congestion/mucus

Alcohol free

**NON-DROWSY** 

For ages 12 & over









# Drug Facts

Active ingredients (in each 5 mL tsp)

Purposes

Dextromethorphan HBr, USP 10 mg...... Guaifenesin, USP 200 mg..

#### Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

## Warnings

Do not use

If you are now taking a prescription monoamine
oxidase inhibitor (MAOI) (certain drugs for
depression, psychiatric, or emotional conditions,
or Parkinson's disease), or for 2 weeks after
stopping the MAOI drug. If you do not know if
your prescription drug contains an MAOI, ask a
doctor or pharmacist before taking this product.

## Ask a doctor before use if you have

- as a doctor below as if you have
  cough that occurs with too much
  phlegm (mucus)
  cough that lasts or is chronic such as occurs
  with smoking, asthma, chronic bronchitis,
  or emphysema

Stop use and ask a doctor if cough lasts for nore than 7 days, comes back, or occurs with ever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health

Keep out of reach of children, in case of verdose, get medical help or contact a Poisor ontrol Center right away. (1-800-222-1222)

#### Drug Facts (continued)

#### Directions

- Directions
   shake well before using
   do not take more than 6 doses in any
  24-hour period
   this adult product is not intended for use in
  children under 12 years of age

age	dose	
adults and children 12 years and over	2 teaspoons every 4 hours	
children under 12 years	do not use	

#### Other information

■ each teaspoon contains: sodium 4 mg ■ store at 20°-25°C (68°-77°F)

Inactive ingredients anhydrous citric acid, D&C red no. 33, FD&C red no. 40, flavor, glycerin, high fructose corn syrup, menthol, microcrystalline cellulose and carboxymethylcellulose sodium, polyethylene glycol, povidone, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution, xanthan gum

## (Questions or comments?

This product is not manufactured or distributed by Pfizer, distributor of Robitussin® Maximum Strength Cough + Chest Congestion DM.

Distributed by: CVS Pharmacy, Inc. One CVS Drive, Woonsocket, RI 02895 © 2012 CVS/pharmacy www.cvs.com 1-800-shop-CVS

V-16467









NDC 59779-557-26 Compare to the active ingredients in Robitussin® Maximum Strength Cough + Chest Congestion DM\*

Maximum Strength For Mucus Relief

ADULT COUGH & CHEST CONGESTION

COUGH SUPPRESSANT (DEXTROMETHORPHAN HBr) **EXPECTORANT (GUAIFENESIN)** 

#### Relieves:

- Cough
- Chest congestion/ mucus

Alcohol free

**NON-DROWSY** 

For ages 12 & over

4 FL OZ (118 mL)



**Maximum Strength For Mucus Relief** 

# TUSSIN DM ADULT COUGH & CHEST CONGESTION

COUGH SUPPRESSANT (DEXTROMETHORPHAN HBr) EXPECTORANT (GUAIFENESIN)

Choose the correct Tussin formula for your symptoms

#### TUSSIN

Chest congestion with dry cough

· Loosens chest congestion to help coughs clear chest.

## TUSSIN - DM

Frequent coughs & chest congestion

- · Controls and suppresses coughing.
- · Loosens and relieves chest congestion/mucus.

## TUSSIN - CF

Nasal stuffiness & frequent coughs & chest congestion

- Clears nasal passages to restore freer breathing through the nose.
- Controls and suppresses coughing.
- · Relieves chest congestion/mucus.


## LONG-ACTING TUSSIN

Frequent coughs

Controls coughs 6-8 hours.

Dosage cup provided







LOT NO.

EXP.

: 79926 17 СЗ



# **TUSSIN DM**

dextromethorphan hbr, guaifenesin liquid

#### **Product Information**

Product Type HUMAN OTC DRUG LABEL Item Code (Source) NDC:59779-557

**Route of Administration** ORAL DEA Schedule

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (DEXTROMETHORPHAN)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL	
GUAIFENESIN (GUAIFENESIN)	GUAIFENESIN	200 mg in 5 mL	

Inactive Ingredients			
Ingredient Name	Strength		
ANHYDRO US CITRIC ACID			
CARBO XYMETHYLCELLULO SE SO DIUM			
D&C RED NO. 33			
FD&C RED NO. 40			
GLYCERIN			
HIGH FRUCTOSE CORN SYRUP			
MENTHO L			
CELLULOSE, MICRO CRYSTALLINE			
POLYETHYLENE GLYCOLS			
POVIDONES			
PROPYLENE GLYCOL			
WATER			
SACCHARIN SO DIUM			
SO DIUM BENZO ATE			
SORBITOL			
XANTHAN GUM			

Product Characteristics			
Color	RED (Opaque)	Score	
Shape		Size	
Flavor	CHERRY (Menthol)	Imprint Code	
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-557-26	1 in 1 CARTON		
1		118 mL in 1 BOTTLE		
2	NDC:59779-557-34	1 in 1 CARTON		
2		237 mL in 1 BOTTLE		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	07/28/2010	

Revised: 12/2012 CVS Pharmacy