

ALL DAY ALLERGY- cetirizine hydrochloride solution
Amerisource Bergen

**All Day
Allergy**

Drug Facts

Active ingredient (in each 5 mL teaspoonful)

Cetirizine HCl 5 mg

Purpose

Antihistamine

Uses

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- use only with enclosed dosing cup

1 teaspoonful (5 mL) or 2 teaspoonfuls (10 mL) once

adults and children 6 years and over	1 teaspoonful (5 mL) or 2 teaspoonfuls (10 mL) once daily depending upon severity of symptoms; do not take more than 2 teaspoonfuls (10 mL) in 24 hours.
adults 65 years and older	1 teaspoonful (5 mL) once daily; do not take more than 1 teaspoonful (5 mL) in 24 hours.
children 2 to under 6 years of age	1/2 teaspoonful (2.5 mL) once daily. If needed, dose can be increased to a maximum of 1 teaspoonful (5 mL) once daily or 1/2 teaspoonful (2.5 mL) every 12 hours. Do not give more than 1 teaspoonful (5 mL) in 24 hours.
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

bubble gum artificial flavor, glacial acetic acid, glycerin, methylparaben, propylene glycol, propylparaben, purified water, sodium acetate anhydrous, sucralose

Questions?

Call **1-866-923-4914**

Distributed By AmerisourceBergen
1300 Morris Drive, Chesterbrook, PA 19087

PRINCIPAL DISPLAY PANEL - 118 mL Bottle Carton

NDC 46122-101-26

**Compare to
Children's Zyrtec®*
active ingredient**

**Rx
GOOD
NEIGHBOR
PHARMACY®**

2 YEARS & OLDER

**Children's
All Day
Allergy**

cetirizine hydrochloride
oral solution 1 mg/mL
antihistamine

**Indoor & Outdoor
Allergies**

24 Hour Relief of:

- **Sneezing • Runny Nose**
- **Itchy, Watery Eyes**
- **Itchy Throat or Nose**

Sugar Free

Bubble Gum Flavor

Dosing Cup Included

4 fl oz

(118 mL)



ALL DAY ALLERGY

cetirizine hydrochloride solution

Product Information

Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:46122-101
Route of Administration	ORAL	DEA Schedule	

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Cetirizine Hydrochloride (Cetirizine)	Cetirizine Hydrochloride	5 mg in 5 mL

Inactive Ingredients	
Ingredient Name	Strength
acetic acid	
glycerin	
methylparaben	
propylene glycol	
propylparaben	
water	
sodium acetate anhydrous	
sucralose	

Product Characteristics			
Color	YELLOW (colorless to slightly yellow)	Score	
Shape		Size	
Flavor	BUBBLE GUM (Sugar Free)	Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46 122-10 1-26	1 in 1 CARTON		
1		118 mL in 1 BOTTLE		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA20 1546	05/20/2011	

Labeler - Amerisource Bergen (007914906)

Registrant - Taro Pharmaceuticals U.S.A., Inc. (145186370)

Establishment			
Name	Address	ID/FEI	Business Operations
Taro Pharmaceutical Industries, Ltd.		600072078	MANUFACTURE(46 122-10 1)