AL LABORATORIES IODINE UDDER WASH - iodine liquid

EXL Laboratories, LLC

USAGE DIRECTIONS ACTIVE INGREDIENTS

DIRECTIONS FOR USE:

- 1. Prepare the udder wash solution in a plastic pail, using 1 oz. (30 ml) of this product per 5 gallons (20L) of lukewarm water (110 115 degrees F, 43-46 degrees C). This will give an udder wash solution containing 25ppm of iodine.
- 2. Approximately one minute before applying the milking unit, wash and massage teats with a clean towel wetted with the udder wash solution. Use a second towel to dry the teats before applying the milking unit.
- 3. Discard the used towels. Do not reuse towels or dip used towels back into the udder wash solution.

DO NOT USE THIS PRODUCT FOR CLEANING AND/OR SANITIZING EQUIPMENT

WARNINGS FIRST AID STORAGE AND DISPOSAL

DANGER!

KEEP OUT OF THE REACH OF CHILDREN.

CAUSES SEVERE EYE AND SKIN IRRITATIONS OR BURNS.

MAY CAUSE DEATH IF SWALLOWED - HARMFUL IF INHALED.

CONTAINS PHOSPHORIC ACID AND IODINE-SURFACTANT COMPLEX.

SEE BELOW FOR ADDITIONAL PRECAUTIONS AND/OR CONSULT MATERIAL SAFETY DATA SHEET.

PRECAUTIONS: Protect eyes. skin and clothing from contact with product. When handling, wear chemical goggles, rubber boots, rubber apron and rubber gloves to prevent injury. Keep container tightly closed when not in use. Use with adequate ventilation. Wash thoroughly after handling product.

TOLL-FREE EMERGENCY NUMBER: 1-800-424-9300

FIRST AID:

EXTERNAL: In case of contact, immediately flush contaminated skin with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes while flushing with water. If irritation occurs or burn occurs, call a physician.

EYES: Immediately flush with plenty of clean, running water for at least 15 minutes, holding eyelids apart to ensure flushing of the entire eye surface. Call a physician.

INHALATION: Remove to fresh air. Get medical attention.

STORAGE AND DISPOSAL:

Store this product in a cool, dry area away from direct sunlight and heat to avoid deterioration. Store in a locked cabinet or room to keep out of the reach of children. Dispose of only in compliance with federal, state and local laws.

PRODUCT LABEL

A and L Laboratories IODINE UDDER WASH

Part # 267

UDDER WASH CORROSIVE 8

Net Contents: 15 GALLONS (56.8 L)

Lot # 00010252A Expires: 10/2014 EXL Laboratories, LLC 1001 Glenwood Ave. Minneapolis, MN 55405 CORROSIVE LIQUIDS, N. O. S.

(PHOSPHORIC ACID), 8, UN1760, PG II

