WATER PIK ULTRA CONTROL FLUORIDE BUBBLEGUM - sodium fluoride aerosol, foam
WATER PIK, INC.

Indications: For the topical application of fluoride to aid in the protection against dental caries.
Contraindications: This product should not be used with individuals with known sensitivities to fluoride.
Directions for Use:
1. Remove cap from can.
2. The first time you dispense from a new can, gently lift upward on the nozzle to break the protective shipping tab (Fig. 1).
3. Shake can vigorously for at least 10 seconds before each use.
4. Hold can completely upside down to dispense (Fig. 2).
5. Point can towards applicator tray and slowly press the nozzle to fill tray. Use one press per arch, as foam will expand slightly to fill the tray.
6. For best results, dry teeth prior to application.
7. Insert the filled tray and have the patient bite down lightly, with a chewing motion to ensure interproximal coverage.
8. Leave tray(s) in contact with teeth for 1 to 4 minutes.
9. Use a saliva ejector during treatment to minimize ingestion of product.
10. Remove tray(s) and have patient expectorate.
11. Instruct patient not to eat, drink, or rinse for at least 30 minutes after application.
Contains:
1.23% Fluoride ion from sodium fluoride in a proprietary acidulated phosphate flavored foam base. Does not contain chlorofluorocarbon propellant.
Sweetened with Xylitol (sucralose). Does not contain Aspartame or Saccharin. Gluten free.
Precautions:
Use only as directed.
For dental use only. U.S. Federal Law prohibits dispensing without prescription.
Not for unsupervised home use. Safety and efficacy in patients under the age of 3 has not been established. Repeated use of APF formulations in patients with porcelain or composite restorations should be avoided due to the possibility of etching the restoration surface.Warning:
Do not swallow.
Keep out of reach of children.
Avoid spraying toward open flame.
Contents under pressure.
Do not puncture or incinerate.

Indications: For the topical application of fluoride to aid in the protection against dental caries.

Contraindications: This product should not be used with individuals with known sensitivities to fluoride.

Directions for Use:

1. Remove cap from can.
2. The first time you dispense from a new can, gently lift upward on the nozzle to break the protective shipping tab (Fig.1).
3. Shake can vigorously for at least 10 seconds before each use.
4. Hold can completely upside down to dispense (Fig. 2).
5. Point can towards applicator tray and slowly press the nozzle to fill tray. Use one press per arch, as foam will expand slightly to fill the tray.
6. For best results, dry teeth prior to application.

Fig.1

Fig.2

7. Insert the filled tray and have the patient bite down lightly, with a chewing motion to ensure interproximal coverage.
8. Leave tray(s) in contact with teeth for 1 to 4 minutes.
9. Use a saliva ejector during treatment to minimize ingestion of product.
10. Remove tray(s) and have patient expectorate.
11. Instruct patient not to eat, drink, or rinse for at least 30 minutes after application.

Contains:
1.23% Fluoride ion from sodium fluoride in a proprietary acidulated phosphate flavored foam base. Does not contain chlorofluorocarbon propellant.

Sweetened with Xylitol (sucralose). Does not contain Aspartame or Saccharin. Gluten free.

Precautions:
Use only as directed.

For dental use only. U.S. Federal Law prohibits dispensing without prescription.

Not for unsupervised home use. Safety and efficacy in patients under the age of 3 has not been established. Repeated use of APF formulations in patients with porcelain or composite restorations should be avoided due to the possibility of etching the restoration surface.

Warning:
Do not swallow.
Keep out of reach of children.
Avoid spraying toward open flame.
Contents under pressure.
Do not puncture or incinerate.

waterpik

Ultra Control

Fluoride Foam

60 Second APF * Topical Fluoride

- **Precise foaming action**
- **Sweetened with Xylitol**
- **Gluten free**

*Acidulated Phosphate Fluoride
1.23% Fluoride Ion (pH 3.5)

Waterpik® (stylized) is a trademark of Water Pik, Inc. registered in Canada, EU, Japan, Mexico, Switzerland, and the United States.

©2011 Water Pik, Inc.

Waterpik Item Number
20014143

FN 20014520-F AA

373484

Bubblegum

waterpik

Ultra Control

Fluoride Foam

60 Second APF* Topical Fluoride

Bubblegum

NET WT. 4.4 oz (125g)

waterpik

Ultra Control

Fluoride Foam

60 Second APF* Topical Fluoride

- Precise foaming action
- Sweetened with Xylitol
- Gluten free

*Acidulated Phosphate Fluoride
1.23% Fluoride Ion (pH 3.5)

For professional use only.

Store at room temperature.

Shake well before each use.

Storage: Between 55-80° F.
Keep from freezing.

To obtain a MSDS sheet, call Water Pik, Inc. customer service at 1-800-525-2020.

Made in the U.S.A.

Distributed by:
Water Pik, Inc.
1730 E. Prospect Road
Fort Collins, CO 80553-0001
1-800-525-2020
www.waterpik.com

Bubblegum

NET WT. 4.4 oz (125g)

- Precise foaming action
- Sweetened with Xylitol
- Gluten free

*Acidulated Phosphate Fluoride
1.23% Fluoride Ion (pH 3.5)

For professional use only.

Store at room temperature between 55°-80° F.

Shake well before each use.

To obtain a MSDS sheet, please call Water Pik, Inc. customer service at 1-800-525-2020.

Made in the U.S.A.

Distributed by:
Water Pik, Inc.
1730 E. Prospect Road
Fort Collins, CO 80553-0001
1-800-525-2020
www.waterpik.com

Waterpik® (stylized) is a trademark of Water Pik, Inc. registered Canada, EU, Japan, Mexico, Switzerland, and the United States.
©2011 Water Pik, Inc.

Water Pik Item Number:
20014143
FN 20014519-F AA
373485

+D6862001414336

waterpik®

Ultra Control Fluoride Foam

60 Second APF* Topical Fluoride

Bubblegum

NET WT. 4.4 oz (125g)

Indications: For the topical application of fluoride to aid in the protection against dental caries.

Contraindications: This product should not be used with individuals with known sensitivities to fluoride.

Directions for Use:

1. Remove cap from can.
2. The first time you dispense from a new can, gently lift upward on the nozzle to break the protective shipping tab (Fig. 1).
3. Shake can vigorously for at least 10 seconds before each use.
4. Hold can completely upside down to dispense (Fig. 2).
5. Point can towards applicator tray and slowly press the nozzle to fill tray. Use one press per arch, as foam will expand slightly to fill the tray.
6. For best results, dry teeth prior to application.
7. Insert the filled tray and have the patient bite down lightly, with a chewing motion to ensure interproximal coverage.
8. Leave tray(s) in contact with teeth for 1 to 4 minutes.
9. Use a saliva ejector during treatment to minimize ingestion of product.
10. Remove tray(s) and have patient expectorate.
11. Instruct patient not to eat, drink, or rinse for at least 30 minutes after application.

Contains:
1.23% Fluoride ion from sodium fluoride in a proprietary acidulated phosphate flavored foam base. Does not contain chlorofluorocarbon propellant.

Sweetened with Xylitol (sucralose). Does not contain Aspartame or Saccharin. Gluten free.

Precautions:
Use only as directed.

For dental use only. U.S. Federal Law prohibits dispensing without prescription.

Not for unsupervised home use. Safety and efficacy in patients under the age of 3 has not been established. Repeated use of APF formulations in patients with porcelain or composite restorations should be avoided due to the possibility of etching the restoration surface.

Warning:
Do not swallow.
Keep out of reach of children.
Avoid spraying toward open flame.
Contents under pressure.
Do not puncture or incinerate.



Fig. 1

Fig. 2