ASPEN SUPERIOR - iodine liquid
EXL Laboratories, LLC

USAGE DIRECTIONS ACTIVE INGREDIENTS
USAGE DIRECTIONS
PRE-DIPPING/SPRAYING: Teats should be clean and dry before dipping. Dip/spray with undiluted product and allow to dry 30-60 seconds contact time. wipe the teats dry.
POST -DIPPING/SPRAYING: Dip/spray teats with undiluted product after milking. Allow to air dry. With freshening cows, begin dipping teats twice daily for about 10 days before calving. For dry cows, dip spray teats once a day for 3-4 days following the last milking.
DURING COLD WEATHER do not turn cows out until teats are dry.
UDDER WASH: To avoid contamination of milk, wash teats with this product diluted at 1oz. (30mL) per 1-2 gallon (4-8L) of lukewarm water. Then dry each cow's udder and teats with clean towels before milking.
DO NOT USE THIS PRODUCT FOR CLEANING AND/OR SANITIZING EQUIPMENT
IMPORTANT: TEAT IRRITATION OR CHAPPING: Teat dips have the potential to cause irritation or chapping. If you observe abnormal irritation or chapping, call 1-800-225-3832 or contact your dealer.
ACTIVE INGREDIENTS: Nonylphenolyethoxy (12 moles EO) ethanol-iodine complex providing 0.5% titratable iodine (5,000 mg/L)
Contains 6% skin conditioners

CAUTION STORAGE AND DISPOSAL
CAUTION
KEEP OUT OF REACH OF CHILDREN
HARMFUL IF SWALLOWED - HARMFUL IF INHALED - CAUSES EYE IRRITATION
SEE BELOW FOR ADDITIONAL PRECAUTIONS OR CONTACT MSDS SHEET
TOLL FREE EMERGENCY NUMBER: 1-800-424-9300
PRECAUTIONS:Protect eyes from contact with this product. Keep container tightly closed when not in use. Use with adequate ventilation. Wash thoroughly after handling product.
FIRST AID:
EXTERNAL: in case of contact, immediately flush contaminated skin with plenty of water. If irritation occurs and persists, call a physician.
INTERNALLY: If conscious, dilute by giving several glasses of water or milk. Do not induce vomiting. If vomiting does occur, repeat giving glasses of water or milk. Give prompt medical attention. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON
EYES: Immediately flush with plenty of clean running water for at kleast 15 minutes holding eyelids apart to ensure flushing of the entire eye surface. If irritation persists, call a physician.
STORAGE AND DISPOSAL: Store this product in a cool, dry area away from direct sunlight and heat to avoid deterioration. Store in a locked cabinet or room to keep it out of the reach of children. Dispose of according to Federal, State, and local laws.
SPILLAGE: In case of small spill (less than one gallon), flood area with large quantity of water. For larger spills, contain and remove with inert absorbent and dispose of according to Federal, State, and local laws.
KEEP FROM FREEZING

PRODUCT LABEL
Aspen Dairy Solutions
QUALITY MILK CONTROL
0.5% Superior
0.5% IODINE PRE AND POST-MILKING TEAT DIP OR SPRAY
Part#
33171
Net Contents: 15 GALLONS (56.8 L)
Lot # 00010252A Expires: 10/2014
EXL Laboratories, LLC
1001 Glenwood Ave.
Minneapolis, MN 55405



0.5% Superio

0.5% IODINE PRE & POST-MILKING TEAT DIP OR SPRAY

USAGE DIRECTIONS

PRE-DIPPING/SPRAYING: Teats should be clean and dry before dipping. Dip/spray with undiluted product and allow 30-60 seconds contact time. Wipe the teats dry.

POST -DIPPING/SPRAYING: Dip/spray teats with undiluted product after milking. Allow to air dry. With freshening cows, begin dipping teats twice daily for about 10 days before calving. For dry cows, dip spray teats once a day for 3-4 days following the last milking. DURING COLD WEATHER do not turn out cows until teats are dry.

UDDER WASH: To avoid contamination of milk, wash teats with this product diluted at 1oz (30mL) per 1-2gal (4-8L) of lukewarm water. Then dry each cow's udder and teats with clean towels before milking.

DO NOT USE THIS PRODUCT FOR CLEANING AND/OR SANITIZING EQUIPMENT

IMPORTANT: TEAT IRRITATION OR CHAPPING: Teat dips have the potential to cause irritation or chapping. If you observe abnormal irritation or chapping, call 1-800-225-3832 or contact your dealer.

ACTIVE INGREDIENTS: Nonylphenolyethoxy (12 moles EO) ethanol-iodine complex providing 0.5% titratable iodine (5,000 mg/L)

Contains 6% skin conditioners

CAUTION

KEEP OUT OF REACH OF CHILDREN

HARMFUL IF SWALLOWED - HARMFUL IF INHALED - CAUSES EYE IRRITATION
SEE BELOW FOR ADDITIONAL PRECAUTIONS OR CONSULT MSDS SHEET

TOLL FREE EMERGENCY NUMBER: **1-800-424-9300**

PRECAUTIONS: Protect eyes from contact with this product. Keep container tightly closed when not in use. Use with adequate ventilation. Wash thoroughly after handling product.

FIRST AID:

EXTERNAL: In case of contact, immediately flush contaminated skin with plenty of water. If irritation occurs and persists call a physician.

INTERNAL: If concious, dilute by giving several glasses of water or milk. Do not induce vomiting. If vomiting does occur, repeat giving several glasses of water or milk. Give prompt medical attention. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON

EYES: Immediately flush with plenty of clean running water for at least 15 minutes holding eyelids apart to ensure flushing of the entire eye surface. If irritation persists, call a physician.

STORAGE AND DISPOSAL: Store this product in a cool, dry area away from direct sunlight and heat to avoid deterioration. Store in a locked cabinet or room to keep it out of the reach of children. Dispose of according to Federal, State, and local laws.

SPILLAGE: In case of small spill (less than one gallon), flood area with large quantity of water. For larger spills, contain and remove with inert absorbent and dispose of according to Federal, State, and local laws.

KEEP FROM FREEZING

Part#:
33171

EXL Laboratories, LLC
1001 Glenwood Ave.
Minneapolis, MN 55405

BAÑO/AEROSOL DE PEZON

INSTRUCCIONES DE USO

BAÑO/AEROSOL PREVIO: Los p
Si es necesario, lavar los pezones
aerosol los pezones con este prod
los pezones previamente a la coloc

BAÑO/AEROSOL POSTERIOR: Ba
diluir inmediatamente luego del o
vuelve visiblemente sucia. Con va
veces al día por aproximadamente
leche, bañar/rociar con aerosol l
durante varios días a continuación
vacas afuera hasta que los pezone
Si es necesario, secar con una toa

NO USAR PARA LIMPIAR Y/O HIG

IMPORTANTE - IRRITACIÓN Y/O
pueden causar irritación a los pez
observar una irritación anormal
servicio técnico al 1-800-225-3832.

INGREDIENTES ACTIVOS: Nony
proveyendo 0.5% de yodo titratable
Contiene 6% de acondicionadores

AD

MANTENER FU

CAUSA DAÑO SI ES INGERIDO
DE LOS OJOS. LEA A CONT
MATERIAL DE INFORMACION S
NUMERO DE EMERGENCIA SIN

PRECAUCIONES: Proteger los ojos
cuando no se esté usando. Usarlo con
producto

PRIMEROS AUXILIOS:

EXTERNO: En caso de contacto, lava
menos por 15 minutos. Sacar la ropa
irritación o quemaduras, llamar a un m

INTERNO: Si está consciente, diluir dá
vomito, dar nuevamente varios vasos
NUNCA NADA POR LA BOCA A UNA

OJOS: Lavar a chorro inmediatemen
sosteniendo los párpados para asegur
un médico

ALMACENAMIENTO Y ELIMINACION:
la luz solar en forma directa y del calor
cerradura para mantenerlo fuera del a
estatales y locales.

NO CONGELAR

Net Con
Lot #: 00