

**BANANA BOAT - avobenzone, homosalate, octisalate and octocrylene spray**  
**Energizer Personal Care LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active Ingredients**

Avobenzone 3%  
Homosalate 10%  
Octisalate 5%  
Octocrylene 6%

**Purpose**

Sunscreen

**Use**

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

- **For external use only**
- **Flammable:** Do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120oF. Do not in the presence of flame or spark. Keep away from sources of ignition - No smoking. **Intentional misuse** by deliberately concentrating and inhaling the contents can be harmful or fatal.
- **Do not use** on damaged or broken skin.

**When using this product**

- Keep away from face to avoid breathing it
- Keep out of eyes. Rinse with water to remove

**stop use and ask a doctor if**

rash occurs

**Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

May stain some fabrics.

**Directions**

- hold container 4 to 6 inches from the skin to apply
- spray liberally and spread evenly by hand 15 minutes before sun exposure
- **do not spray directly into face.** Spray on hands then apply to face
- do not apply in windy conditions
- use in well-ventilated area

- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures**. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m.-2 p.m.
- wear long sleeve shirts, pants, hats and sunglasses
- children under 6 months: Ask a doctor

### **Other Information**

- protect this product from excessive heat and direct sun

### **Inactive Ingredients**

Isobutane, Water, Isohexadecane, Ethylhexyl Benzoate, Cetyl PEG/PPG-10/1 Dimethicone, Dibutyl Adipate, Lauryl PEG-8 Dimethicone, Ethylhexyl Methoxycrylene, Sodium Chloride, PEG-8, Caprylyl Glycol, Glycerin, Sodium Citrate, PEG-8 Dimethicone, Aloe Barbadensis Leaf Juice, Octyldodecanol, Retinyl Palmitate, Silica, Tocopheryl Acetate, Ascorbic Acid, Sodium Propoxyhydroxypropyl Thiosulfate Silica, Phenoxyethanol, Methylparaben, Butylparaben, Ethylparaben, Isobutylparaben, Propylparaben.

### **Questions or Comments?**

Call 1-800 SafeSun, Mon-Fri

### **Principal Display Panel**

LOTION UltraMist®

BANANA BOAT®

KiDS

TEAR FREE STING FREE

UVA/UVB Protection

Continuous Spray Sunscreen

50+

Broad Spectrum SPF 50+

Pediatrician Tested

Water Resistant (80 minutes)

Fragrance-free

RECOMMENDED

SKIN CANCER FOUNDATION

ACTIVE

Recommended as an effective UV sunscreen

Swim Splash Play

NET WT 6 OZ. (170 g)

BONUS 33% MORE

LOTION UltraMist®

BANANA BOAT®

KiDS

TEAR FREE STING FREE

UVA/UVB Protection

Continuous Spray Sunscreen

50+

Broad Spectrum SPF 50+

Pediatrician Tested

Water Resistant (80 minutes)

Fragrance-free

RECOMMENDED

SKIN CANCER FOUNDATION

ACTIVE

Recommended as an effective UV sunscreen

Swim Splash Play

NET WT 8 OZ. (226 g)

LOTION UltraMist®

Over 55% More

FAMILY SIZE!

BANANA BOAT®

KiDS

TEAR FREE STING FREE

UVA/UVB Protection

Continuous Spray Sunscreen

50+

Broad Spectrum SPF 50+

Pediatrician Tested

Water Resistant (80 minutes)

Fragrance-free

RECOMMENDED

SKIN CANCER FOUNDATION

ACTIVE  
Recommended as an effective UV sunscreen

Swim Splash Play

NET WT 9.5 OZ. (269 g)

**LOTION**  
UltraMist®



**KIDS**

**Tear Free**  **Sting Free**  
UVA/UVB PROTECTION  
CONTINUOUS SPRAY SUNSCREEN™

**50+**

**BROAD SPECTRUM  
SPF 50+**



**WATER RESISTANT  
(80 MINUTES)  
FRAGRANCE-FREE**

Recommended as an effective UV sunscreen.

SWIM • SPLASH • SPORT

NET WT 6 OZ. (170 g)

Banana Boat® UltraMist® Lotion Spray Sunscreen for Kids SPF 50+ is an ultra-gentle formula that is non-stinging to eyes and is clinically tested to be mild to kids' skin. It protects against sunburn and long-term skin damage by providing broad spectrum UVA/UVB protection. The convenient, one touch spray goes on easily for "struggle-free" application.

• Non-Stinging to Eyes • Alcohol-Free • Hypoallergenic • Ideal for Pool & Beach

**Drug Facts**

Active Ingredients	Purpose
Azobenzene 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 6.0%	Sunscreen

**Uses** ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

**Flammable:** Do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. **Intentional misuse** by deliberately concentrating and inhaling the contents can be harmful or fatal.

Do not use on damaged or broken skin.

**When using this product** • Keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

May stain some fabrics.

**Directions**

■ hold container 4 to 6 inches from the skin to apply

■ spray liberally and spread evenly by hand 15 minutes before sun exposure

■ do not spray directly into face. Spray on hands then apply to face

■ do not apply in windy conditions

■ use in well-ventilated area

■ reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours

■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses

■ children under 6 months: Ask a doctor

**Inactive Ingredients:** Isobutane, Water, Isohexadecane, Ethylhexyl Benzoate, Cetyl PEG/PPG-10/1 Dimethicone, Dibutyl Adipate, Lauryl PEG-8 Dimethicone, Ethylhexyl Methoxycrylene, Sodium Chloride, PEG-8, Caprylyl Glycol, Glycerin, Sodium Citrate, PEG-8 Dimethicone, Aloe Barbadensis Leaf Juice, Octyldodecanol, Retinyl Palmitate, Silica, Tocopheryl Acetate, Ascorbic Acid, Sodium Propoxyhydroxypropylthiosulfate Silica, Phenoxyethanol, Methylparaben, Butylparaben, Ethylparaben, Isobutylparaben, Propylparaben.

**Other Information** ■ protect this product from excessive heat and direct sun

**Questions or Comments?**


Call 1-800-SafeSun, Mon-Fri

MADE IN U.S.A.

Dist. by:  
ENERGIZER PERSONAL CARE, LLC  
SHELTON, CT 06484

[www.bananaboat.com](http://www.bananaboat.com)

© 2011 Sun Pharmaceuticals, LLC



**BONUS**  
**33% MORE**

**LOTION**  
*UltraMist®*



**KIDS**

**Tear Free** **Sting Free**  
**UVA/UVB PROTECTION**  
CONTINUOUS SPRAY SUNSCREEN

**50+**

**BROAD SPECTRUM**  
**SPF 50+**



**RECOMMENDED**  
**WATER RESISTANT**  
**(80 MINUTES)**  
**FRAGRANCE**  
**& OIL-FREE**

**ACTIVE**  
Recommended as an effective UV sunscreen.


**SWIM · SPLASH · PLAY**  
**8 OZ. (226 g)**

**BONUS**  
**33% MORE**

Banana Boat® UltraMist® Lotion Spray Sunscreen for Kids SPF 50+ is an ultra-gentle formula that is non-stinging to eyes and is clinically tested to be mild to kids' skin. It protects against sunburn and long-term skin damage by providing broad spectrum UVA/UVB protection. The convenient, one touch spray goes on easily for "struggle-free" application.

• Non-Stinging to Eyes • Alcohol-Free • Hypoallergenic • Ideal for Pool & Beach

Drug Facts	
<b>Active Ingredients</b>	<b>Purpose</b>
Avobenzone 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 6.0%	Sunscreen
<b>Uses</b> ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see <b>Directions</b> ), decreases the risk of skin cancer and early skin aging caused by the sun.	
<b>Warnings</b>	
For external use only.	
<b>Flammable:</b> Do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. <b>Intentional misuse</b> by deliberately concentrating and inhaling the contents can be harmful or fatal.	
<b>Do not use</b> on damaged or broken skin.	
<b>When using this product</b> • Keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove.	
<b>Stop use and ask a doctor</b> if rash occurs.	
<b>Keep out of reach of children.</b> If product is swallowed, get medical help or contact a Poison Control Center right away.	
May stain some fabrics.	
<b>Directions</b>	
■ hold container 4 to 6 inches from the skin to apply	
■ spray liberally and spread evenly by hand 15 minutes before sun exposure	
■ do not spray directly into face. Spray on hands then apply to face	
■ do not apply in windy conditions	
■ use in well-ventilated area	
■ reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours	
■ <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses	
■ children under 6 months: Ask a doctor	
<b>Inactive Ingredients:</b> Isobutane, Water, Isohexadecane, Ethylhexyl Benzoate, Cetyl PEG/PPG-10/1 Dimethicone, Dibutyl Adipate, Lauryl PEG-8 Dimethicone, Ethylhexyl Methoxycrylene, Sodium Chloride, PEG-8, Caprylyl Glycol, Glycerin, Sodium Citrate, PEG-8 Dimethicone, Aloe Barbadensis Leaf Juice, Octyldodecanol, Retinyl Palmitate, Silica, Tocopheryl Acetate, Ascorbic Acid, Sodium Propoxyhydroxypropyl Thiosulfate, Silica, Phenoxethanol, Methylparaben, Butylparaben, Ethylparaben, Isobutylparaben, Propylparaben.	
<b>Other Information</b> ■ protect this product from excessive heat and direct sun.	
<b>Questions or Comments?</b> Call 1-800-SafeSun, Mon-Fri	
MADE IN U.S.A. Dist. by: ENERGIZER PERSONAL CARE, LLC SHELTON, CT 06484 <a href="http://www.bananaboat.com">www.bananaboat.com</a> © 2012 Sun Pharmaceuticals, LLC	
DOT 2Q M5655	





LOTION  
UltraMist®

over 55% more  
**FAMILY SIZE!**

over 55% more  
**FAMILY SIZE!**



**KIDS**

**Tear Free** **Sting Free**  
UVA/UVB PROTECTION  
CONTINUOUS SPRAY SUNSCREEN

**50+**

**BROAD SPECTRUM  
SPF 50+**



**WATER RESISTANT  
(80 MINUTES)  
FRAGRANCE-FREE**

**SWIM · SPLASH · SPORT**

**NET WT 9.5 OZ. (269 g)**

Banana Boat® UltraMist® Lotion Spray Sunscreen for Kids SPF 50+ is an ultra-gentle formula that is non-stinging to eyes and is clinically tested to be mild to kids' skin. It protects against sunburn and long-term skin damage by providing broad spectrum UVA/UVB protection. The convenient, one touch spray goes on easily for "struggle-free" application.

- Non-Stinging to Eyes • Alcohol-Free
- Hypoallergenic • Ideal for Pool & Beach

**Drug Facts**

Active Ingredients	Purpose
Avo benzene 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 6.0%	Sunscreen

**Uses** ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

**Flammable:** Do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal. Do not use on damaged or broken skin.

When using this product • Keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

May stain some fabrics.

**Directions** ■ Hold container 4 to 6 inches from the skin to apply ■ spray liberally and spread evenly by hand 15 minutes before sun exposure ■ Do not spray directly into face. Spray on hands then apply to face ■ Do not apply in windy conditions ■ use in well-ventilated area ■ reapply • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

**Inactive Ingredients:** Isobutane, Water, Isohexadecane, Ethylhexyl Stearate, Cetyl PEG/PPG-10 Dimethicone, Dibutyl Adipate, Lauryl PEG-8 Dimethicone, Ethylhexyl Methacrylate, Sodium Chloride, PEG-8, Cetyl Glycol, Glycerin, Sodium Citrate, PEG-8 Dimethicone, Aloe Barbadensis Leaf Juice, Octylodocanol, Retinyl Palmitate, Silica, Tocopheryl Acetate, Ascorbic Acid, Sodium Propoxyhydroxypropyl Thiosulfate, Silica, Phenylethanol, Methylparaben, Butylparaben, Ethylparaben, Isobutylparaben, Propylparaben.

**Other Information**

■ protect this product from excessive heat and direct sun

**Questions or comments?**  
Call 1-800-SafeSun, Mon-Fri

MADE IN U.S.A.

Dist. By:  
ENERGIZER PERSONAL CARE, LLC  
SHELTON, CT 06484

[www.bananaboat.com](http://www.bananaboat.com)

© 2011 Sun Pharmaceutical, LLC



**BANANA BOAT**

avobenzone, homosalate, octisalate, octocrylene spray

**Product Information**

Product Type

HUMAN OTC DRUG LABEL

Item Code (Source)

NDC:63354-0 10

<b>Route of Administration</b>	TOPICAL	<b>DEA Schedule</b>	
--------------------------------	---------	---------------------	--

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
AVOBENZONE (AVOBENZONE)	AVOBENZONE	3 g in 100 g
HOMOSALATE (HOMOSALATE)	HOMOSALATE	10 g in 100 g
OCTISALATE (OCTISALATE)	OCTISALATE	5 g in 100 g
OCTOCRYLENE (OCTOCRYLENE)	OCTOCRYLENE	6 g in 100 g

### Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
ISOBUTANE	
WATER	
ISOHEXADECANE	
DIBUTYL ADIPATE	
SODIUM CHLORIDE	
POLYETHYLENE GLYCOL 400	
CAPRYLYL GLYCOL	
GLYCERIN	
SODIUM CITRATE	
ALOE VERA LEAF	
OCTYLDODECANOL	
VITAMIN A PALMITATE	
SILICON DIOXIDE	
ASCORBIC ACID	
PHENOXYETHANOL	
METHYL PARABEN	
ETHYL PARABEN	
ISOBUTYL PARABEN	
PROPYL PARABEN	
BUTYL PARABEN	

### Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:63354-010-34	177.42 g in 1 CAN		
2	NDC:63354-010-36	236.56 g in 1 CAN		
3	NDC:63354-010-37	269 g in 1 CAN		

### Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph not final	part352	01/11/2012	

