DRUG FACTS

Active ingredient(s) ***Purpose***

Use(s)

Uses Helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

Warnings

Do not use

Ask a doctor before use if you have

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Ask a doctor or pharmacist before use if you are

When using this product

Stop use and ask a doctor if

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding

Keep out of reach of children

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than 6 doses in any 24-hour period
- repeat dose every 4 hours

adults and children 12 years and over	2-4 teaspoonfuls (TSP)
children under 12 years	**DO NOT USE**

Other information

Store at room temperature 20°-25°C (68°-77°F). **Do not accept if imprinted tamper evident safety seal around cap is broken or missing**.

Other information

Manufactured by:
Silarx Pharmaceuticals, Inc.
19 West Street
Spring Valley, NY 10977
USA

Inactive ingredients

citric acid, D&C yellow no. 10, FD&C blue no. 1, FD&C red no. 40, strawberry flavor, glycerin, propylene glycol, saccharin sodium, sodium benzoate, sodium citrate, sorbitol, purified water.