UDDERDINE 502 - iodine liquid
BouMatic, LLC

Helps reduce the spread of organisms which may cause Mastitis
USE DIRECTIONS
NOT FOR HUMAN USE
FOR EXTERNAL USE ONLY
USE AT FULL STRENGTH
PRE-DIPPING: Before milking, dip or spray entire teat with this product. Wipe teats dry after application using single-service towels to avoid contamination of milk.
POST-DIPPING: After milking, spray or dip entire teat with this product. Allow to air dry.
Note: If solution in cup becomes visibly dirty, replenish with a fresh mixture of this product. Do not return unused product to original container.
CAUTION
KEEP OUT OF REACH OF CHILDREN
NOT FOR HUMAN USE
FIRST AID:
If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after the first 5 minutes, then continue rinsing. Contact a physician immediately. If swallowed: Have person sip a glass of water if able to swallow. Do not give anything to an unconscious person. Do not induce vomiting. Contact a physician immediately. If breathing difficulty occurs: Move person to fresh air. Contact a physician immediately. If on skin: Take off contaminated clothing. Rinse skin with soap and water. If irritation develops and persists, contact a physician.
Have the product container or label with you when going for treatment, calling a physician, the emergency number listed on this label or MSDS, or a poison control center.
PRECAUTION: Avoid eye contact. Do not ingest. Do not mix with any chemicals except as directed.
STORAGE: Store in a closed container away from sources of heat. If product becomes frozen, thaw and mix well before use.
SEE MATERIAL SAFETY DATA SHEET

Udderdine™ 502

IODINE TEAT DIP OR SPRAY

Helps reduce the spread of organisms which may cause Mastitis

USE DIRECTIONS
NOT FOR HUMAN USE
FOR EXTERNAL USE ONLY
USE AT FULL STRENGTH

PRE-DIPPING: Before milking, dip or spray entire teat with this product. Wipe teats dry after application using single-service towels to avoid contamination of milk.

POST-DIPPING: After milking, spray or dip entire teat with this product. Allow to air dry.
Note: If solution in cup becomes visibly dirty, replenish with a fresh mixture of this product. Do not return unused product to original container.

Active Ingredient (Iodine 0.5%)
Emollients 2%

SOLUTION DE TREMPAGE POU TRAYONS IODÉE VAPORISATEU

Aide à réduire la prolifératio organismes pouvant causer l mite

MODE D'EMPLOI
NE PAS EMPLOYER SUR MAIN
POUR L'USAGE EXTERNE MENT
UTILISER A POUVOIR MAX

PRÉ-TRAITE: Avant la traite pez ou vaporisez entièrem trayon avec le produit. Essu trayons après l'application, d'une serviette à usage uniq d'éviter la contamination du l

POST-TREMPER: Après la tremper ou pulvériser le tra complet avec ce produit. Lai cher à l'air.
Note : Si la solution dans l let à trayon devient visiblème remplacer avec une solution Ne returner jamais au récipi ginal.

Ingrediénts Actifs (Iode 0.5%
Émollients 2%

BouMatic LLC • PO Box 8050 • 1919 S. Stoughton Road • Madison, WI • 5

Udderdine™ 502

CAUTION
KEEP OUT OF REACH OF CHILDREN
NOT FOR HUMAN USE

FIRST AID:
If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after the first 5 minutes, then continue rinsing. Contact a physician immediately. **If swallowed:** Have person sip a glass of water if able to swallow. Do not give anything to an unconscious person. Do not induce vomiting. Contact a physician immediately. **If breathing difficulty occurs:** Move person to fresh air. Contact a physician immediately. **If on skin:** Take off contaminated clothing. Rinse skin with soap and water. If irritation develops and persists, contact a physician.
Have the product container or label with you when going for treatment, calling a physician, the emergency number listed on this label or MSDS, or a poison control center.
PRECAUTION: Avoid eye contact. Do not ingest. Do not mix with any chemicals except as directed.

Always use c
your cow

Remember t

Replace dip cups and/or clean dip lines
When introducing a new dip to a dairy herd, al from mixing with the old dip. If spray or dip pu out any residues of the old dip.

Aggressively remove keratin and exfoliate
A temporary exfoliation of dead teat skin is con