NITROGEN - nitrogen gas Clinical 1 Home Medical, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Nitrogen Liquid Label

NITROGEN, REFRIGERATED LIQUID NF UN1977 NON-FLAMMABLE GAS 2

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION

DO NOT CHANGE OR FORCE FIT CONNECTIONS.

RX ONLY	LTRS:
CONTENTS:	CU FT

WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken.

WARNING: EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE.

CAN CAUSE RAPID SUFFOCATION.

CAN CAUSE SEVERE FROSTBITE.

Store and use with adequate ventilation.

Do not get liquid in eyes, on skin or clothing.

For liquid withdraw, wear face shield and gloves.

Do not drop. Use suitale hand truck for container movement.

Container temperature should not exceed 52 degrees C (125 degrees F).

Close valve after each use and when empty.

Use a back flow preventive device in the piping.

Use in accordance with the Material Safety Data Sheet (MSDS).

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Call a physician.

IN CASE OF FROSTBITE, obtain medical treatment immediately.

CAS: 7727-37-9

DO NOT REMOVE THIS PRODUCT LABEL



LIQUID NF **UN1977**



ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. DO NOT CHANGE OR FORCE FIT CONNECTIONS. RX ONLY

	LIHS:L
CONTENTS:	CU FT:

WARNING: Administration of Nitrogen may be hazardous contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of nitrogen and is familiar with the indications. effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken.

WARNING:

EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE SEVERE FROSTBITE.

Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use suitale hand truck for container movement. Container temperature should not exceed 52°C(125°F). Close valve after each use and when empty. Use a back flow preventive device in the piping. Use in accordance with the Material Safety Data Sheet (MSDS).

FIRST AID. IF INHALED remove to tresh air If not breathing give

artificial respiration. If breathing is difficult, give oxygen. Call a physician.

IN CASE OF FROSTBITE, obtain medical treatment immediately.

CAS: 7727-37-9

DO NOT REMOVE THIS PRODUCT LABEL.

NITROGEN

nitrogen gas

Product Information

NDC:65919-HUMAN PRESCRIPTION DRUG Product Type Item Code (Source) LABEL 002

Route of Administration RESPIRATORY (INHALATION) **DEA** Schedule

Active Ingredient/Active Moiety

Basis of Strength Ingredient Name Strength NITRO GEN (NITRO GEN) NITROGEN 99 L in 100 L

Packaging

П	8 8			
l	# Item Code	Package Description	Marketing Start Date	Marketing End Date
ı	1 NDC:65919-002-01	10 L in 1 DEWAR		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		06/01/2000	

Labeler - Clinical 1 Home Medical, Inc. (110832404)

Registrant - Clinical 1 Home Medical, Inc. (110832404)

Establishment				
Name	Address	ID/FEI	Business Operations	
Clinical 1 Home Medical, Inc.		110832404	repack(65919-002)	

Revised: 1/2013 Clinical 1 Home Medical, Inc.