DRUG FACTS

Active ingredient(s) ***Purpose***

Use(s) Temporarily relieves these symptoms due to the common cold, hay fever (allergic rhinitis) or other upper respiratory allergies:
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes and make coughs more productive
- nasal congestion
- reduces swelling of nasal passage

Warnings

Do not exceed recommended dosage.

Do not use
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have
- a cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- a cough that occurs with too much phlegm (mucus)
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

When using this product

Stop use and ask a doctor if
- nervousness, dizziness, or sleeplessness occur
- cough or nasal congestion persists for more than 1 week, tends to recur, or is accompanied by a fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.
- new symptoms occur

If pregnant or breast-feeding

Keep out of reach of childrenKeep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions **Do not exceed recommended dosage.**

Adults and children 12 years of age and over:	1 tablet every 4 hours, not to exceed 6 tablets in 24 hours.
Children 6 to under 12 years of age:	1/2 tablet every 4 hours, not to exceed 3 tablets in 24 hours.
Children under 6 years of age:	Consult a physician.

Other information Store at controlled room temperature between 15°- 30°C (59°- 86°F).
Supplied in a tight, light-resistant container with a child-resistant cap.
Contains color additives including FD&C Yellow No. 5 (tartrazine).
Deconex IR Tablets are green, oval-shaped, scored tablets, debossed "POLY" bisect "716" on one side, and plain on the other side.

Inactive ingredients colloidal silicon dioxide, croscarmellose sodium, FD&C Blue #1 aluminum lake, FD&C Yellow #5 aluminum lake, hypromellose, maltodextrin, povidone, silicified microcrystalline cellulose, and stearic acid.