DYNA-MAX 505- iodine solution
Dairy Dynamics L.L.C.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

DYNA-MAX 505

DYNA-MAX 505

Commercial

Iodine Pre and Post Dip

Active Ingredient: .5% Titratable Iodine

DIRECTIONS FOR USE

PRE-DIPPING:

- Immediately prior to milking, remove any excessive soils from teat surfaces.
- Apply DYNA-MAX 505 pre-dip with dip cup or sprayer covering the entire surface of the teat.*
- Allow for a minimum 15 seconds contact time.
- Wipe each teat with a single service towel to remove teat dip and soil from teat surface.
- Attach milking unit.

* It is common practice to “fore-strip” teats prior to milking for the purposes of milk letdown and mastitis detection. The procedure of fore-stripping may be performed prior to or after application of DYNA-MAX 505.

POST-DIPPING:

- Immediately after removal of milking unit apply DYNA-MAX 505 with a dip cup or sprayer ensuring complete coverage of teat surfaces with teat dip solution.

DO NOT DILUTE TEAT DIP, USE AT FULL STRENGTH. IF TEAT DIP IN THE TEAT CUP BECOMES CLOUDY OR DIRTY IN APPEARANCE, DISCARD AND REPLACE CONTENTS IF THE DIP CUP WITH FRESH TEAT DIP. DO NOT RETURN CONTAMINATED TEAT DIP TO THE ORIGINAL CONTAINER.

If original container becomes frozen, thaw completely then mix thoroughly before use.

PRECAUTIONARY STATEMENTS

DANGER

KEEP OUT OF REACH OF CHILDREN.

CAN CAUSE EYE DAMAGE.

Protect eyes when handling. DO NOT get in eyes or on clothing. Harmful is swallowed. Avoid contamination of food.

FIRST AID

Eyes: In case of contact with eyes, flush immediately with plenty of water for at least 15 minutes. Call a physician.

Internal: If swallowed, promptly rinse mouth with water then give a large quantity of milk or water.

Avoid alcohol. Contact a physician immediately. Never give anything by mouth to an unconscious person.

FOR ASSISTANCE WITH MEDICAL EMERGENCY, CALL 1-800-367-5178.

REFER TO MATERIAL DATA SAFETY SHEET.

HEALTH - 2

FLAMMABILITY - 0

REACTIVITY - 1

PERSONAL PROTECTION - A

Teat Dip Formulation - Commercial

Contains 5% Glycerine

Usage: Post Dip, Pre-Dip

Weather Conditions: Adverse

Organism Challenge: High

Housing Conditions: Fair/Good

PRINCIPAL DISPLAY PANEL/REPRESENTATIVE LABEL

Dairy Dynamics

Industrial Strength Formulations for the Commercial Dairy

DYNA-MAX 505

Commercial

Iodine Pre and Post Dip

Active Ingredient: .5% Titratable Iodine

TAKE TIME OBSERVE LABEL DIRECTIONS

NET CONTENTS: 55 U.S. GALLONS

Manufactured by: Dairy Dynamics 2410 Greenleaf Elk Grove Village, IL 60007



DIRECTIONS FOR USE

PRE-DIPPING:
- Immediately prior to milking, remove any excessive soils from teat surfaces.
- Apply DYNA-MAX 505 with dip cup or sprayer covering entire surface of teat.*
- Allow for minimum of 15 seconds contact time.
- Wipe each teat with a single service towel to remove teat dip and soil from teat surface
- Attach milking unit.

*It is a common practice to "fore-strip" teats prior to milking for purposes of milk letdown and mastitis detection. The procedure of fore-stripping may be performed prior to or after application of DYNA-MAX 505.

POST-DIPPING:
- Immediately after removal of milking unit apply DYNA-MAX 505 with dip cup or sprayer ensuring complete coverage of teat surfaces with teat dip solution.

DO NOT DILUTE TEAT DIP, USE AT FULL STRENGTH. IF TEAT DIP IN THE TEAT CUP BECOMES CLOUDY OR DIRTY IN APPEARANCE, DISCARD AND REPLACE CONTENTS OF DIP CUP WITH FRESH TEAT DIP. DO NOT RETURN CONTAMINATED TEAT DIP TO THE ORIGINAL CONTAINER.
If original container becomes frozen, thaw completely then mix thoroughly before use.

HEALTH	2
FLAMMABILITY	0
REACTIVITY	1
PERSONAL PROTECTION	A

PRECAUTIONARY STATEMENTS
DANGER
KEEP OUT OF REACH OF CHILDREN.
CAN CAUSE EYE DAMAGE.
Protect eyes when handling. DO NOT get in eyes or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID
Eyes: In case of contact with eyes, flush immediately with water for at least 15 minutes. Call a physician.
Internal: If swallowed, promptly rinse mouth then give a large quantity of milk or water. Avoid alcohol. Contact a physician immediately. Never give anything by mouth to an unconscious person.

FOR ASSISTANCE WITH MEDICAL EMERGENCY,
CALL: 1-800-367-5178.
REFER TO MATERIAL SAFETY DATA SHEET.

Dyna-Max 505
Teat Dip Formulation-Commercial
10,000 PPM Iodine (1% Iodine)
Contains 5% Glycerine
Usage: Post Dip, Pre-Dip
Weather Conditions: Adverse
Organism Challenge: High
Housing Conditions: Fair/Good

XXX-973E-DDC

Dairy Dynamics

INDUSTRIAL STRENGTH FORMULATIONS FOR THE COMMERCIAL DAIRY

AMERICAN OWNED AND OPERATED

DYNA-MAX 505
Commercial
Iodine Pre and Post Dip
Active Ingredient: .5% Titratable Iodine

TEAT DIP

TAKE TIME OBSERVE LABEL DIRECTIONS

NET CONTENTS: 55 PU.S. GALLONS

XXX973EDDC

Manufactured For: Dairy Dynamics 2410 Greenleaf Elk Grove Village, IL 60007

XXX-973E-DDC 04.07

DYNA-MAX 505

iodine solution

Product Information

Product Type	OTC ANIMAL DRUG LABEL	**Item Code (Source)**	NDC:67351-973
Route of Administration	TOPICAL	**DEA Schedule**	

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (IODINE)	IODINE	5 g in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67351-973-01	3.8 L in 1 BOTTLE		
2	NDC:67351-973-05	18.9 L in 1 DRUM		
3	NDC:67351-973-15	56.8 L in 1 DRUM		
4	NDC:67351-973-55	208.2 L in 1 DRUM		

5	NDC:67351-973-75	1041 L in 1 TANK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/01/2009	

Labeler - Dairy Dynamics L.L.C. (142010953)

Establishment

Name	Address	ID/FEI	Business Operations
Dairy Dynamics L.L.C.		142010953	manufacture, api manufacture

Revised: 1/2013 Dairy Dynamics L.L.C.