GENTAMICIN PIGLET - gentamicin sulfate injection
Sparhawk Laboratories, Inc.

DESCRIPTION
Piglet Injection Veterinary
Antibacterial
For Piglets Up to 3 days of age
Gentamicin Piglet Injection is a sterile preparation for intramuscular administration in piglets up to 3 days of age. Each milliliter contains gentamicin sulfate, USP equivalent to 5 mg gentamicin base, 2 mg sodium bisulfite, 0.1 mg edetate disodium, 7.46 mg sodium acetate, 3 mg glacial acetic acid; 1.3 mg methylparaben and 0.2 mg propylparaben as preservatives, water for injection q.s.

DESCRIPTION
Gentamicin Piglet Injection is a sterile preparation for intramuscular administration in piglets up to 3 days of age. Each milliliter contains gentamicin sulfate, USP equivalent to 5 mg gentamicin base, 2 mg sodium bisulfite, 0.1 mg edetate disodium, 7.46 mg sodium acetate, 3 mg glacial acetic acid; 1.3 mg methylparaben and 0.2 mg propylparaben as preservatives, water for injection q.s.

WARNING
For use in piglets up to 3 days of age only.
Piglets injected with Gentamicin Piglet Injection must not be slaughtered for food for at least forty (40) days following treatment. Use of more than the recommended dose will result in gentamicin tissue residues beyond forty (40) days.
Restricted Drug (California) - use only as directed
Store between 2° and 30^oC (36° and 86^oF)
Protect from freezing.
For intramuscular use only.
TAKE TIME OBSERVE LABEL DIRECTIONS

INDICATIONS
Gentamicin Piglet Injection is recommended for the treatment of porcine colibacillosis caused by strains of *E.coli* sensitive to gentamicin.

DOSAGE AND ADMINISTRATION
The recommended dose is 1 mL (5 mg) administered intramuscularly. Gentamicin Piglet Injection is not to be used more than once in each piglet.
If piglets do not respond to treatment with Gentamicin Piglet Injection, diagnosis should be reevaluated. Clean and sterilize needles and syringes
by boiling in water for 15 minutes prior to use.
Prior to injection, disinfect the injection site and top of the vial with a suitable disinfectant, such as 70% alcohol.
Use all precautions to prevent contamination of vial contents.

CONTRAINDICATIONS
There are no known contraindications to this drug when used as directed.

PRECAUTIONS
Store between 2° and 30^oC (36° and 86^oF)

CHEMISTRY
Gentamicin is a mixture of aminoglycoside antibiotics derived from the fermentation of *Micromonospora purpurea.* Gentamicin sulfate, USP
is a mixture of sulfate salts of the antibiotics produced in this fermentation. The salts are weakly acidic and freely soluble in water.
Gentamicin sulfate, USP is stable in solution for the period of time indicated on the labels by the expiration date.
Gentamicin sulfate, USP contains not less than 500 micrograms of gentamicin base per milligram.

HOW SUPPLIED
Gentamicin Piglet Injection, 5 mg/mL is abailable in 100 mL, 250 mL and 500 mL multiple dose vials.
Antibacterial
100 Doses
ANADA #: 200-394, Approved by F.D.A.

For use in piglets only, up to 3 days of age.

Each mL contains: gentamicin sulfate, USP equivalent to 5 mg gentamicin base, 2 mg sodium bisulfite, 0.1 mg edetate disodium, 7.46 mg sodium acetate, 3 mg glacial acetic acid; 1.3 mg methylparaben and 0.2 mg propylparaben as preservatives, water for injection q.s.

Indications: Gentamicin Piglet Injection is recommended for the treatment of porcine colibacillosis caused by strains of *E. coli* sensitive to gentamicin.

G-6639-04 Rev. 2-09

LOT NO.: EXP. DATE:

Gentamicin Piglet Injection

(GENTAMICIN SULFATE, USP)

Piglet Injection

Antibacterial

100 Doses

5mg/mL

ANADA#: 200-394 Approved by F.D.A.

NET CONTENTS: 3.4 oz (100 mL)

DISTRIBUTED BY SPARHAWK LABORATORIES, INC. LENEXA, KS 66215 USA

Dose: 1 mL per piglet,
Gentamicin Piglet Inje
than once in each pigl

WARNING: Piglets
Piglet Injection must
at least 40 days follow

Restricted Drug (Calif

Read accompanying

Store between 2° and

Protect from freezing.

For intramuscular use

ANADA#: 200-3

TAKE TIME

Manu
Sparhawk
Lenex

7

Dose: 1 mL per piglet, administered intramuscularly. Gentamicin Piglet Injection is not to be used more than once in each piglet.

WARNING: Piglets injected with Gentamicin Piglet Injection must not be slaughtered for food for at least 40 days following treatment.

Restricted Drug (California)--use only as directed.

Read accompanying directions carefully.

Store between 2° and 30°C (36° and 86°F)

Protect from freezing.

For intramuscular use only.

ANADA#: 200-394 Approved by F.D.A.

TAKE TIME OBSERVE LABEL DIRECTIONS

Manufactured by
Sparhawk Laboratories, Inc.
Lenexa, KS 66215

Gentamicin Piglet Injection

(GENTAMICIN SULFATE, USP)

Piglet Injection- 5mg/mL

Piglet Injection Veterinary
Antibacterial
For Piglets Up to 3 days of age

DESCRIPTION Gentamicin Piglet Injection is a sterile preparation for intramuscular administration in piglets up to 3 days of age. Each milliliter

1

INDICATIONS: Gentamicin Piglet Injection is recommended for the treatment of porcine colibacillosis caused by strains of *E. coli* sensitive to gentamicin.

DOSAGE AND ADMINISTRATION: The recommended dose is 1 mL (5 mg) administered intramuscularly. Gentamicin Piglet Injection is not to be used more than once in each piglet. If piglets do not respond to treatment with Gentamicin Piglet Injection, diagnosis should be reevaluated. Clean and sterilize needles and syringes by boiling in water for 15 minutes prior to use.

3

Prior to injection, disinfect the injection site and top of the vial with a suitable disinfectant, such as 70% alcohol.
Use all precautions to prevent contamination of vial contents.

CONTRAINDICATIONS: There are no known contraindications to this drug when used as directed.

PRECAUTIONS: Store between 2° and 30°C (36° and 86°F)

CHEMISTRY: Gentamicin is a mixture of aminoglycoside antibiotics derived from the fermentation of *Micromonospora purpurea*. Gentamicin sulfate, USP is a mixture of sulfate salts of the antibiotics produced in this fermentation. The salts are weakly acidic and freely soluble in water. Gentamicin sulfate, USP is stable in solution for the period of time indicated on the labels by the expiration date.
Gentamicin sulfate, USP contains not less than 500 micrograms of gentamicin base per milligram.

4

HOW SUPPLIED: Gentamicin Piglet Injection, 5mg/mL is available in 100 mL, 250 mL and 500 mL multiple dose vials.

5