DAIRY DINE - iodine liquid
EXL Laboratories, LLC

USAGE DIRECTIONS TEAT IRRITATION AND CHAPPING ACTIVE INGREDIENTS
1 % IODINE POST-MILKING TEAT DIP OR SPRAY
USAGE DIRECTIONS
POST-DIPPING/SPRAYING:
Dip/spray teats with undiluted product immediately after milking. Allow to air dry. Replace the solution if it becomes visibly dirty. With freshening cows, begin dipping teats twice daily for about 10 days before calving. For dry cows, dip/spray teats once a day for several days following the last milking. During cold weather, do not turn out cows until teats are dry to prevent chapping and freezing. If necessary, wipe dry with a single service towel.
UDDER WASH: To avoid contamination of milk, wash teats with this product diluted at 1 oz. (30 ml) per 2 gallons (8 L) of lukewarm water. Then dry each cow's udder and teats with individual clean towels.
DO NOT USE THIS PRODUCT FOR CLEANING AND/OR SANITIZING EQUIPMENT.
IMPORTANT: TEAT IRRITATION OR CHAPPING:
Teat dips have the potential to cause irritation of a cow's teats or milker's hands individual tolerance to a particular formulation as well as other factors (dry or cold weather, improper teat dip application, bedding quality, milking equipment, etc.) may also affect teat condition. If you observe abnormal irritation or chapping, discontinue and use and call the technical service department at 1-800-225-3832, or contact your dealer.
ACTIVE INGREDIENTS: Nonylphenoxypolyethoxy (12 moles EO) ethanol-iodine complex providing 1.0% titratable iodine (10.000 mg/L)
Contains 10% skin conditioners.

CAUTION FIRST AID STORAGE AND SPILLAGE
CAUTION – KEEP OUT OF THE REACH OF CHILDREN
HARMFUL IF SWALLOWED – HARMFUL IF INHALED – CAUSES EYE IRRITATION
SEE BELOW INFORMATION FOR ADDITIONAL PRECAUTIONS AND/OR CONSULT MATERIAL SAFETY DATA SHEET
Personnel familiar with this product are available 24 hours a day, 7 days a week.
FOR EMERGENCIES CALL 1-800-424-9300
PRECAUTIONS:
Protect eyes from contact with this product. Keep container tightly closed when not in use. Use with adequate ventilation. Wash thoroughly after handling product.
FIRST AID:
EXTERNAL: In case of contact, immediately flush contaminated skin with plenty of water. If irritation occurs and persists, call a physician.
INTERNAL: If conscious, dilute by giving several glasses of water or milk. Do not induce vomiting. If vomiting does occur, repeat giving several glasses of water or milk. Get prompt medical attention. NEVER GIVE ANYTHING BY MOUYH TO AN UNCONSCIOUS PERSON.
EYES: Immediately flush with plenty of clean, running water for at least 15 minutes, holding eyelids apart to ensure flushing of the entire eye surface. If irritation persists, call a physician.
STORAGE AND DISPOSAL: Store this product in a cool, dry area away from direct sunlight and heat to avoid deterioration. Store in a locked cabinet or room to keep it out of the reach of children. Dispose of according to Federal, State, and local laws.
SPILLAGE: In case of a small spill (less than one gallon) flood area with a large quantity of water. For larger spills, contain and remove with inert absorbent and dispose of according to Federal, State, and local laws.
KEEP FROM FREEZING.

PRODUCT LABEL
DAIRY DC Chem
DAIRY DINE 1%
Manufactured in the U.S.A. by EXL Laboratories, LLC.
1011 Glenwood Avenue, Minneapolis, MN 55405 Toll free 1-800-225-3832
Part # 762
Net Contents: 55 GALLONS (208.2L)
Lot #: 00010312A Expires: 10/2003

Dairy Chem

DAIRY DINE 1%

1% IODINE POST-MILKING TEAT DIP OR SPRAY

USAGE DIRECTIONS

POST-DIPPING/SPRAYING: Dip/spray teats with undiluted product immediately after milking. Allow to air dry. Dispenser the solution in a clean, sanitized cup or spray bottle. Do not contaminate the product. Do not dilute. Do not rinse. Do not wipe off. Do not dry. Dip/spray teats once a day for several days following the last milking. During cold weather, do not turn out cows until teats are dry to prevent chapping and freezing. If necessary, wipe dry with a single service towel.

PRE-DIPPING: Pre-dip teats with a clean cup or spray bottle containing product diluted at 1 oz. (30 ml) per 2 gal. (8 L) of lukewarm water. Then dry each teat with paper and teats with individual towel towels.

DO NOT USE THIS PRODUCT FOR CLEANING AND/OR SANITIZING EQUIPMENT

IMPORTANT: TEAT IRRITATION OR CHAPPING: Teat dips have the potential to cause irritation of a cow's teats or induce a herd's individual tolerance to a particular formulation as well as other factors dry or cold weather, improper teat dip application, bedding, milking machine, milking procedure, etc. If teat irritation or chapping occurs, discontinue use and call the technical service department at 1-800-225-3832, or contact your dealer.

ACTIVE INGREDIENTS: Nonylphenoxypolyethoxy (12 moles, EO) ethanol-iodine complex providing 1.0% titratable iodine (10,000 ppm).

Contains 1% skin conditioners.

CAUTION - KEEP OUT OF THE REACH OF CHILDREN

HARMFUL IF SWALLOWED - HARMFUL IF INHALED - CAUSES EYE IRRITATION

SEE BELOW FOR ADDITIONAL PRECAUTIONS AND/OR CONSULT MATERIAL SAFETY DATA SHEET

Personnel familiar with this product are available 24 hours a day, 7 days a week.

FOR EMERGENCIES CALL: 1-800-424-9300

PRECAUTIONS: Protect eyes from contact with this product. Keep container tightly closed when not in use. Use with adequate ventilation. Wash thoroughly after handling product.

FIRST AID:

EXTERNAL: In case of contact, immediately flush contaminated skin with plenty of water. If irritation occurs and persists, call a physician.

INTERNAL: If conscious, dilute by giving several glasses of water or milk. Do not induce vomiting. If vomiting does occur, repeat giving several glasses of water or milk. Get prompt medical attention. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

EYES: Immediately flush with plenty of clean, running water for at least 15 minutes, holding eyelids apart to ensure flushing of the entire eye surface. If irritation persists, call a physician.

STORAGE: Keep out of reach of children. Store in a cool, dry area away from direct sunlight and heat to avoid deterioration. Store in a clean cabinet or room to keep it out of the reach of children. Dispose of according to Federal, State, and local laws.

SPILLAGE: In case of small spill (less than one gallon), flood area with a large quantity of water. For larger spills, contain and remove with inert material for disposal of according to Federal, State, and local laws.

KEEP FROM FREEZING

Manufactured in the USA by: EXL LABORATORIES, LLC
1001 Glenwood Ave - Minneapolis, MN 55405 612.374.9141

Part#

762

BAÑOIAEROSOL DE PEZON POSTERIOR AL ORDEÑO 1.0% YODO

INSTRUCCIONES DE USO

BAÑO/AEROSOL POSTERIOR: Bañar/rociar los pezones con este producto en dilución inmediatamente luego del ordeño. Dejar secar al aire. No diluir. No enjuagar. No secar. Si es necesario, secar con una toalla de una sola vez.

BAÑO/AEROSOL POSTERIOR: Bañar/rociar los pezones con este producto en dilución inmediatamente luego del ordeño. Dejar secar al aire. No diluir. No enjuagar. No secar. Si es necesario, secar con una toalla de una sola vez.

PRE-BAÑO/PRE-ROCIADO: Pre-bañar/pre-rociar los pezones con una taza o pipa, conteniendo la solución de producto diluido al 1 oz. (30 ml) por 2 gal. (8 L) de agua tibia. Secar los pezones con toallas individuales de una sola vez.

NO USAR PARA LIMPIAR EQUIPO NI/O ESTERILIZAR EQUIPO

IMPORTANTE: IRRITACIÓN Y/O CUARTEO DE LOS PEZONES: Los baños de las ubres pueden causar irritación a las lesiones de la vaca o a la individual tolerancia a una formulación particular así como otros factores: tiempo seco frío, aplicación incorrecta del baño del pezón, equipo de ordeño, procedimiento de ordeño, etc. Si ocurre irritación o cuarteo de los pezones, discontinúe el uso y llame al departamento de servicio técnico al 1-800-225-3832, o consulte a su representante.

Ingredientes activos: Nonylphenoxypolyethoxy (12 moles EO) ethanol-yodo complejo proveyendo 1.0% de yodo titratable (10,000 ppm).

Contiene 1% de acondicionadores de la piel.

ADVERTENCIA - MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

CAUSA DAÑO SI ES INGERIDO - CAUSA DAÑO SI ES INHALADO - CAUSA IRRITACIÓN DE LOS OJOS

LEA A CONTINUACION POR PRECAUCION Y/O CONSULTE EL MATERIAL DE INFORMACION SOBRE SEGURIDAD

Personal familiar con este producto está disponible las 24 horas del día, 7 días a la semana

PARA EMERGENCIAS LLAME: 1-800-424-9300

PRECAUCIONES: Proteger los ojos de contacto con este producto. Mantenga el recipiente bien cerrado cuando no se está usando. Usarlo donde haya ventilación adecuada. Lávese bien luego de manipular el producto.

PRIMEROS AUXILIOS:

EXTERNO: En caso de contacto, inmediatamente lave la piedra la piel contaminada con mucha agua. Si aparece irritación y persiste, llamar a un médico.

INTERNO: Si está consciente, diluir diándole varios vasos de agua o leche. No induzca el vomito. En caso de vomito, dar nuevamente varios vasos de agua o leche. Obtenga atención médica inmediatamente. NUNCA DAR ALGO A BOCA POR LA BOCA A UNA PERSONA INCONSCIENTE.

OJOS: Inmediatamente enjuague con mucha agua corriente y limpia al menos por 15 minutos, sosteniendo los párpados para asegurar el lavado a fondo de la superficie de ojo completamente. Llamar a un médico.

ALMACENAMIENTO Y ELIMINACIÓN: Almacenar en un lugar fresco y seco. Lejos del alcance de la luz solar en forma directa y del calor para evitar su deterioro. Almacenar en un cuarto o gabinete con cerradura para mantenerlo fuera del alcance de los niños. Elimínese siendo de acuerdo a las leyes federales, estatales y locales.

DERRAMAMIENTO: En caso de un derrame pequeño (menos de un galón), inundar el área con una gran cantidad de agua. En caso de mayores derrames, contenga con un absorbente neutro y elimínese de acuerdo a las leyes federales, estatales y locales.

NO CONGELAR

Net Contents:
55 GALLONS (208.2 L)
Lot #: 00010312A Expires:10/2003