SMOOTH LAX- polyethylene glycol 3350 powder, for solution
Walgreen Company

Walgreen Co. Smooth Lax® Drug Facts

Active ingredient (in each dose) (Pouches Only)

Polyethylene Glycol 3350, 17 g (in each pouch)

Active ingredient (in each dose) (Bottle Only)

Polyethylene Glycol 3350, 17 g (cap filled to line)

Purpose

Osmotic Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

Warnings

Allergy alert: Do not use if you are allergic to polyethylene glycol

Do not use

if you have kidney disease, except under the advice and supervision of a doctor

Ask a doctor before use if you have

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

Ask a doctor or pharmacist before use if you are

taking a prescription drug

When using this product

you may have loose, watery, more frequent stools

Stop use and ask a doctor if

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions (Pouches Only)

- do not take more than directed unless advised by your doctor
- adults and children 17 years of age and older:
- stir and dissolve one packet of powder (17 g) in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
- use once a day
- use no more than 7 days
- children 16 years of age or under: ask a doctor

Directions (Bottle Only)

- do not take more than directed unless advised by your doctor
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- adults and children 17 years of age and older:
- fill to top of white section in cap which is marked to indicate the correct dose (17 g)
- stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
- use once a day
- use no more than 7 days
- children 16 years of age or under: ask a doctor

Other information

- store at 20°-25°C (68°-77°F)
- tamper-evident: do not use if printed foil pouch is open or broken (Pouches Only)
- tamper-evident: do not use if printed foil seal under cap is missing, open or broken (Bottle Only)

Inactive ingredients

none

Questions or comments?

1-800-719-9260

Principal Display Panel

VALUE SIZE

ORIGINAL PRESCRIPTION STRENGTH

SMOOTH LAX®

Polyethylene Glycol 3350

Powder for Solution, Osmotic Laxative

Relieves occasional constipation (irregularity)

Softens stool

ONCE-DAILY DOSES {Replace "#" with number of daily doses}

Compare to MiraLax® active ingredient

Dissolves in any beverage.
Walgreens Smooth LAX® increases frequency of bowel movements and softens the stool.

Drug Facts

Active ingredient (in each dose) **Purpose**
Polyethylene Glycol 3350, 17 g (cap filled to line).....Osmotic Laxative

Use
- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

Warnings

Allergy alert: Do not use if you are allergic to polyethylene glycol

Do not use if you have kidney disease, except under the advice and supervision of a doctor

Ask a doctor before use if you have
- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

Ask a doctor or pharmacist before use if you are taking a prescription drug

When using this product you may have loose, watery, more frequent stools

Stop use and ask a doctor if
- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Drug Facts (continued)

Directions
- **do not take more than directed unless advised by your doctor**
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- adults and children 17 years of age and older:
  - fill to top of white section in cap which is marked to indicate the correct dose (17 g)
  - stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
  - use once a day
  - use no more than 7 days
- children 16 years of age or under: ask a doctor

Other information
- store at 20°-25°C (68°-77°F)
- tamper-evident: do not use if printed foil seal under cap is missing, open or broken

Inactive ingredients none

Questions or comments? 1-800-719-9260

‡Walgreens Pharmacist Survey Study, November 2010.
‡‡This product is not manufactured or distributed by Schering-Plough HealthCare Products, Inc., distributor of MiraLAX®.

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com ©2012 Walgreen Co. ORG0712

Gluten Free
Sugar Free

ITEM 485029

3 11917 11018 9

: 306F6 94 B4

SMOOTH LAX

polyethylene glycol 3350 powder, for solution

Product Information

Product Type	HUMAN OTC DRUG LABEL	**Item Code (Source)**	NDC:0363-0306
Route of Administration	ORAL	**DEA Schedule**	

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POLYETHYLENE GLYCOL 3350 (POLYETHYLENE GLYCOL 3350)	POLYETHYLENE GLYCOL 3350	17 g in 17 g

Product Characteristics

Color	WHITE	**Score**	
Shape		**Size**	
Flavor		**Imprint Code**	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0306-52	10 in 1 CARTON		
1		17 g in 1 POUCH		
2	NDC:0363-0306-02	238 g in 1 BOTTLE		
3	NDC:0363-0306-03	510 g in 1 BOTTLE		
4	NDC:0363-0306-04	850 g in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA090685	10/09/2009	

Labeler - Walgreen Company (008965063)

Revised: 1/2013 Walgreen Company