LEADER CLEAR LAX ORIGINAL PRESCRIPTION STRENGTH- polyethylene glycol 3350 powder

Cardinal Health

Cardinal Health ClearLax® Drug Facts

Active ingredient (in each dose)

Polyethylene Glycol 3350, 17 g (cap filled to line)

Purpose

Osmotic Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

Warnings

Allergy alert: Do not use if you are allergic to polyethylene glycol

Do not use

if you have kidney disease, except under the advice and supervision of a doctor

Ask a doctor before use if you have

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

Ask a doctor or pharmacist before use if you are

taking a prescription drug

When using this product

you may have loose, watery, more frequent stools

Stop use and ask a doctor if

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- do not take more than directed unless advised by your doctor
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- adults and children 17 years of age and older:
- fill to top of white section in cap which is marked to indicate the correct dose (17 g)
- stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
- use once a day
- use no more than 7 days
- children 16 years of age or under: ask a doctor

Other information

- store at 20°-25°C (68°-77°F)
- tamper-evident: do not use if printed foil seal under cap is missing, open or broken

Inactive ingredients

none

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to MiraLAX® active ingredient

ORIGINAL PRESCRIPTION STRENGTH

ClearLax®

Polyethylene Glycol 3350

Powder for Solution

Osmotic Laxative

Relieves Occasional Constipation (Irregularity)

Softens Stool

once-daily doses {Replace "#" with number daily doses}

NDC 37205-612-72



Compare to MiraLAX® active ingredient*

ORIGINAL PRESCRIPTION STRENGTH

ClearLax®


Polyethylene Glycol 3350 Powder for Solution


Osmotic Laxative

Relieves Occasional Constipation (Irregularity)
Softens Stool

NET WT 8.3 OZ (238 g) 14 once-daily doses

: 306E1 E9 F3





LEADER CLEAR LAX ORIGINAL PRESCRIPTION STRENGTH

polyethylene glycol 3350 powder

Product Information			
Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:37205-612
Route of Administration	ORAL	DEA Schedule	

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
POLYETHYLENE GLYCOL 3350 (POLYETHYLENE GLYCOL 3350)	POLYETHYLENE GLYCOL 3350	17 g in 17 g		

Product Characteristics			
Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:37205-612-73	510 g in 1 BOTTLE		
2 NDC:37205-612-71	119 g in 1 BOTTLE		
3 NDC:37205-612-72	238 g in 1 BOTTLE		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA090685	10/26/2009		

Labeler - Cardinal Health (097537435)

Revised: 1/2013 Cardinal Health