GOOD SENSE FIBER LAXATIVE- calcium polycarbophil tablet, film coated L. Perrigo Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Perrigo Fiber Laxative Drug Facts

Active ingredient (in each caplet)

Calcium polycarbophil 625 mg equivalent to 500 mg polycarbophil

Purpose

Bulk-forming laxative

Uses

- relieves occasional constipation to help restore and maintain regularity
- this product generally produces bowel movement in 12 to 72 hours

Warnings

Choking: Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

Ask a doctor before use if you have

- abdominal pain, nausea, or vomiting
- a sudden change in bowel habits that persists over a period of 2 weeks

Ask a doctor or pharmacist before use if you are

taking any other drug. Take this product 2 or more hours before or after other drugs. All laxatives may affect how other drugs work.

When using this product

- do not use for more than 7 days unless directed by a doctor
- do not take more than 8 caplets in a 24 hour period unless directed by a doctor

Stop use and ask a doctor if

rectal bleeding occurs or if you fail to have a bowel movement after use of this or any other laxative. These could be signs of a serious condition.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- take each dose of this product with at least 8 ounces (a full glass) of water or other fluid. Taking this product without enough liquid may cause choking. See choking warning.
- this product works naturally so continued use for one to three days is normally required to provide full benefit. Dosage may vary according to diet, exercise, previous laxative use or severity of constipation.

age	recommended dose	daily maximum	
adults and children 12 years of age and over	2 caplets once a day	up to 4 times a day	
children under 12 years	consult a physician		

Other information

- each caplet contains: calcium 140 mg and magnesium 10 mg
- store at 20-25°C (68-77°F)

Inactive ingredients

caramel, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, sodium lauryl sulfate

Questions or comments?

1-800-719-9260

Principal Display Panel

Easy To Take

Bulk-Forming Laxative

Calcium Polycarbophil 625 mg

Fiber Laxative


Fiber Therapy for Regularity

Gentle Enough for Everyday Use

As Effective as Fiber Powders

Won't Ferment to Cause Gas or Bloating

Compare to active ingredient of FiberCon®



GOOD SENSE FIBER LAXATIVE

calcium polycarbophil tablet, film coated

Product Information				
Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:0113-0477	
Route of Administration	ORAL	DEA Schedule		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
CALCIUM POLYCARBOPHIL (POLYCARBOPHIL)	CALCIUM POLYCARBOPHIL	625 mg	

Inactive Ingredients				
Ingredient Name	Strength			
CARAMEL				
CROSPOVIDONE				
HYPROMELLOSES				
MAGNESIUM STEARATE				
CELLULO SE, MICRO CRYSTALLINE				
POLYETHYLENE GLYCOLS				
SILICON DIO XIDE				
SODIUM LAURYL SULFATE				

Product Characteristics				
Color	BROWN (light)	Score	2 pieces	
Shape	CAPSULE (caplet)	Size	19 mm	
Flavor		Imprint Code	L477	
Contains				

Packaging						
#	Item Code	Package Description	Marketing	Start Date	Ma	rketing End Date
1	NDC:0113-0477-75	90 in 1 BOTTLE				
Marketing Information						
	Marketing Category	Application Number or Monog	raph Citation	Marketing Star	t Date	Marketing End Date
O	TC monograph not final	part334		08/01/1997		

Labeler - L. Perrigo Company (006013346)

Revised: 12/2012 L. Perrigo Company