SUNMARK FIBER LAXATIVE- calcium polycarbophil tablet, film coated McKesson

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

McKesson Fiber Laxative Drug Facts

Active ingredient (in each caplet)

Calcium polycarbophil 625 mg equivalent to 500 mg polycarbophil

Purpose

Bulk-forming laxative

Uses

- relieves occasional constipation to help restore and maintain regularity
- this product generally produces bowel movement in 12 to 72 hours

Warnings

Choking: Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

Ask a doctor before use if you have

- abdominal pain, nausea, or vomiting
- a sudden change in bowel habits that persists over a period of 2 weeks

Ask a doctor or pharmacist before use if you are

taking any other drug. Take this product 2 or more hours before or after other drugs. All laxatives may affect how other drugs work.

When using this product

- do not use for more than 7 days unless directed by a doctor
- do not take more than 8 caplets in a 24 hour period unless directed by a doctor

Stop use and ask a doctor if

rectal bleeding occurs or if you fail to have a bowel movement after use of this or any other laxative. These could be signs of a serious condition.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- take each dose of this product with at least 8 ounces (a full glass) of water or other fluid. Taking this product without enough liquid may cause choking. See choking warning.
- this product works naturally so continued use for one to three days is normally required to
 provide full benefit. Dosage may vary according to diet, exercise, previous laxative use or
 severity of constipation.

age	recommended dose	daily maximum
adults and children 12 years of age and over	2 caplets once a day	up to 4 times a day
children under 12 years	consult a physician	

Other information

- each caplet contains: calcium 140 mg and magnesium 10 mg
- store at 20-25°C (68-77°F)

Inactive ingredients

caramel, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, sodium lauryl sulfate

Questions or comments?

1-800-719-9260

Principal Display Panel

COMPARE TO FIBERCON® ACTIVE INGREDIENT

fiber laxative

Bulk-Forming Laxative

Fiber Therapy for Regularity


CALCIUM POLYCARBOPHIL 625 mg

AS EFFECTIVE AS FIBER POWDERS

GLUTEN FREE

Actual Size





SUNMARK FIBER LAXATIVE

calcium polycarbophil tablet, film coated

Product Information			
Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:49348-759
Route of Administration	ORAL	DEA Schedule	

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
CALCIUM POLYCARBOPHIL (POLYCARBOPHIL)	CALCIUM POLYCARBOPHIL	625 mg	

Inactive Ingredients				
Ingredient Name	Strength			
CARAMEL				
CROSPOVIDONE				
HYPROMELLOSES				
MAGNESIUM STEARATE				

CELLULOSE, MICRO CRYSTALLINE	
POLYETHYLENE GLYCOLS	
SILICON DIO XIDE	
SO DIUM LAURYL SULFATE	

Product Characteristics			
Color	BROWN (light)	Score	2 pieces
Shape	CAPSULE (caplet)	Size	19 mm
Flavor		Imprint Code	L477
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:49348-759-13	1 in 1 CARTON			
1		90 in 1 BOTTLE			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	09/22/2003	

Labeler - McKesson (177667227)

Revised: 12/2012 McKesson