

ISOPROPYL ALCOHOL SWABSTICKS- isopropyl alcohol swab
PSS World Medical, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Alcohol Swabstick-Sterile

Active Ingredient

Isopropyl Alcohol, 70% v/v

Purpose

Antiseptic

Use

For preparation of skin prior to an injection

Warnings

For external use only.

Flammable, keep away from fire or flame.

Do not use

- in the eyes
- with electrocautery procedures

Stop use and ask a doctor

if irritation and redness develop and if the condition persists more than 72 hours.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For preparation of the skin prior to an injection

- Wipe injection site vigorously

Inactive Ingredients

Purified Water

Questions

Questions about Select? 800-777-4908

Manufactured for PSS World Medical, Inc.

4345 Southpoint Blvd., Jacksonville, FL 32216

Made in China

Principal Display Panel

NDC 68345-0865-03

988_Each_Final

LOT

TEAR AT NOTCH

3 each/pouch
Reorder # 988

NDC 68345-0865-03

Isopropyl Alcohol Swabsticks (3's)
Antiseptic Germicide Sterile

- Antiseptic for preparation of the skin prior to injection
- For hospital and professional use only
- Single use only. Swabstick unit packaging is opened or damaged.

SELECT

medical products



TEAR AT NOTCH

Drug Facts

Active ingredient Isopropyl Alcohol, 70% w/v	Purpose Antiseptic
Uses • For preparation of the skin prior to an injection	
Warnings For external use only. Flammable, keep away from fire or flame. Do not: • use in the eyes • with electrocautery procedures	
Discontinue use if irritation and redness develop. Stop use and consult a doctor if the condition persists more than 72 hours.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions For preparation of the skin prior to an injection • wipe injection site vigorously	
Other information Store at room temperature: 15° – 30° C (59° – 86° F).	
Inactive ingredients Purified Water	


Rev. 02/13/2011

Questions about Select? 800-777-4908
Manufactured for PSS World Medical, Inc.
4345 Southpoint Blvd., Jacksonville, FL 32216
Made in China

988_Box_Final

<p>3 each/pouch 25 pouches/box Reorder # 988</p> <p>SELECT</p> <p>Antiseptic for preparation of the skin prior to injection</p> <p>Isopropyl Alcohol Swabsticks (3's) Antiseptic Germicide Sterile</p> <p>• Antiseptic for preparation of the skin prior to injection</p> <p>• For hospital and professional use only</p> <p>• Single use only. Swabstick unit packaging is opened or damaged.</p> <p>• Stop use and consult a doctor if the condition persists more than 72 hours.</p> <p>• Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>• For preparation of the skin prior to an injection, wipe injection site vigorously.</p> <p>• Store at room temperature: 15° – 30° C (59° – 86° F).</p> <p>• Purified Water</p> <p>Rev. 02/13/2011</p> <p>LOT</p> <p>TEAR AT NOTCH</p>	<p>3 each/pouch 25 pouches/box Reorder # 988</p> <p>SELECT</p> <p>Isopropyl Alcohol Swabsticks (3's) Antiseptic Germicide Sterile</p> <ul style="list-style-type: none"> • Antiseptic for preparation of the skin prior to injection • For hospital and professional use only • Single use only. Swabstick unit packaging is opened or damaged. • Stop use and consult a doctor if the condition persists more than 72 hours. • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. <p>SELECT</p> <p>medical products</p>	<p>TEAR ALONG PERFORATION FOR DISPENSING</p> <p>3 each/pouch 25 pouches/box Reorder # 988</p> <p>SELECT</p> <p>Isopropyl Alcohol Swabsticks (3's) Antiseptic Germicide Sterile</p> <ul style="list-style-type: none"> • Antiseptic for preparation of the skin prior to injection • For hospital and professional use only • Single use only. Swabstick unit packaging is opened or damaged. • Stop use and consult a doctor if the condition persists more than 72 hours. • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. <p>SELECT</p> <p>medical products</p>	<p>3 each/pouch 25 pouches/box Reorder # 988</p> <p>SELECT</p> <p>Isopropyl Alcohol Swabsticks (3's) Antiseptic Germicide Sterile</p> <ul style="list-style-type: none"> • Antiseptic for preparation of the skin prior to injection • For hospital and professional use only • Single use only. Swabstick unit packaging is opened or damaged. • Stop use and consult a doctor if the condition persists more than 72 hours. • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. <p>SELECT</p> <p>medical products</p>																
<p>NDC 68345-0865-03</p> <p>SELECT</p> <p>Drug Facts</p> <table border="1"> <tr> <td>Active ingredient Isopropyl Alcohol, 70% w/v</td> <td>Purpose Antiseptic</td> </tr> <tr> <td colspan="2">Uses • For preparation of the skin prior to an injection</td> </tr> <tr> <td colspan="2">Warnings For external use only. Flammable, keep away from fire or flame. Do not: • use in the eyes • with electrocautery procedures</td> </tr> <tr> <td colspan="2">Discontinue use if irritation and redness develop. Stop use and consult a doctor if the condition persists more than 72 hours.</td> </tr> <tr> <td colspan="2">Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</td> </tr> <tr> <td colspan="2">Directions For preparation of the skin prior to an injection, wipe injection site vigorously.</td> </tr> <tr> <td colspan="2">Other information Store at room temperature: 15° – 30° C (59° – 86° F).</td> </tr> <tr> <td colspan="2">Inactive ingredients Purified Water</td> </tr> </table> <p>LOT</p> <p>TEAR AT NOTCH</p> <p>3 each/pouch 25 pouches/box Reorder # 988</p>	Active ingredient Isopropyl Alcohol, 70% w/v	Purpose Antiseptic	Uses • For preparation of the skin prior to an injection		Warnings For external use only. Flammable, keep away from fire or flame. Do not: • use in the eyes • with electrocautery procedures		Discontinue use if irritation and redness develop. Stop use and consult a doctor if the condition persists more than 72 hours.		Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.		Directions For preparation of the skin prior to an injection, wipe injection site vigorously.		Other information Store at room temperature: 15° – 30° C (59° – 86° F).		Inactive ingredients Purified Water		<p>NDC 68345-0865-03</p> <p>SELECT</p> <p>Isopropyl Alcohol Swabsticks (3's) Antiseptic Germicide Sterile</p> <ul style="list-style-type: none"> • Antiseptic for preparation of the skin prior to injection • For hospital and professional use only • Single use only. Swabstick unit packaging is opened or damaged. • Stop use and consult a doctor if the condition persists more than 72 hours. • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. <p>SELECT</p> <p>medical products</p>	<p>NDC 68345-0865-03</p> <p>SELECT</p> <p>Isopropyl Alcohol Swabsticks (3's) Antiseptic Germicide Sterile</p> <ul style="list-style-type: none"> • Antiseptic for preparation of the skin prior to injection • For hospital and professional use only • Single use only. Swabstick unit packaging is opened or damaged. • Stop use and consult a doctor if the condition persists more than 72 hours. • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. <p>SELECT</p> <p>medical products</p>	<p>NDC 68345-0865-03</p> <p>SELECT</p> <p>Isopropyl Alcohol Swabsticks (3's) Antiseptic Germicide Sterile</p> <ul style="list-style-type: none"> • Antiseptic for preparation of the skin prior to injection • For hospital and professional use only • Single use only. Swabstick unit packaging is opened or damaged. • Stop use and consult a doctor if the condition persists more than 72 hours. • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. <p>SELECT</p> <p>medical products</p>
Active ingredient Isopropyl Alcohol, 70% w/v	Purpose Antiseptic																		
Uses • For preparation of the skin prior to an injection																			
Warnings For external use only. Flammable, keep away from fire or flame. Do not: • use in the eyes • with electrocautery procedures																			
Discontinue use if irritation and redness develop. Stop use and consult a doctor if the condition persists more than 72 hours.																			
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.																			
Directions For preparation of the skin prior to an injection, wipe injection site vigorously.																			
Other information Store at room temperature: 15° – 30° C (59° – 86° F).																			
Inactive ingredients Purified Water																			

988_Case_Final



ISOPROPYL ALCOHOL SWABSTICKS

isopropyl alcohol swab

Product Information

Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:68345-865
Route of Administration	TOPICAL	DEA Schedule	

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (ISOPROPYL ALCOHOL)	ISOPROPYL ALCOHOL	70 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68345-865-03	10 in 1 CASE		
1		25 in 1 BOX		
1		6 mL in 1 POUCH		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part344	01/10/2013	

Labeler - PSS World Medical, Inc. (101822682)

Registrant - Dalian Goodwood Medical Care Ltd. (529575699)

Establishment

Name	Address	ID/FEI	Business Operations
Dalian Goodwood Medical Care Ltd		529575699	manufacture(68345-865)

Revised: 1/2013

PSS World Medical, Inc.