

OXYGEN - oxygen gas
Strate Welding Supply Co., Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

OXYGEN REFRIGERATED LIQUID USP LABEL

LINDE OXYGEN, REFRIGERATED LIQUID UN 1073 OXYGEN, USP OXYGEN 2 STRATE WELDING SUPPLY CO., INC. 101 COMET STREET BUFFALO, NY 14216

GROSS WT. LBS. OZ.

NET. WT. LBS OZ.

SIZE CONTENTS _____ LITERS

OXYGEN PRODUCED BY AIR LIQUEFACTION. ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. DO NOT CHANGE OR FORCE FIT CONNECTIONS.

WARNING: EXTREMELY COLD, OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.

KEEP OIL, GREASE AND COMBUSTIBLES AWAY. USE ONLY WITH EQUIPMENT CLEANED FOR OXYGEN SERVICE. STORE AND USE WITH ADEQUATE VENTILATION. DO NOT GET LIQUID IN EYES, ON SKIN OR CLOTHING. FOR LIQUID WITHDRAWAL, WEAR FACE SHIELD AND GLOVES. DO NOT DROP. USE SUITABLE HAND TRUCK FOR CONTAINER MOVEMENT. AVOID SPILLS. DO NOT WALK OR ROLL EQUIPMENT OVER SPILLS. CONTAINER TEMPERATURE SHOULD NOT EXCEED 52 DEGREES C (125 DEGREES F) CLOSE VALVE AFTER EACH USE AND WHEN EMPTY. USE A BACK FLOW PREVENTATIVE DEVICE IN THE PIPING. USE IN ACCORDANCE WITH THE MATERIAL SAFETY DATA SHEET (MSDS) FOR THIS PRODUCT. WWW.LINDEUS.COM

WARNING: FOR EMERGENCY USE ONLY WHEN ADMINISTERED BY PROPERLY TRAINED PERSONNEL FOR OXYGEN DEFICIENCY AND RESUSCITATION. FOR ALL OTHER MEDICAL APPLICATIONS R_x ONLY.

UNINTERRUPTED USE OF HIGH CONCENTRATIONS OF OXYGEN OVER A LONG DURATION, WITHOUT MONITORING ITS EFFECT ON OXYGEN CONTENT OF ARTERIAL BLOOD MAY BE HARMFUL. USE ONLY WITH PRESSURE REDUCING EQUIPMENT AND APPARATUS DESIGNED FOR OXYGEN. DO NOT ATTEMPT TO USE ON PATIENTS WHO HAVE STOPPED BREATHING, UNLESS USED IN CONJUNCTION WITH RESUSCITATIVE EQUIPMENT. KEEP OUT OF REACH OF CHILDREN.

FIRST AID: IN CASE OF FROSTBITE OBTAIN IMMEDIATE MEDICAL ATTENTION.

TO BE REFILLED BY A LINDE AUTHORIZED FACILITY ONLY. DO NOT REMOVE THIS LABEL.

CAS: 7782-44-7 MG1644h L AND SP 6004H 12/07



STRATE WELDING SUPPLY CO., INC.
101 COMET STREET • BUFFALO, NY 14216

OXYGEN, REFRIGERATED LIQUID



UN1073

OXYGEN,* U.S.P.

| Gross Wt. | lbs. | oz. | Contents | Liters |
|-----------|------|-----|----------|--------|
| Net Wt. | lbs. | oz. | | |
| Size | | | | |

*Oxygen produced by Air Liquefaction

**ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.
DO NOT CHANGE OR FORCE FIT CONNECTIONS.**

**WARNING: EXTREMELY COLD, OXIDIZING LIQUID AND GAS UNDER PRESSURE.
VIGOROUSLY ACCELERATES COMBUSTION.
COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE
ON IGNITION OR IMPACT.**

CAN CAUSE SEVERE FROSTBITE.

Keep oil, grease and combustibles away.

Use only with equipment cleaned for oxygen service.

Store and use with adequate ventilation.

Do not get liquid in eyes, on skin or clothing.

For liquid withdrawal, wear face shield and gloves.

Do not drop. Use suitable hand truck for container movement.

Avoid spills. Do not walk on or roll equipment over spills.

Container temperature should not exceed 52°C (125°F).

Close valve after each use and when empty.

Use a back flow preventive device in the piping.

Use in accordance with the specific Material Safety Data Sheet (MSDS) for this product. www.lindeus.com

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **RX only.**

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing unless use in conjunction with resuscitative equipment. Keep out of reach of children.



FIRST AID:

IN CASE OF FROSTBITE, obtain immediate medical attention.

TO BE REFILLED BY A LINDE AUTHORIZED FACILITY ONLY.
DO NOT REMOVE THIS PRODUCT LABEL.

MG1644H
L&SP 6004H
12/07

CAS: 7782-44-7

OXYGEN

oxygen gas

Product Information

| | | | |
|--------------------------------|-------------------------------|---------------------------|----------------|
| Product Type | HUMAN PRESCRIPTION DRUG LABEL | Item Code (Source) | NDC:49221-3000 |
| Route of Administration | RESPIRATORY (INHALATION) | DEA Schedule | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|------------------------|--------------------------|-----------------|
| OXYGEN (OXYGEN) | OXYGEN | 99 L in 100 L |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|----------------------------|-----------------------------|---------------------------|
| 1 | NDC:49221-3000-1 | 196 L in 1 CYLINDER | | |
| 2 | NDC:49221-3000-2 | 387367 L in 1 TANK | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------------|---|-----------------------------|---------------------------|
| unapproved medical gas | | 01/01/1949 | |

Labeler - Strate Welding Supply Co., Inc. (013770060)

Registrant - Strate Welding Supply Co., Inc. (013770060)

Establishment

| Name | Address | ID/FEI | Business Operations |
|---------------------------------|----------------|---------------|----------------------------|
| Strate Welding Supply Co., Inc. | | 013770060 | manufacture(49221-3000) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------|----------------|---------------|----------------------------|
| Linde LLC | | 002123321 | manufacture(49221-3000) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|-----------|---------|-----------|-------------------------|
| Linde LLC | | 101889988 | manufacture(49221-3000) |

Revised: 2/2013

Strate Welding Supply Co., Inc.