OXYGEN - oxygen gas
Strate Welding Supply Co., Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

OXYGEN REFRIGERATED LIQUID USP LABEL

LINDE OXYGEN, REFRIGERATED LIQUID UN 1073 OXYGEN, USP OXYGEN 2 STRATE WELDING SUPPLY CO., INC. 101 COMET STREET BUFFALO, NY 14216

GROSS WT. LBS. OZ.

NET. WT. LBS OZ.

SIZE CONTENTS_____ LITERS

OXYGEN PRODUCED BY AIR LIQUEFACTION. ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. DO NOT CHANGE OR FORCE FIT CONNECTIONS.

WARNING: EXTREMELY COLD, OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.

KEEP OIL, GREASE AND COMBUSTIBLES AWAY. USE ONLY WITH EQUIPMENT CLEANED FOR OXYGEN SERVICE. STORE AND USE WITH ADEQUATE VENTILATION. DO NOT GET LIQUID IN EYES, ON SKIN OR CLOTHING. FOR LIQUID WITHDRAWAL, WEAR FACE SHIELD AND GLOVES. DO NOT DROP. USE SUITABLE HAND TRUCK FOR CONTAINER MOVEMENT. AVOID SPILLS. DO NOT WALK OR ROLL EQUIPMENT OVER SPILLS. CONTAINER TEMPERATURE SHOULD NOT EXCEED 52 DEGREES C (125 DEGREES F) CLOSE VALVE AFTER EACH USE AND WHEN EMPTY. USE A BACK FLOW PREVENTATIVE DEVICE IN THE PIPING. USE IN ACCORDANCE WITH THE MATERIAL SAFETY DATA SHEET (MSDS) FOR THIS PRODUCT. WWW.LINDEUS.COM

WARNING: FOR EMERGENCY USE ONLY WHEN ADMINISTERED BY PROPERLY TRAINED PERSONNEL FOR OXYGEN DEFICIENCY AND RESUSCITATION. FOR ALL OTHER MEDICAL APPLICATIONS Rx ONLY.

UNINTERRUPTED USE OF HIGH CONCENTRATIONS OF OXYGEN OVER A LONG DURATION, WITHOUT MONITORING ITS EFFECT ON OXYGEN CONTENT OF ARTERIAL BLOOD MAY BE HARMFUL. USE ONLY WITH PRESSURE REDUCING EQUIPMENT AND APPARATUS DESIGNED FOR OXYGEN. DO NOT ATTEMPT TO USE ON PATIENTS WHO HAVE STOPPED BREATHING, UNLESS USED IN CONJUNCTION WITH RESUSCITATIVE EQUIPMENT. KEEP OUT OF REACH OF CHILDREN.

FIRST AID: IN CASE OF FROSTBITE OBTAIN IMMEDIATE MEDICAL ATTENTION.

TO BE REFILLED BY A LINDE AUTHORIZED FACILITY ONLY. DO NOT REMOVE THIS LABEL.

CAS: 7782-44-7 MG1644h L AND SP 6004H 12/07

Linde

STRATE WELDING SUPPLY CO., INC.
101 COMET STREET • BUFFALO, NY 14216

OXYGEN, REFRIGERATED LIQUID

UN1073

OXYGEN,* U.S.P.

Gross Wt.	lbs.	oz.
Net Wt.	lbs.	oz.
Size		
	Contents	Liters

*Oxygen produced by Air Liquefaction

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.
DO NOT CHANGE OR FORCE FIT CONNECTIONS.

WARNING: **EXTREMELY COLD, OXIDIZING LIQUID AND GAS UNDER PRESSURE.**
VIGOROUSLY ACCELERATES COMBUSTION.
COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.
CAN CAUSE SEVERE FROSTBITE.

Keep oil, grease and combustibles away.
Use only with equipment cleaned for oxygen service.
Store and use with adequate ventilation.
Do not get liquid in eyes, on skin or clothing.
For liquid withdrawal, wear face shield and gloves.
Do not drop. Use suitable hand truck for container movement.
Avoid spills. Do not walk on or roll equipment over spills.
Container temperature should not exceed 52˚C (125˚F).
Close valve after each use and when empty.
Use a back flow preventive device in the piping.
Use in accordance with the specific Material Safety Data Sheet (**MSDS**) for this product. www.lindeus.com

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **RX only.**

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing unless use in conjunction with resuscitative equipment. Keep out of reach of children.

FIRST AID: **IN CASE OF FROSTBITE**, obtain immediate medical attention.

OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	**Item Code (Source)**	NDC:49221-3000
Route of Administration	RESPIRATORY (INHALATION)	**DEA Schedule**	

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49221-3000-1	196 L in 1 CYLINDER		
2	NDC:49221-3000-2	387367 L in 1 TANK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/1949	

Labeler - Strate Welding Supply Co., Inc. (013770060)

Registrant - Strate Welding Supply Co., Inc. (013770060)

Establishment

Name	Address	ID/FEI	Business Operations
Strate Welding Supply Co., Inc.		013770060	manufacture(49221-3000)

Establishment

Name	Address	ID/FEI	Business Operations
Linde LLC		002123321	manufacture(49221-3000)

Establishment

Name	Address	ID/FEI	Business Operations

Linde LLC		101889988	manufacture(49221-3000)