BISMUSAL - bismuth subsalicylate suspension Durvet, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

BISMUSAL SUSPENSION Anti-Diarrheal Liquid

INDICATIONS

A palatable oral suspension for use as an aid in the control of simple diarrhea in cattle, horses and dogs.

CONTRAINDICATIONS

Not recommended for use in cats.

CAUTION

This product contains salicylate; do not administer with other salicylate-containing products, such as aspirin.

DOSAGE AND ADMINISTRATION

Administer orally after the first sign of diarrhea and after each loose bowel movement or as needed.

Dogs -- 1 to 3 tablespoonfuls

Calves -- 3 to 4 ounces

Foals -- 3 to 4 ounces

Cattle and Horses-- 6-10 fl. ozs.

This product may cause stools to darken. If diarrhea persists after using this product for 2 days, contact a veterinarian.

COMPOSITION

FOR ORAL USE ONLY

SHAKE WELL BEFORE USING

Store at room temperature not above 37°C (98.6°F).

Protect from freezing.

TAKE TIME OBSERVE LABEL DIRECTIONS

NDC 30798-334-35

FOR ANIMAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: 1 GALLON (3.785 L)

Manufactured for: **DURVET, INC.**Blue Springs, Missouri 64014
Iss. 2-02



INDICATIONS: A palatable oral suspension for use as an aid in the control of simple diarrhea in cattle, horses and dogs.

CONTRAINDICATION: Not recommended for use in cats.

CAUTION: This product contains salicylate; do not administer with other salicylate-containing products, such as aspirin.

DOSAGE AND ADMINISTRATION: Administer orally after the first sign of diarrhea and after each loose bowel movement or as needed.

Dogs- 1 to 3 tablespoonfuls Calves- 3 to 4 ounces Foals- 3 to 4 ounces Cattle and Horses- 6-10 fl. ozs.

This product may cause stool to darken. If diarrhea persists after using this product for 2 days, contact veterinarian.

B-0700-07

Iss. 2-02

BISMUSAL SUSPENSION

Anti-Diarrheal Liquid

NDC 30798-334-35

KEEP OUT OF REACH OF CHILDREN

COMPOSITION:

Bismuth Subsalicylate 1.75% in a palatable aqueous suspension. Flavoring and coloring added.

FOR ORAL USE ONLY SHAKE WELL BEFORE USING

Store at room temperature not above 37°C (98.6°F).

Protect from freezing.

TAKE TIME



OBSERVE LABEL DIRECTIONS

Manufactured for: DURVET, INC. Blue Springs, Missouri 64014

Lot No.

Exp. Date



www.durvet.com

NET CONTENTS: 1 GALLON (3.785 L)

BISMUSAL

bismuth subsalicylate suspension

Product Information

Product TypeOTC ANIMAL DRUG LABELItem Code (Source)NDC:30798-334

Route of Administration ORAL DEA Schedule

Active Ingredient/Active Moiety

Ingredient NameBasis of StrengthStrengthBISMUTH SUBSALICYLATE (BISMUTH CATION)BISMUTH SUBSALICYLATE66.2 mg in 3.785 L

Packaging

l	# Item Code	Package Description	Marketing Start Date	Marketing End Date
ı	1 NDC:30798-334-35	3.785 L in 1 JUG		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		06/21/2002	

Labeler - Durvet, Inc. (056387798)

Revised: 2/2013 Durvet, Inc.