DRUG FACTS

Purpose Active ingredient(s)

Use(s)

- · temporarily relieves minor aches and pains due to:
- · muscular aches
- backache
- headache
- toothache
- · the common cold
- · minor pain of arthritis
- premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- · more than 6 geltabs in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have difficulty swallowing large tablets or capsules. People over 65 may have difficulty swallowing these tablets.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if you have

Liver disease.

Ask a doctor or pharmacist before use if you are

Taking the blood thinning drug warfarin.

When using this product

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- · redness or swelling is present
- · the tablet got stuck in your throat

These could be signs of a serious condition.

If pregnant or breast-feeding

Keep out of reach of children

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

· do not take more than directed (see overdose warning)

adults	# take 2 geltabs every 8 hours. Swallow only one geltab at a time.
	# take a sip of water before swallowing each geltab and wash each geltab down with water (up to a full
	8 oz. glass).
	# swallow whole - do not crush, chew, split or dissolve
	# do not take more than 6 geltabs in 24 hours
	# do not use for more than 10 days unless directed by a doctor
under 18 years of age	# ask a doctor

Other information

- store at 20 25° C (68 77° F). Avoid high humidity.
- see end panel for batch number and expiration date
 TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL IS BROKEN OR MISSING FROM BOTTLE.

Inactive ingredients

Croscarmellose sodium, gelatin, glycerin, hypromellose, iron oxide black, iron oxide yellow, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, sodium lauryl sulfate, starch, titanium dioxide