

**HEALTH MART OMEPRAZOLE- omeprazole tablet, delayed release  
McKesson**

-----  
**McKesson Omeprazole Drug Facts**

**Active ingredient (in each tablet)**

Omeprazole 20 mg

**Purpose**

Acid reducer

**Use**

- treats frequent heartburn (occurs 2 or more days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

**Warnings**

Allergy alert: Do not use if you are allergic to omeprazole

**Do not use**

if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

**Ask a doctor or pharmacist before use if you are**

taking

- warfarin, clopidogrel or cilostazol (blood-thinning medicines)
- prescription antifungal or anti-yeast medicines
- diazepam (anxiety medicine)
- digoxin (heart medicine)
- tacrolimus (immune system medicine)
- prescription antiretrovirals (medicines for HIV infection)

**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

**14-Day Course of Treatment**

- swallow 1 tablet with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 tablet a day
- do not use for more than 14 days unless directed by your doctor
- swallow whole. Do not chew or crush tablets

**Repeated 14-Day Courses (if needed)**

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor
  - children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

**Other information**

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77°F) and protect from moisture

**Inactive ingredients**

carnauba wax, ferric oxide red, ferric oxide yellow, hypromellose, hypromellose acetate succinate, lactose monohydrate, monoethanolamine, propylene glycol, sodium lauryl sulfate, sodium starch glycolate, sodium stearate, sodium stearyl fumarate, talc, titanium dioxide, triethyl citrate

**Questions or comments?**

1-800-719-9260

**Principal Display Panel**

omeprazole

delayed release tablets 20mg

acid reducer

treats frequent heartburn!

occurring 2 or more days a week

ACTUAL SIZE

acid reducer

# 14-day course of treatment {Replace “#” with the number of courses of treatment in the carton}

**Drug Facts** (continued)

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions** ■ For adults 18 years of age and older ■ this product is to be used once a day (every 24 hours), every day for 14 days ■ it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

**14-Day Course of Treatment**  
 ■ swallow 1 tablet with a glass of water before eating in the morning  
 ■ do not take more than 1 tablet a day  
 ■ take every day for 14 days  
 ■ do not use for more than 14 days unless directed by your doctor  
 ■ swallow whole. Do not chew or crush tablets

**Repeated 14-Day Courses (if needed)**  
 ■ you may repeat a 14-day course every 4 months  
 ■ do not take for more than 14 days or more often than every 4 months unless directed by a doctor

■ children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

**Other Information**  
 ■ read the directions and warnings before use  
 ■ keep the carton. It contains important information.  
 ■ store at 20-25°C (68-77°F) and protect from moisture

**Inactive ingredients** carnauba wax, ferric oxide red, ferric oxide yellow, hypromellose, hypromellose acetate succinate, lactose monohydrate, monohydroxyamine, polyethylene glycol, sodium lauryl sulfate, sodium starch glycolate, sodium stearate, sodium stearyl fumarate, talc, titanium dioxide, triethyl citrate

**Questions or comments? 1-800-719-9260**


**Drug Facts**  
**Active ingredient (in each tablet)** Omeprazole 20 mg.....Acid reducer  
**Purpose** ■ treats frequent heartburn (occurs 2 or more days a week) ■ not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

**Warnings**  
 Allergy alert: Do not use if you are allergic to omeprazole with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.  
 Ask a doctor before use if you have had heartburn over 3 months. This may be a sign of a more serious condition.

**Ask a doctor or pharmacist before use if you are taking**  
 warfarin, clopidogrel or cilostazol (blood-thinning medicines) ■ diazepam (anxiety medicine) ■ digoxin (heart medicine) ■ tacrolimus (immune system medicine) ■ prescription antitubercular or anti-fungal medicines

**Stop use and ask a doctor if**  
 your heartburn continues or worsens ■ you need to take this product for more than 14 days ■ you need to take more than 1 course of treatment every 4 months ■ you get diarrhea

**If pregnant or breast-feeding, ask a health professional before use.**



**Safety Feature - Do not use if printed tablet blister unit is open or torn.**

NDC 62011-0157-1



**Health Mart**  
PHARMACY

# omeprazole

delayed release tablets 20mg  
acid reducer

treats frequent heartburn!  
occurring 2 or more days a week



ACTUAL SIZE

acid reducer

**14 tablets**  
one 14-day course of treatment

Made in Israel

Distributed by McKesson  
One Post Street, San Francisco, CA 94104  
Money Back Guarantee  
www.healthmart.com/healthmartbrand



91574 W6 C3

**Tips for Managing Heartburn**

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed

- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight ■ Quit smoking

**HEALTH MART OMEPRAZOLE**

omeprazole tablet, delayed release

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG LABEL	<b>Item Code (Source)</b>	NDC:620 11-0 157
<b>Route of Administration</b>	ORAL	<b>DEA Schedule</b>	

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
OMEPRAZOLE (OMEPRAZOLE)	OMEPRAZOLE	20 mg

**Inactive Ingredients**

Ingredient Name	Strength
CARNAUBA WAX	
FERRIC OXIDE RED	
FERRIC OXIDE YELLOW	
HYPROMELLOSES	
LACTOSE MONOHYDRATE	
PROPYLENE GLYCOL	
SODIUM LAURYL SULFATE	
SODIUM STEARATE	
SODIUM STEARYL FUMARATE	
TALC	
TITANIUM DIOXIDE	
TRIETHYL CITRATE	
MONOETHANOLAMINE	

**Product Characteristics**

<b>Color</b>	BROWN	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	17mm
<b>Flavor</b>		<b>Imprint Code</b>	20
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:620 11-0 157-2	2 in 1 CARTON		
1		1 in 1 CARTON		

1		14 in 1 BLISTER PACK		
2	NDC:620 11-0 157-1	1 in 1 CARTON		
2		14 in 1 BLISTER PACK		
3	NDC:620 11-0 157-3	3 in 1 CARTON		
3		1 in 1 CARTON		
3		14 in 1 BLISTER PACK		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA022032	03/20/2012	

**Labeler** - McKesson (177667227)

Revised: 2/2013

McKesson