IMG - phellinus linteus mycelium tablet
Yein Trading & Global Co., Ltd

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Drug Facts

phellinus linteus mycelium

Zinc gluconate 3% (14.34% as Zinc), Vitamin C 10% (100% as vitamin C), Lactose 41%, Cordyceps militaris extract powder (mycelium culture) 6%, Chaga mushroom extract powder (mycelium culture) 6%, Ganoderma lucidum extract powder (mycelium culture) 6%, Trametes versicolor extract powder (mycelium culture) 6%, Grifola frondosa (mycelium culture) 6%, Hydroxypropylmethyl-cellulose 4%, Cultured Wild ginseng root powder 3%, Carboxymethylcellulose calcium 2%, Magnesium stearate 1%

antitumor effect
prophylactic effect
immunostimulating effect
synergistic effect

keep out of reach of the children

1. ulterine hemorrhage and hysterorrhea, dysmenorrhea, intestinal hemorrhage, activation of five organs and stomach function, detoxication
2. reinforcement of immune function by administration in parallel with any chemical therapy after any excising operation form the patient with cancer in digestive system or liver

- digestive system: occasionally, vomiturition, vomiting, loss of appetite and diarrhea might occur, and infrequently malaise in stomach might take place
- the others: dizziness (1 case), headache (1 case), constipation (3 cases) were reported in clinical test of this medicine

- uterine hemorrhage and hysterorrhea, dysmenorrhea, intestinal hemorrhage, activation of five organs and stomach function, detoxication : as a phellinus linteus mycelia extracts, administer 550~1100mg 2 times per a day before having a meal by mouth
- reinforcement of immune function by administration in parallel with any chemical therapy after any excising operation for the patient with cancer in digestive system or liver : as a phellinus linteus mycelia extracts, administer 1100mg 3 times per a day after having a meal by mouth

IMG

phellinus linteus mycelium tablet

Product Information

Product Type	HUMAN OTC DRUG LABEL	**Item Code (Source)**	NDC:53144-3001
Route of Administration	ORAL	**DEA Schedule**	

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PHELLINUS LINTEUS MYCELIUM (PHELLINUS LINTEUS MYCELIUM)	PHELLINUS LINTEUS MYCELIUM	0.022

Inactive Ingredients

Ingredient Name	Strength
ZINC GLUCONATE	
ASCORBIC ACID	
LACTOSE	
REISHI	
TRAMETES VERSICOLOR FRUITING BODY	
GRIFOLA FRONDOSA WHOLE	
HYPROMELLOSES	
CARBOXYMETHYLCELLULOSE CALCIUM	

MAGNESIUM STEARATE	

Product Characteristics

Color	brown (light brown)	**Score**	no score
Shape	OVAL (pill)	**Size**	15mm
Flavor		**Imprint Code**	3;hp;x
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53144-3001-1	60 in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		02/16/2013	

Labeler - Yein Trading & Global Co., Ltd (557803795)

Registrant - Yein Trading & Global Co., Ltd (557803795)

Establishment

Name	Address	ID/FEI	Business Operations
Han Kook Sin Yak Pharmaceutical Co., Ltd.		689277536	manufacture(53144-3001)

Revised: 2/2013 Yein Trading & Global Co., Ltd