TAPE WORM TABS DOGS- praziquantel tablet
ProLabs, Ltd.

TAPE WORM TABS® (praziquantel)
Tapeworm tablets for dogs and puppies

Each Tablet Contains 34 mg Praziquantel.

DESCRIPTION:

Tape Worm Tabs® (praziquantel) tapeworm tablets for dogs and puppies are sized for easy oral administration to either adult dogs or puppies. The tablets may be given directly in the mouth or crumbled and mixed with the food. If given with food, mix the tablet(s) with a small amount of the animal's usual ration. If all of the tablet(s) is/are not eaten, Tape Worm Tabs® tapeworm tablets may not remove all tapeworms.

USES:

Tape Worm Tabs® (praziquantel) tapeworm tablets will remove the common tapeworms, *Dipylidium caninum* and *Taenia taeniaeformis*, from dogs and puppies.

DIRECTIONS FOR USE:

Tapeworm infection is one of the most common internal parasite problems actually observed by dog owners. The presence of tapeworms is indicated by the presence of tapeworm segments passed with the feces. Tapeworm segments are white, pinkish-white or yellow-white and similar in size and shape to flattened grains of rice. The segments are most frequent observed lying on the animal's droppings or, less often, moving across a freshly passed stool. Segments are also found on the hair around the anus of the animal, or occasionally on the animal's bedding. Dogs become infected with tapeworms after eating fleas or small rodents (rats, mice) which are infected with tapeworm larvae. Consult your veterinarian for assistance in the diagnosis, treatment and control of parasitism.

DOSAGE AND ADMINISTRATION:

Administer to dogs and puppies* only as follows:

5 pounds and under……1/2 tablet
6-10 pounds…….1 tablet
11-15 pounds……..1 ½ tablets
16-30 pounds……..2 tablets
31-45 pounds……..3 tablets
46-60 pounds……..4 tablets
Over 60 pounds……..5 tablets maximum

*Not intended for use in puppies less than 4 weeks of age.

FASTING IS NEITHER NECESSARY NOR RECOMMENDED

RETREATMENT:

Steps should be taken to control fleas and rodents on the premises in order to prevent reinfection;

otherwise, retreatment will be necessary. This is especially true in cases of tapeworms transmitted by fleas (*Dipylidium caninum*) where reinfection is almost certain to occur if fleas are not removed from the animal and its environment. If reinfection occurs, tapeworm segments may be observed within one month of the initial treatment.

SIDE EFFECTS:

Isolated incidents of either vomiting, diarrhea, poor appetite or listlessness have been reported following treatment, but were considered non-significant. If these signs are observed and they persist, consult your veterinarian.

WARNING:

Consult your veterinarian before administering tablets to weak or debilitated animals.

WARNING: Keep out of the reach of children. Not for human use.

PACKAGE/LABEL PRINCIPAL DISPLAY PANEL – carton label

ProLabs
for HEALTHY PETS
DOG
TAPE WORM TABS®
[praziquantel]
Tapeworm tablets for dogs and puppies
For removal of tapeworms (Dipylidium caninum and Taenia pisiformis) from dogs and puppies.
WARNING: KEEP OUT OF REACH OF CHILDREN
NOT FOR HUMAN USE
Contents: 5 Tablets
Read entire card before using this product
OPEN HERE
USES: Tape Worm Tabs® (praziquantel) tapeworm tablets will remove the common tapeworms, Dipylidium caninum and Taenia pisiformis, from dogs and puppies.
DIRECTIONS FOR USE: Tapeworm infection is one of the most common internal parasite problems actually observed by dog owners. The presence of tapeworms is indicated by the presence of tapeworm segments passed with the feces. Tapeworm segments are white, pinkish-white or yellow-white and similar in size and shape to flattened grains of rice. The segments are most frequently observed lying on the animal's droppings or, less often, moving across a freshly passed stool. Segments are also found on the hair around the anus of the animal, or occasionally on the animal's bedding. Dogs become infected with tapeworms after eating fleas or small mammals (rabbits, hares) which are infected with tapeworm larvae. Consult your veterinarian for assistance in the diagnosis, treatment and control of parasitism.
SIDE EFFECTS: Isolated incidents of either vomiting, diarrhea, poor appetite, or listlessness have been reported following treatment, but were considered non-significant. If these signs are observed and they persist, consult your veterinarian.
WARNING: Consult your veterinarian before administering tablets to weak or debilitated animals.
WARNING: Keep out of reach of children. Not for human use.
08721567, R.4
Manufactured for:
ProLabs® Ltd.
PO Box 3103
St. Joseph, MO 64503
www.ProLabspets.com
Lot No.:
Exp. Date:
FPO
3 57561 08785 9

ProLabs

Tape Worm Tabs®
(praziquantel)

Tapeworm tablets for dogs and puppies

For removal of tapeworm (*Dipylidium caninum* and *Taenia taeniaeformis*) from dogs and puppies.

WARNING: KEEP OUT OF REACH OF CHILDREN
NOT FOR HUMAN USE

Contents: 5 Tablets
Read entire card before using this product

PACKAGE/LABEL PRINCIPAL DISPLAY PANEL – bottle label

ProLabs

Tape Worm Tabs®
(praziquantel)

Tapeworm tablets for dogs and puppies

Contents: 5 Tablets
Each tablet contains 34 mg praziquantel

TAPE WORM TABS DOGS

praziquantel tablet

Product Information			
Product Type	OTC ANIMAL DRUG LABEL	**Item Code (Source)**	NDC:58909-513
Route of Administration	ORAL	**DEA Schedule**	

Active Ingredient/Active Moiety		
Ingredient Name	**Basis of Strength**	**Strength**
PRAZIQUANTEL (PRAZIQUANTEL)	PRAZIQUANTEL	34 mg

Product Characteristics			
Color	WHITE	**Score**	2 pieces
Shape	OVAL	**Size**	13mm

Flavor		**Imprint Code**	PL2
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58909-513-01	1 in 1 CARTON		
1		5 in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NADA	NADA111798	03/01/2002	

Labeler - ProLabs, Ltd. (962129602)

Registrant - Bayer HealthCare, LLC (152266193)

Establishment

Name	Address	ID/FEI	Business Operations
Merck KGaA		342249299	API MANUFACTURE

Revised: 2/2013 ProLabs, Ltd.