

THERABLOAT DRENCH- poloxalene concentrate
Pfizer Animal Health

Therabloat®
(poloxalene)
Drench Concentrate

For treatment of legume (alfalfa, clover) bloat in cattle

For veterinary use only

2 fl oz (59.1 mL)

NADA #39-729, Approved by FDA

Each fl oz (approx. 30 mL) contains 25 grams of poloxalene.

Indications

Therabloat Drench Concentrate will relieve legume bloat in cattle within minutes when used as directed. For best results administer at the earliest sign of bloat. If bloat has progressed in its severity to the degree that the animal is down, other means of treatment also are recommended (rumenotomy-rumen puncture). For oral use only—not for injection. May be used in lactating animals.

Dosage

For animals up to 500 lb, use 1 fl oz of Drench Concentrate. For animals over 500 lb, use 2 fl oz of Drench Concentrate.

Directions for Preparing Drench

Add the proper amount of concentrate to 1 pint of water. Mix well and administer using a drenching bottle. If a stomach tube is to be used, add concentrate to 1 gallon of water.

Caution

Keep out of reach of children.

Store at Controlled Room Temperature 15°–30°C (59°–86°F)

For Animal Use Only

Restricted Drug (California)—Use Only as Directed

Not for Human Use



8620000

Made in USA

PRINCIPAL DISPLAY PANEL - 59.1 mL Bottle Label

Therabloat®

(poloxalene)

Drench Concentrate

For treatment of legume (alfalfa, clover) bloat in cattle

For veterinary use only

2 fl oz (59.1 mL)

NADA #39-729, Approved by FDA

Pfizer

820685000

LOT/EXP:

Therabloat®
(poloxalene)

Drench Concentrate

For treatment of legume (alfalfa, clover) bloat in cattle

For veterinary use only

2 fl oz (59.1 mL)
NADA #39-729, Approved by FDA

Each fl oz (approx. 30 mL) contains 25 grams of poloxalene.

Indications: Therabloat Drench Concentrate will relieve the gume bloat in cattle within minutes when used as directed. For best results administer at the earliest sign of bloat. If bloat has progressed in its severity to the degree that the animal is down, other means of treatment also are recommended (rumenotomy-rumen puncture). For oral use only—not for injection. May be used in lactating animals.

Dosage: For animals up to 500 lb, use 1 fl oz of Drench Concentrate. For animals over 500 lb, use 2 fl oz of Drench Concentrate.

Directions for Preparing Drench: Add the proper amount of concentrate to 1 pint of water. Mix well and administer using a drenching bottle. If a stomach tube is to be used, add concentrate to 1 gallon of water.

Caution: Keep out of reach of children.

Store at Controlled Room Temperature 15°-30°C (59°-86°F)

For Animal Use Only

Restricted Drug (California)—Use Only as Directed Not for Human Use

8620000
Made in USA

Distributed by
Pfizer
Animal Health
Eaton, PA 15341, USA
Div. of Pfizer Inc
NY, NY 10017

0 872219 01400 4

820685000
LOT/EXP:

THERABLOAT DRENCH

poloxalene concentrate

Product Information

Product Type	OTC ANIMAL DRUG LABEL	Item Code (Source)	NDC:6 1106-8620
Route of Administration	ORAL	DEA Schedule	

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
poloxalene (poloxalene)	poloxalene	25 g in 30 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:6 1106-8620-1	59.1 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NADA	NADA039729	05/12/1970	

Labeler - Pfizer Animal Health (039055157)

Registrant - Pfizer Inc. (943955690)

Establishment

Name	Address	ID/FEI	Business Operations
Pharmacia and Upjohn Company		829076566	MANUFACTURE

Establishment

Name	Address	ID/FEI	Business Operations
BASF Corporation		001307032	API MANUFACTURE

Revised: 11/2012

Pfizer Animal Health