# LOW DOSE ASPIRIN- as pirin tablet, chewable WALGREEN CO.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

Walgreens 44-397

# Active ingredient (in each tablet)

Aspirin 81 mg (NSAID)\*
\*nonsteroidal anti-inflammatory drug

### **Purpose**

Pain reliever

#### Use

For the temporary relief of minor aches and pains or as recommended by your doctor.

# **Warnings**

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrom, a rare but serious illness.

**Allergy alert:** Aspirin may cause a severe allergic reaction, which may include:

- hives
- facial swelling
- shock
- asthma (wheezing)

**Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:

- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- are age 60 or older
- have 3 or more alcoholic drinks every day while using this product
- take other drugs containing prescription or nonprescription NSAIDs [aspirin, ibuprofen, naproxen, or others]
- take more or for a longer time than directed

## Do not use

- if you are allergic to aspirin or any other pain reliever/fever reducer
- for at least 7 days after tonsillectomy or oral surgery unless directed by a doctor

#### Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis or kidney disease

- you have asthma
- you are taking a diuretic

# Ask a doctor or pharmacist before use if you are

taking a prescription drug for

- gout
- diabetes
- arthritis

## Stop use and ask a doctor if

- you experience any of the following signs of stomach bleeding:
  - feel faint
  - have bloody or black stools
  - vomit blood
  - have stomach pain that does not get better
- an allergic reaction occurs. Seek medical help right away.
- new symptoms occur
- ringing in the ears or loss of hearing occurs
- pain gets worse or lasts more than 10 days
- redness or swelling is present

These could be signs of a serious condition.

# If pregnant or breast-feeding,

ask a health professional before use. It is especially important not to use aspiring during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

### Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away.

#### **Directions**

- drink a full glass of water with each dose
- adults and children 12 years and over: take 4 to 8 tablets every 4 hours not to exceed 48 tablets in 24 hours unless directed by a doctor
- children under 12 years: do not use unless directed by a doctor

#### Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

# **Inactive ingredients**

cherry flavor, corn starch, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrates, sodium saccharin

#### **Principal Display Panel**

VALUE PACK (3 BOTTLES)  $\times$  36 = 108

Well at Walgreens

# WALGREENS PHARMACIST RECOMMENDED

NDC 0363-0397-07

# **CHEWABLE • LOW DOSE**

Aspirin 81

81 mg / Pain Reliever (NSAID)

• For aspirin regimen users

### **HEART HEALTH**

**108** CHEWABLE TABLETS

(3 BOTTLES: 36 TABLETS PER BOTTLE CHERRY FLAVOR


# **Compare to Bayer® Chewable Aspirin** active ingredient III

☐ Walgreens Pharmacist Survey Study, November 2010

IIIThis product is not manufactured or distributed by Bayer Healthcare LLC, owner of the registered trademark Bayer® Chewable Aspirin.

50844 ORG091139707

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING





# LOW DOSE ASPIRIN

aspirin tablet, chewable

<b>Product Information</b>			
Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:0363-0397
Route of Administration	ORAL	DEA Sche dule	

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ASPIRIN (ASPIRIN)	ASPIRIN	81 mg	

Inactive Ingredients			
Ingredient Name	Strength		
D&C RED NO. 27			
D&C RED NO. 30			
DEXTRATES			

Product Characteristics				
Color	PINK	Score	no score	
Shape	ROUND	Size	8 mm	
Flavor	CHERRY	Imprint Code	44;397	
Contains				

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0397-07	3 in 1 CARTON		
1		36 in 1 BOTTLE, PLASTIC		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC MONOGRAPH NOT FINAL	part343	09/04/2001		

# Labeler - WALGREEN CO. (008965063)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(0363-0397)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(0363-0397)

Revised: 3/2013 WALGREEN CO.