

**SCIATICA THERAPY- arnica montana - citrullus colocynthis fruit pulp - pseudognaphalium obtusifolium - hypericum perforatum - potassium iodide - magnesium phosphate, dibasic trihydrate - toxicodendron pubescens leaf - tablet, orally disintegrating**  
**TRP Company**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

**Sciatica Therapy™ Homeopathic Fast Dissolving Tablets**

<b>Active Ingredients</b>		<b>Purpose</b>
Arnica Montana HPUS	6x, 12x, 18x	Back aches
Colocynthis HPUS	6x, 12x, 18x	Nerve discomfort
Gnaphalium polycephalum HPUS	6X, 12x, 18x	Leg numbness
Hypericum perforatum HPUS	6X, 12x, 18x	Tingling legs
Kali iodatum HPUS	6X, 12x, 18x	Lumbar tenderness
Magnesia phosphorica HPUS	6X, 12x, 18x	Shooting discomfort
Rhus toxicodendron HPUS	6X, 12x, 18x	Stiffness, Difficulty moving

The letters HPUS indicate that the components of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

**Uses:**

According to homeopathic indications these ingredients provide temporary relief from symptoms of Sciatica such as: • back aches • nerve discomfort • leg numbness • tingling legs • shooting discomfort • stiffness • tearing pain after serious causes have been ruled out by a physician.

\* These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

**Warnings:**

**A PHYSICIAN SHOULD ALWAYS BE CONSULTED TO RULE OUT SERIOUS CAUSES.**

- This product is intended to complement, not replace, standard medical treatment.
- Initial worsening of symptoms may occur.
- A physician should always be consulted regarding Sciatica to rule out serious causes.
- In case of overdose, get medical help or contact a Poison Control Center right away.

**Stop use and ask a doctor if:** • Symptoms persist for more than 7 days or worsen, if new symptoms occur or if redness or swelling is present because these could be a

sign of a serious illness.

**Keep out of reach of children**

Keep out of reach of children

**If pregnant or breast-feeding,** ask a health professional before use.

***Directions:***

- Suitable for adults and children ages 2 and over.
- Children under the age of 2: consult a physician before use.
- Dissolve entire tablet under tongue.
- Do not chew or swallow whole.
- Take 1 tablet 3 times a day or as directed by a physician.
- Use up to 6 times a day as needed.
- Take at least 10 minutes before or at least 10 minutes after eating or drinking.

***Other information:***

- Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects.
- Store in a cool dark location.

***Inactive Ingredients:***

Advantol® 300, Lactose, Magnesium Stearate, Mannitol, Microcrystalline Cellulose.

**Do not use if tamper evident seal is torn, broken or missing.**

For more information and to order related products call toll free: 888-969-6855 or **trpcompany.com**

**FDA Disclaimer:** Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

# Natural Relief™

## Sciatica Therapy®

**Gluten Free**



# Natural Relief™

# Natural Relief™

**Natural Relief™ harnesses the power of nature.** Naturally sourced active ingredients that work gently and safely with your body.

**Sciatica Therapy®**

**Sciatica Therapy®**

**FAST DISSOLVING TABLETS™**  
Back aches / Leg numbness  
tingling / Shooting discomfort

100% NATURAL ACTIVE INGREDIENTS



HOMEOPATHIC  
70 TABLETS



\*New name, same trusted formula, Natural Relief™ continues to deliver soothing relief.

Encontrará la información en español sobre este medicamento al interior de la caja.

© 2023 All rights reserved to TRP Company, Inc. Manufactured exclusively for: TRP Company, Inc. 1575 Delucchi Lane, Suite# 208 Reno, NV 89502  
**Questions or Comments? 888-969-6855**  
[www.thereliefproducts.com](http://www.thereliefproducts.com)

### Drug Facts

**Active ingredients**  
Amica montana HPUS 6X, 12X, 18X.....Back aches  
Colocythis HPUS 6X, 12X, 18X.....Nerve discomfort  
Gnaphalium polycephalum HPUS 6X, 12X, 18X.....Leg numbness  
Hypericum perforatum HPUS 6X, 12X, 18X.....Tingling legs  
Kali iodatum HPUS 6X, 12X, 18X.....Lumbar tenderness  
Magnesia phosphorica HPUS 6X, 12X, 18X.....Shooting discomfort  
Rhus tox HPUS 6X, 12X, 18X.....Stiffness, difficulty moving

### Purpose

\*"HPUS" indicates the active ingredients of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

### Uses\*

• According to homeopathic indications these ingredients provide temporary relief from symptoms such as: • Back aches • Nerve discomfort • Leg numbness • Shooting discomfort • Stiffness; after serious causes have been ruled out by a physician. \*These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

### Warnings

• **A PHYSICIAN SHOULD ALWAYS BE CONSULTED TO RULE OUT SERIOUS CAUSES.** • This product is intended to complement, not replace, standard medical treatment. • Initial worsening of symptoms may occur. • If pregnant or breast-feeding, ask a health professional before use. • **Keep out of reach of children.** • In case of overdose, get medical help or contact a Poison Control Center right away.

**Stop use and ask a doctor if:** • You experience worsening of symptoms. • Symptoms last longer than 7 days.

### Drug Facts (continued)

### Directions

• Suitable for adults and children 2 years and over. Children under the age of 2: Consult a physician before use. • Dissolve entire tablet under tongue. • Do not chew or swallow whole. • Take 1 tablet 3 times a day or as directed by a physician. • Use up to 6 times a day as needed. • Take at least 10 minutes before or at least 10 minutes after eating or drinking. • Homeopathic remedies may not be effective for everyone. • Individual results may vary.

### Other information

• Store at room temperature: 15° to 30° C (59° to 86° F). • Keep bottle tightly closed. • Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects or contraindications. • Sciatica Therapy® Fast Dissolving Tablets™ are homeopathic dilutions, for details see [www.thereliefproducts.com](http://www.thereliefproducts.com).

### Inactive ingredients

Copovidone, Crospovidone, Lactose, Magnesium stearate, Mannitol, Microcrystalline cellulose, Silicon dioxide, Sorbitol.

**Questions or comments**  
1-888-969-6855  
8 am to 4 pm EST; Monday - Friday

**Do not use if tamper evident seal is torn, broken or missing.** No usar si falta el sello contra falsificaciones o si está desgarrado o roto.



THE RELIEF PRODUCTS™  
NDC #17312-021-14

Sciatica Therapy

FAST DISSOLVING TABLETS™

HOMEOPATHIC

70 Tablets

### Active ingredients

Amica montana HPUS 6X, 12X, 18X, Colocythis HPUS 6X, 12X, 18X, Gnaphalium polycephalum HPUS 6X, 12X, 18X, Hypericum perforatum HPUS 6X, 12X, 18X, Kali iodatum HPUS 6X, 12X, 18X, Magnesia phosphorica HPUS 6X, 12X, 18X, Rhus tox HPUS 6X, 12X, 18X

\*"HPUS" indicates the active ingredients of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

### Directions

• Suitable for adults and children 2 years and over. Children under the age of 2: Consult a physician before use. • Dissolve entire tablet under tongue. • Do not chew or swallow whole. • Take 1 tablet 3 times a day or as directed by a physician. • Use up to 6 times a day as needed. • Take at least 10 minutes before or at least 10 minutes after eating or drinking. • Homeopathic remedies may not be effective for everyone. • Individual results may vary.

### Inactive ingredients

Copovidone, Crospovidone, Lactose, Magnesium stearate, Mannitol,

Microcrystalline cellulose, Silicon dioxide, Sorbitol.

### Other information

• Refer to outer carton for complete information. • Store at room temperature: 15° to 30° C (59° to 86° F). • Keep bottle tightly closed. • Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects or contraindications. • Sciatica Therapy® Fast Dissolving Tablets™ are homeopathic dilutions, for details see [www.thereliefproducts.com](http://www.thereliefproducts.com).

© 2023 All rights reserved to TRP Company, Inc. Manufactured exclusively for: TRP Company, Inc. 1575 Delucchi Lane, Suite# 208, Reno, NV 89502. **Questions or comments? 1-888-969-6855**  
8 am - 4 pm EST; Monday - Friday

**Do not use if tamper evident seal is torn, broken or missing.**

17117  
R9923

NO VARNISH

## SCIATICA THERAPY

arnica montana - citrullus colocynthis fruit pulp - pseudognaphalium obtusifolium - hypericum perforatum - potassium iodide - magnesium phosphate, dibasic trihydrate - toxicodendron pubescens leaf - tablet, orally disintegrating

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:17312-021
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ARNICA MONTANA</b> (UNII: O80TY208ZW) (ARNICA MONTANA - UNII:O80TY208ZW)	ARNICA MONTANA	6 [hp_X]
<b>CITRULLUS COLOCYNTHIS FRUIT PULP</b> (UNII: 23H32AOH17) (CITRULLUS COLOCYNTHIS FRUIT PULP - UNII:23H32AOH17)	CITRULLUS COLOCYNTHIS FRUIT PULP	6 [hp_X]
<b>PSEUDOGNAPHALIUM OBTUSIFOLIUM</b> (UNII: 36XQ854NWW) (PSEUDOGNAPHALIUM OBTUSIFOLIUM - UNII:36XQ854NWW)	PSEUDOGNAPHALIUM OBTUSIFOLIUM	6 [hp_X]
<b>HYPERICUM PERFORATUM</b> (UNII: XK4IUX8MNB) (HYPERICUM PERFORATUM - UNII:XK4IUX8MNB)	HYPERICUM PERFORATUM	6 [hp_X]
<b>POTASSIUM IODIDE</b> (UNII: 1C4QK22F9J) (IODIDE ION - UNII:09G4I6V86Q)	POTASSIUM IODIDE	6 [hp_X]
<b>MAGNESIUM PHOSPHATE, DIBASIC TRIHYDRATE</b> (UNII: HF539G9L3Q) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM PHOSPHATE, DIBASIC TRIHYDRATE	6 [hp_X]
<b>TOXICODENDRON PUBESCENS LEAF</b> (UNII: 6IO182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:6IO182RP7A)	TOXICODENDRON PUBESCENS LEAF	6 [hp_X]

## Inactive Ingredients

Ingredient Name	Strength
<b>COPOVIDONE</b> (UNII: D9C330MD8B)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>LACTOSE</b> (UNII: J2B2A4N98G)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MANNITOL</b> (UNII: 3OWL53L36A)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>CROSPROVIDONE</b> (UNII: 68401960MK)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	DIAMOND	<b>Size</b>	13mm
<b>Flavor</b>		<b>Imprint Code</b>	TRP
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17312-021-14	1 in 1 PACKAGE	12/01/2011	
1		70 in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

unapproved homeopathic		12/01/2011	
---------------------------	--	------------	--

**Labeler** - TRP Company (105185719)

Revised: 3/2024

TRP Company