

# **BISMATROL- bismuth subsalicylate tablet, chewable Proficient Rx LP**

-----  
**Bismatrol Chewable Tablets**

## **Active ingredient (in each tablet)**

Bismuth subsalicylate 262 mg  
(total salicylate 102 mg per tablet)

## **Purpose**

Upset stomach reliever and anti-diarrheal

## **Uses**

relieves:

- diarrhea
- heartburn
- indigestion
- nausea
- upset stomach associated with these symptoms

## **Warnings**

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert:** Contains salicylate. Do not take if you are

- allergic to salicylates (including aspirin)
- taking other salicylate products

## **Do not use if you have**

- bloody or black stools
- an ulcer
- a bleeding problem

## **Ask a doctor before use if you have**

- fever
- mucus in the stool

## **Ask a doctor or pharmacist before use if you are**

taking any drug for

- anticoagulation (thinning of the blood)
- diabetes
- gout
- arthritis

## **When using this product**

a temporary, but harmless darkening of the stool and/or tongue may occur.

## **Stop use and ask a doctor if**

- symptoms get worse
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

**If pregnant or breast-feeding, ask a health professional before use.**

## **Keep Out of Reach of Children**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center immediately.

## **Directions**

- chew or dissolve in mouth
- adults and children 12 years and over: 2 tablets every 1/2 to 1 hour as needed
- do not take more than 8 doses (16 tablets) in 24 hours
- children under 12 years: ask a doctor
- drink plenty of fluids to help prevent dehydration which may accompany diarrhea.

## **Other information: each tablet contains:**

- sodium less than 1 mg
- salicylate 102 mg
- calcium 140 mg
- very low sodium
- avoid excessive heat (over 104°F or 40°C)
- **TAMPER EVIDENT: Do not use if individual compartments are torn or missing.**

## **Inactive ingredients**

calcium carbonate, D and C red 27 aluminum lake, flavor, magnesium stearate, mannitol, pregelatinized starch, saccharin sodium.

## **Principal Display Panel**

Relabeled by:

Proficient Rx LP

Thousand Oaks, CA 91320

Bismatrol Chewable Tablets

soothing, coating action provides fast relief for heartburn, indigestion, nausea, upset stomach and diarrhea

compare to the active ingredient in Pepto-Bismol®

30 chewable tablets



Scan Here



NDC 63187-650-30

Relabeled By: Proficient Rx LP  
Thousand Oaks, CA 91320


Bismatrol 262mg -  
#30 Chewable Tablets  
Lot #:00000 SN# MASTER  
NDC 63187-650-30 Exp:00/00/00

Bismatrol 262mg  
#30 Chewable Tablets  
Lot #:00000 SN# MASTER  
NDC 63187-650-30 Exp:00/00/00

Bismatrol 262mg  
#30 Chewable Tablets  
Lot #:00000 SN# MASTER  
NDC 63187-650-30 Exp:00/00/00



GTIN: 00363187650308  
SN# MASTER  
Exp. 00/00/00  
Lot #:00000



## Bismatrol 262mg

### #30 Chewable Tablets

Each tablet contains: Bismuth subsalicylate 262 mg (total salicylate 102 mg per tablet)... Upset stomach reliever and anti-diarrheal

*Pink, round, unscored tablet with imprint code "GDC 122"*

Product ID: RB065030

Dist. By: MAJOR PHARMACEUTICALS 17177 N. Laurel Park Drive, Suite 233 Livonia, MI 48152 USA  
Avoid excessive heat (over 104°F or 40°C)

Keep medication out of the reach of children

## BISMATROL

bismuth subsalicylate tablet, chewable

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63187-650(NDC:0904-1315)
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BISMUTH SUBSALICYLATE</b> (UNII: 62TEY51RR1) (BISMUTH CATION - UNII:ZS9CD1I8YE)	BISMUTH SUBSALICYLATE	262 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK)	
<b>D&amp;C RED NO. 27</b> (UNII: 2LRS185U6K)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MANNITOL</b> (UNII: 3OWL53L36A)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	

### Product Characteristics

<b>Color</b>	pink	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	17mm
<b>Flavor</b>		<b>Imprint Code</b>	GDC122
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63187-650-30	5 in 1 CARTON	12/01/2018	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M008	01/03/2003	

**Labeler** - Proficient Rx LP (079196022)

### Establishment

Name	Address	ID/FEI	Business Operations
Proficient Rx LP		079196022	RELABEL(63187-650)

Revised: 1/2024

Proficient Rx LP