

**EXTRA STRENGTH PAIN RELIEF- acetaminophen tablet, film coated**  
**Rite Aid Corporation**

-----  
**Rite Aid 44-531C**

***Active ingredient (in each tablet)***

Acetaminophen 500 mg

***Purpose***

Pain reliever/fever reducer

***Uses***

- temporarily relieves minor aches and pains due to:
  - headache
  - toothache
  - the common cold
  - muscular aches
  - backache
  - minor pain of arthritis
  - premenstrual and menstrual cramps
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- blisters
- rash
- skin reddening

If a skin reaction occurs, stop use and seek medical help right away.

***Do not use***

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have**

liver disease.

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin.

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

***Directions***

- **do not take more than directed**
- adults and children 12 years and over
  - take 2 tablets every 6 hours while symptoms last
  - do not take more than 6 tablets in 24 hours, unless directed by a doctor
  - do not take for more than 10 days unless directed by a doctor
- children under 12 years: ask a doctor

***Other information***

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

***Inactive ingredients***

corn starch, D&C red #27 aluminum lake, D&C yellow #10 aluminum lake, FD&C blue #1 aluminum lake, polyethylene glycol, polyvinyl alcohol, povidone, sodium starch glycolate\*, stearic acid, sucralose, talc, titanium dioxide

\*may contain this ingredient

***Questions or comments?***

**1-800-426-9391**

***Principal display panel***

NDC 11822-5311-5

Compare to the active ingredient of

**Extra Strength Tylenol® \*\***

EXTRA STRENGTH PAIN RELIEF

**ACETAMINOPHEN**

**ACETAMINOPHEN** 500 mg

PAIN RELIEVER/FEVER REDUCER

contains no aspirin

**50**

COATED

TABLETS

ACTUAL SIZE

\*\*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Extra Strength Tylenol®. 50844 REV1220C53115

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

**DISTRIBUTED BY:**

RITE AID

200 NEWBERRY COMMONS

ETTERS, PA 17319

**[www.riteaid.com](http://www.riteaid.com)**

**SATISFACTION**

**GUARANTEE**

If you're not satisfied, we'll  
happily refund your money.



Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-5311
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	500 mg	
Inactive Ingredients				
Ingredient Name			Strength	
STARCH, CORN (UNII: O8232NY3SJ)				
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)				
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)				
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)				
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
TALC (UNII: 7SEV7J4R1U)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
Other Ingredients				
Ingredient Kind	Ingredient Name		Quantity	
May contain	SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)			
Product Characteristics				
Color	red	Score	no score	
Shape	ROUND	Size	11mm	
Flavor		Imprint Code	44;531	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-5311-5	1 in 1 CARTON	12/11/2005	
1		50 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:11822-5311-2	1 in 1 CARTON	12/11/2005	
2		100 in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013		12/11/2005	

---

**Labeler -** Rite Aid Corporation (014578892)

**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(11822-5311)

**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(11822-5311)

**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(11822-5311)

**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(11822-5311)

**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(11822-5311)

Revised: 3/2024

Rite Aid Corporation