# FAMILY CARE ARTHRITIS PAIN RELIEF- capsaicin cream United Excahnge Corp.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

Active ingredient Purpose

#### Uses

• for the temporary relief of minor aches and pains of muscles and joints associated with arthritis, simple backache, strains, and sprains

# Warnings

For external use only.

Do not apply to wounds or to damaged or irritated skin.

# When using this product

- you may experience a burning sensation which is normal and related to the way the product works. With regular use, this sensation generally disappears within several days.
- avoid contact with eyes, do not get on mucous membranes, into eyes, or on contact lesnes. If this occurs, rinse the affected area throughly with water.
- do not apply immediately before or after activities such as bathing, swimming, sun bathing, or strenuous excercise
- do not apply heat to the treated areas immediately before or after use
- do not tightly wrap or bandage the treated area
- avoid inhaling airborne material from dried residue. This can result in coughing, sneezing, tearing, throat or respiratory irritation.

### Stop use and ask a doctor if

- condition worsens or if symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and consult a doctor
- blistering occurs
- difficulty breathing or swallowing occurs
- severe burning persists

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

#### Directions

- for persons under 18 years of age, ask a doctor before using
- apply a thin film of cream and gently rub in until fully absorbed
- for optimum relief, apply 3 to 4 times daily
- best results typically occur after 2 to 4 weeks of continuous use
- unless treating hands, wash hands throughly with soap and water immediately after use

#### Other information

- store at 15° to 30°C (59° to 86°F)
- Lot No. & Exp. Date: see box or see crimp of tube

# Inactive ingredients

benzyl alcohol, cetyl alcohol, ethanol, isopropyl myristate, petrolatum, polyoxyl 40 stearate, sobritan monostearate, sorbitol solution, water

Distributed by:

United Exchange Corp.

17211 Valley View Ave.

Cerritos, CA 90703 U.S.A.

www.ueccorp.com

Toll Free: 1800 814 8028

Made in Korea







17211 Valley View Ave. Cerritos, CA 90703 U.S.A. www.ueccorp.com Toll Free: 1 800 814 8028 Made in Korea





This product is not manufactured or distributed by Akorn Consumer Health, a division of Akorn, Inc., owner of the registered trademark

Inactive ingredients benzyl alcohol, cetyl alcohol, ethanol, isopropyl myristate, petrolatum, polyoxyl 40 stearate, sorbitan

**Uther Intormation** a store at 15° to 30°C (59° to 86°F) a Lot No. & Exp. Date: see box or see crimp of tube

unless treating hands, wash hands thoroughly with soap and water immediately after use

■ for optimum relief, apply 3 to 4 times daily ■ best results typically occur after 2 to 4 weeks of continuous use

■ for persons under 18 years of age, ask a doctor before using ■ apply a thin film of cream and gently rub in until fully absorbed

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

blognet sug cournit a doctor ■ birstering occurs ■ difficulty breathing of swallowing occurs ■ severe burning persists condition worsens or if symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this Prop use and ask a doctor it

avoid inhaling airborne material from dried residue. This can result in coughing, sneezing, tearing, throat or respiratory irritation.

■ do not tightly wrap or bandage the treated area

 $\blacksquare$  do not apply heat to the treated areas immediately before or after use

■ do not apply immediately before or after activities such as bathing, swimming, sun bathing, or strenuous exercise

throughly with water.

avoid contact with eyes, do not get it on mucous membranes, into eyes, or on contact lenses. If this occurs, rinse the affected area generally disappears within several days.

■ you may experience a burning sensation which is normal and related to the way the product works. With regular use, this sensation

When using this product Do not apply to wounds or to damaged or irritated skin.

For external use only. Warnings

Uses = for the temporary relief of minor aches and pains of muscles and joints associated with arthritis, simple backache, strains and sprains

Active ingredient Purpose

Drug Facts



# FAMILY CARE ARTHRITIS PAIN RELIEF

capsaicin cream

# **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:65923-585

**Route of Administration** TOPICAL

# **Active Ingredient/Active Moiety**

**Ingredient Name Basis of Strength** Strength CAPSAICIN (UNII: S07O44R1ZM) (CAPSAICIN - UNII:S07O44R1ZM) CAPSAICIN 0.75 mg in 1 g

Inactive Ingredients			
Ingredient Name	Strength		
BENZYL ALCOHOL (UNII: LKG8494WBH)			
CETYL ALCOHOL (UNII: 936JST6JCN)			
ALCOHOL (UNII: 3K9958V90M)			
ISOPROPYL MYRISTATE (UNII: 0 RE8 K4LNJS)			
PETRO LATUM (UNII: 4T6 H12BN9 U)			
POLYOXYL 40 STEARATE (UNII: 13A4J4NH9I)			
SORBITAN MONOSTEARATE (UNII: NVZ4I0 H58 X)			
SORBITOL (UNII: 506T60A25R)			
WATER (UNII: 059QF0KO0R)			

Packaging			
# Item Code	Package Description	Marketing Start Date	<b>Marketing End Date</b>
1 NDC:65923-585-14	14 1 in 1 CARTON	07/26/2016	
1	14 g in 1 TUBE; Type 0: Not a Combination Product		
1 NDC.05925-505-14		07/26/2016	

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph not final	part348	07/26/2016			

# Labeler - United Excahnge Corp. (840130579)

Revised: 7/2016 United Excahnge Corp.