EQUALINE ANTACID- aluminum hydroxide, magnesium hydroxide and dimethicone liquid Supervalu Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

SuperValu Inc. Antacid Drug Facts

Active ingredients (in each 5 mL = 1 teas poonful)

Aluminum hydroxide (equiv. to dried gel, USP) 200 mg Magnesium hydroxide 200 mg Simethicone 20 mg

Purpose

Antacid

Antigas

Uses

for the relief of

- acid indigestion
- heartburn
- sour stomach
- upset stomach associated with these symptoms
- pressure and bloating commonly referred to as gas

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are

presently taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product

do not exceed 16 teaspoonsful (80 mL) in a 24-hour period, or use the maximum dosage for more than 2 weeks, unless directed by a doctor

Keep out of reach of children.

Directions

shake well before using

- adults and children 12 years and older: take 2 to 4 teaspoonsful (10-20 mL) four times a day or as directed by a physician
- do not take more than 16 teaspoonsful in 24 hours or use the maximum dosage for more than 2 weeks
- children under 12 years: consult a physician

Other information

- each teaspoonful contains: magnesium 85 mg
- does not meet USP requirements for preservative effectiveness

Inactive ingredients

butylparaben, flavor, hypromellose, microcrystalline cellulose and carboxymethylcellulose sodium, peppermint oil, propylparaben, purified water, saccharin sodium, simethicone emulsion, sorbitol, sorbitol solution

Questions or comments?

1-877-932-7948

mint flavor

Principal Display Panel

compare to Maalox® Advanced active ingredients antacid advanced regular strength antacid & antigas fast relief heartburn & acid indigestion pressure & bloating

equaline®

compare to Maalox® Advanced active ingredients*

NDC 41163-851-40

antacid advanced regular strength antacid & antigas fast relief

heartburn & acid indigestion

pressure & bloating





12 FL. OZ. (355 ml)

: 85140 EL F4

*This product is not manufactured or distributed by **Novartis Consumer** Health, Inc., distributor of Maalox® Advanced.

Distributed by SUPERVALU INC. Eden Prairie, MN 55344 USA



We're committed to your satisfaction and guarantee the quality of this product. Contact us at 1-877-932-7948, or www.supervalu-ourownbrands.com Please have package available.

Drug Facts

Active ingredients (in each 5 mL = 1 teaspoonful)

Aluminum hydroxide (equiv. to dried gel, USP) 200 mg......Antacid Magnesium hydroxide 200 mg......Antacid

- **Uses** for the relief of acid indigestion heartburn sour stomach

Purpose

- upset stomach associated with these symptoms
- pressure and bloating commonly referred to as gas

Warnings

Ask a doctor before use if you have

■ kidney disease
■ a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product do not exceed 16 teaspoonsful (80 mL) in a 24-hour period, or use the maximum dosage for more than 2 weeks, unless directed by a doctor

Keep out of reach of children.

Directions ■ shake well before using

- adults and children 12 years and older: take 2 to 4 teaspoonsful (10-20 mL) four times a day or as directed by a physician
- do not take more than 16 teaspoonsful in 24 hours or use the maximum dosage for more than 2 weeks
- children under 12 years: consult a physician

Other information

- each teaspoonful contains: magnesium 85 mg
- does not meet USP requirements for preservative effectiveness

Inactive ingredients butylparaben, flavor, hypromellose, microcrystalline cellulose and carboxymethylcellulose sodium, peppermint oil, propylparaben, purified water, saccharin sodium, simethicone emulsion, sorbitol, sorbitol solution

CQuestions or comments? 1-877-932-7948

DO NOT USE IF **BREAKAWAY BAND** ON CAP IS BROKEN **OR MISSING**

Store at 20°-25°C (68°-77°F).

GLUTEN FREE



: 85140 EL B4

EQUALINE ANTACID

aluminum hydroxide, magnesium hydroxide, simethicone liquid

Product Information

Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:41163-851
Route of Administration	ORAL	DEA Sche dule	

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ALUMINUM HYDRO XIDE (ALUMINUM HYDRO XIDE)	ALUMINUM HYDRO XIDE	200 mg in 5 mL	
MAGNESIUM HYDRO XIDE (MAGNESIUM CATION and HYDRO XIDE ION)	MAGNES IUM HYDRO XIDE	200 mg in 5 mL	
DIMETHICO NE (DIMETHICO NE)	DIMETHICONE	20 mg in 5 mL	

Inactive Ingredients	
Ingredient Name	Strength
SILICON DIO XIDE	
BUTYLPARABEN	
CARBO XYMETHYLCELLULO SE SO DIUM	
HYPROMELLOSES	
CELLULOSE, MICRO CRYSTALLINE	
PROPYLPARABEN	
WATER	
SACCHARIN SO DIUM	
SORBITOL	
PEPPERMINT OIL	

Product Characteristics			
Color	WHITE (opaque)	Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:41163-851-40	355 mL in 1 BOTTLE		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part332	10/22/2004	

Labeler - Supervalu Inc (006961411)

Revised: 11/2012 Supervalu Inc