CAREALL MUSLE AND JOINT- menthol gel New World Imports, Inc

Drug Facts

Menthol 2.5%

Topical Analegesic

Keep out of Reach of Children. If swallowed, get medical help of contact a Poison Control Center immediately.

For the temporary relief of minor aches and pains of muscles and joints associated with simple backache, arthritis, sprains, and bruises

For External Use Only.

Do not use:

On wounds or damaged skin

With a heating pad

On children under 12 years of age with arthritis-like conditions

Ask a doctor before use if:

You have redness over the affected area

When using this product:

Avoid contact eith eyes or mucous membranes

Do not bandage tightly

Stop use and ask a Doctor if:

Condition worsens or symptoms persist for more than 7 days

Symptoms clear up and occur again within a few days

Excessive skin irritation occurs

Adults 12 years of age and older: apply to affected area not more than 3 to 4 times daily.

Children under 12 years of age: ask a doctor

Camphor, Carbomer 980, Isopropyl alcohol, Methylparaben, Polysorbate 60, Potassium Sorbate, Trolamine, Purified water





VANISHING SCENT GEL

CONTRACTOR OF THE PROPERTY.



Departed Caract. Products, 500 Arrest May Warning, TN 27229

Drug Facts Active Ingredient

we constitute the control of the control of the control while eye or mucous membranes which control with eye or mucous membranes which control of the control	Inactive Ingredients Campine, Carborner 980, Isopropyl Alcohol, Methylparaben, Polyscribal 60, Polassium Schbale, Trolamine, Purified Water.	
Ask a doctor before use if you have redness over the affected area.	Other information = Store between 15" to 30"C (59" to 86"F) Lot No. & Exp. Date: See box or crimp of tube.	
bed gritted a drive in risk begames or abruow no in or modition self-estritte into see so seek St nebru neathfro in or in the self-estritte into into the self-estritte into into the self-estritte into into the self-estri	Application under 12 years of age: ask a doctor Andre 2 years of age and cider: ask a doctor Andre 12 years of age: ask a doctor	
For external use only.	mmedeately. Directions	
and joints associated with simple backache, arthritis, sprains, and bruless.	Asseptioned, get medical help or contact a Poison Control Center	
Uses for the temporary relief of minor eaches and pains of the	sancoo uogetuu joos aayssacka sajcamu jo sujed pue saupe uujuu jo jaj	
esoqru¶ soigent seigent %2 storment %2 storment	Stop use and ask a doctor if condition worsens or symptoms persist for more than 7 days symptoms dear up and occur again within a few days symptoms dear up and occur again within a few days	

CAREALL MUSLE AND JOINT

Drug Facts (continued)

menthol gel

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51824-014
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Menthol (UNII: L7T10EIP3A) (Menthol - UNII:L7T10EIP3A)	Menthol	25 mg in 1 g

Inactive Ingredients		
Ingredient Name	Strength	
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET)		
CARBOMER HOMOPOLYMER TYPE C (UNII: 4Q93RCW27E)		
ISOPROPYL ALCOHOL (UNII: ND2M416302)		
METHYLPARABEN (UNII: A2I8C7HI9T)		
POLYSORBATE 60 (UNII: CAL22UVI4M)		
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)		
TROLAMINE (UNII: 903K93S3TK)		
WATER (UNII: 059QF0KO0R)		

Product Characteristics			
Color	white (Inbetween clear and white in color)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51824-014- 03	85 g in 1 TUBE; Type 0: Not a Combination Product	06/01/2012	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	06/01/2012	

Labeler - New World Imports, Inc (075372276)

Revised: 11/2023 New World Imports, Inc