

**MICONAZOLE NITRATE- athletes foot powder spray talc free aerosol,  
powder**

**Meijer Distribution Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Meijer Athlete's Foot Miconazole Powder Spray Talc Free**

***Active ingredient***

Miconazole nitrate 2%

***Purpose***

Antifungal

***Uses***

- cures most athlete's foot (linea pedis), ringworm (linea corporis) and jock itch (linea cruris)
- relieves symptoms of athlete's foot, including itching, burning and cracking

**For external use only.**

**Flammable:**

Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120°F. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

**When using this product**

- avoid contact with the eyes or mouth
- use only as directed

**Stop use and ask a doctor if**

- irritation occurs
- no improvement within 4 weeks for athlete's foot and ringworm; 2 weeks for jock itch

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away. Do not use on children under 2 years of age unless directed by a doctor.

**Do not use**

on children under 2 years of age unless directed by a doctor.

**Directions**

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night) or as directed by a doctor
- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily
- use daily for 4 weeks for athlete's foot and ringworm; use daily for 2 weeks for jock itch; if conditions persists, consult a doctor
- this product is not effective on the scalp or nails
- if nozzle clogs, clean with a pin

**Other information**

store between 20° and 30°C (68°F and 86°)

**Inactive ingredients**

disteardimonium hectorite, isobutane, kaolin, SD alcohol 40-B, zea mays (corn) starch

**Questions?**

Call 1-866-964-0939

**Principal Display Panel**

**meijer**

**MEDICATED**

**athlete's foot**

Miconazole Nitrate | Antifungal

Powder Spray

TALC-FREE

Cures most athlete's foot

Relieves itching, cracking & burning

NET WT 4.6 OZ (130g)



NDC 41250-196-46

Compare to Lotrimin® AF Athlete's Foot Powder Spray active ingredient\*

# MEDICATED athlete's foot

Miconazole Nitrate | Antifungal

Powder Spray

TALC-FREE

Cures most athlete's foot  
Relieves itching, cracking & burning

NET WT 4.6 OZ (130 g)

\*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Lotrimin®.

### Drug Facts

| Active ingredient     | Purpose    |
|-----------------------|------------|
| Miconazole nitrate 2% | Antifungal |

**Uses** ■ cures most athlete's foot (tinea pedis), ringworm (tinea corporis) and jock itch (tinea cruris) ■ relieves symptoms of athlete's foot, including itching, burning and cracking

### Warnings

For external use only.

**Flammable:** Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120°F. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

### When using this product

■ avoid contact with the eyes or mouth ■ use only as directed

**Stop use and ask a doctor if** ■ irritation occurs ■ no improvement within 4 weeks for athlete's foot and ringworm; 2 weeks for jock itch

**Do not use** on children under 2 years of age unless directed by a doctor.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night) or as directed by a doctor
- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily
- use daily for 4 weeks for athlete's foot and ringworm; use daily for 2 weeks for jock itch; if condition persists, consult a doctor
- this product is not effective on the scalp or nails
- if nozzle clogs, clean with a pin

**Other information** store between 20° and 30°C (68° and 86°F)

### Inactive ingredients

disteardimonium hectorite, isobutane, kaolin, SD alcohol 40-B, zea mays (corn) starch

**Questions?** Call 1-866-964-0939



DIST. BY MEIJER DISTRIBUTION, INC.  
GRAND RAPIDS, MI 49544  
www.meijer.com  
MADE IN USA WITH U.S.  
AND IMPORTED PARTS



PD 4289069

50-031ME-01

## MICONAZOLE NITRATE

athletes foot powder spray talc free aerosol, powder

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:41250-196 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength  | Strength       |
|--|--------------------|----------------|
| <b>MICONAZOLE NITRATE</b> (UNII: VW4H1CYW1K) (MICONAZOLE - UNII: 7NNO0D7S5M) | MICONAZOLE NITRATE | 2.6 g in 130 g |

### Inactive Ingredients

| Ingredient Name                                     | Strength |
|---|----------|
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L) |          |
| <b>ISOBUTANE</b> (UNII: BXR49TP611)                 |          |
| <b>KAOLIN</b> (UNII: 24H4NWX5CO)                    |          |

**ALCOHOL** (UNII: 3K9958V90M)

**ZEA MAYS SUBSP. MAYS WHOLE** (UNII: 1G5HNE09V8)

### Packaging

| # | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:41250-196-46 | 130 g in 1 CAN; Type 0: Not a Combination Product | 04/04/2018           |                    |

### Marketing Information

| Marketing Category  | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part333C                                 | 04/04/2018           |                    |

**Labeler** - Meijer Distribution Inc (006959555)

Revised: 1/2023

Meijer Distribution Inc