# TAZARODEX PLAQUE PSORIASIS AND ACNE- tazarotene cream PSODEX USA INC

-----

### **Tazarodex Cream Plaque Psoriasis & Acne**

#### **Tazarodex Cream Plaque Psoriasis & Acne**

Psoriasis is a chronic disease that often comes and goes.

Acne is a common skin condition that can fluctuate over time.

The main goal of treatment is to manage symptoms.

PSODEX Tazarodex Cream offers a soothing formula that helps block the recurrence of plaque psoriasis & acne vulgaris symptoms with the effect of SALICYLIC ACID, UREA, and TAZARATONE.

The main goal of treatment is to manage symptoms.

#### PREVENTS:

Excessive skin cell growth

#### **RELIEVES:**

Itching, inflammation, and roughness

#### **CONTROLS:**

Flaking, scaling, and excessive sebum secretion

#### **HELPS BLOCK:**

Recurrence of psoriasis and acne symptoms

### Tazarodex Cream Plaque Psoriasis & Acne

Inactive Ingredients:

Aloe Barbadensis Leaf Extract, Allantoin, a-Bisabolol, Benzoic Acid, Cetyl Alcohol, Dehydroacetic Acid, Di-C12-13 Alkyl Malate, Dipropylene Glycol, Distilled Water, Glyceryl Monostearate, Laureth-9, Mentha Piperita Extract, Octyldodecanol, Panthenol, Paraffinum Liquidum, Phenoxyethanol, Salicylic Acid, Urea, Xanthan Gum

### **Tazarodex Cream Plaque Psoriasis & Acne**

Use:

Controls symptoms of plaque psoriasis, acne vulgaris

### **Tazarodex Cream Plaque Psoriasis & Acne**

DISTRIBUTED BY: Psodex USA Inc.

9898 Bissonnet St Ste 625 Houston, TX 77036

1-844 4PSODEX www.psodexusa.com

MANUFACTURED FOR

Yesim Derma Laboratories

#### **Tazarodex Cream Plaque Psoriasis & Acne - Directions**

#### Directions:

Use on affected areas. Make sure the affected area is dry before use. If you are using a moisturizer, use Tazarodex Cream at least

1 hour after applying the moisturizer to the affected area. Avoid sun exposure after applying Tazarodex Cream as it will make your

skin more sensitive to UV rays for 6 hours. Spread it evenly and avoid excessive application. For best results, use only nights or as directed by a doctor.

#### **Tazarodex Cream Plaque Psoriasis & Acne**

Active ingredient:

Tazarotene 0.1%

### **Tazarodex Cream Plaque Psoriasis & Acne**

Ask a doctor before use if

You have a history of skin sensitivity to topical products or have any medical conditions that affect your skin.

### Tazarodex Cream Plaque Psoriasis & Acne

Do not use:

- On children under 12 years of age, pregnant or breastfeeding women, or individuals with eczema or retinoid hypersensitivity.
- For prolonged periods of time without consulting a doctor.
- In or around the rectum, genital area, or on the groin unless advised by a doctor.
- On damaged or irritated skin not caused by acne or psoriasis

### **Tazarodex Cream Plaque Psoriasis & Acne**

Keep out of reach of children: If swallowed, get medical help or contact a Poison Control Center right away.

### **Tazarodex Cream Plaque Psoriasis & Acne**

Purpose:

Plaque Psoriasis & Acne

#### **Tazarodex Cream Plaque Psoriasis & Acne**

Questions or Comments: 1 844 4PSODEX | info@psodexusa.com

### **Tazarodex Cream Plaque Psoriasis & Acne**

Stop use and ask a doctor if

Excessive skin irritation/allergic reaction occurs, condition worsens or does not improve after regular use of this product as directed.

#### **Tazarodex Cream Plaque Psoriasis & Acne**

When using this product:

- Avoid contact with eyes. If contact occurs, rinse eyes thoroughly with water.
- Use caution in exposing skin to sunlight after applying this product.
- It may increase your tendency to sunburn up to 6 hours after application.

#### **Tazarodex Cream Plaque Psoriasis & Acne**

Other information:

Store at controlled room temperature 59-86°F

### Tazarodex Cream Plaque Psoriasis & Acne

Warnings: For external use only

### **Tazarodex Cream Plaque Psoriasis & Acne**

Tazarotene 0.1%

### **Tazarodex Cream Plaque Psoriasis & Acne**



## TAZARODEX PLAQUE PSORIASIS AND ACNE

tazarotene cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73503-007
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
TAZAROTENE (UNII: 81BDR9Y8PS) (TAZAROTENE - UNII:81BDR9Y8PS)	TAZAROTENE	0.1 g in 100 mL	

Inactive Ingredients				
Ingredient Name	Strength			
SALICYLIC ACID (UNII: O414PZ4LPZ)	1 g in 100 mL			
DEHYDROACETIC ACID (UNII: 2KAG279R6R)	0.25 g in 100 mL			
DI-C12-13 ALKYL MALATE (UNII: RRL7C51WPD)	2 g in 100 mL			
MINERAL OIL (UNII: T5L8T28FGP)	5 g in 100 mL			
CETYL ALCOHOL (UNII: 936JST6JCN)	5 g in 100 mL			
XANTHAN GUM (UNII: TTV12P4NEE)	0.3 g in 100 mL			
ALLANTOIN (UNII: 344S277G0Z)	2 g in 100 mL			
POLIDOCANOL (UNII: 0AWH8BFG9A)	3 g in 100 mL			
MENTHA PIPERITA LEAF (UNII: A389O33LX6)	5 g in 100 mL			
DIPROPYLENE GLYCOL (UNII: E107L85C40)	0.2 g in 100 mL			
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)	2 g in 100 mL			
PANTHENOL (UNII: W/9CM0067Z)	1 g in 100 mL			
BENZOIC ACID (UNII: 85KN0B0MIM)	0.25 g in 100 mL			
OCTYLDODECANOL (UNII: 461N1O614Y)	2 g in 100 mL			
PHENOXYETHANOL (UNII: HIE492ZZ3T)	0.5 g in 100 mL			
UREA (UNII: 8W8T17847W)	5 g in 100 mL			
LEVOMENOL (UNII: 24WE03BX2T)	2 g in 100 mL			

F	Packaging				
#	tem Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:73503- 007-01	1000 in 1 BOX	01/01/2024		
1	NDC:73503- 007-00	1000 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M032	01/01/2024		

# Labeler - PSODEX USA INC (076051073)

# **Registrant - PSODEX USA INC (076051073)**

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
BERKO ILAC VE KIMYA SANAYI ANONIM SIRKETI-SULTANBEYLI SUBESI		533135007	manufacture(73503-007)

Revised: 12/2023 PSODEX USA INC