

**GREENCAINE BLAST- lidocaine gel**  
**ALMA Laboratories, Inc.**

-----  
**Greencaine Blast**

***Drug Facts***

Lidocaine 4%

***Active Ingredient***

Lidocaine 4%

***Purpose***

Topical Anesthetic

***Uses***

For the temporary relief of pain and itching associated with minor skin irritations, minor cuts, minor burns, scrapes or insect bites.

***Warnings***

*For external use only*

***Flammable***

Keep away from heat, sparks, electrical, fire or flame.

***When using this product***

avoid contact with the eyes. Do not use in large quantities, particularly over raw surfaces or blistered areas.

***Stop use and ask a doctor***

if condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product.

***Keep out of the reach of children***

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

Adults and children 2 years of age and older: Apply to affected area not more than 3 to times daily. Children under 2 years of age consult a doctor.

***Inactive ingredients:***

Aloe barbadensis leaf juice (aloe vera), caprylyl glycol, carbomer, disodium EDTA, glycerin, glyceryl laurate, jojoba oil, SD alcohol 40-B, trithanolamine, water.

***Questions:***

Call or visit (888) 306-6933 [www.greencaine.com](http://www.greencaine.com)

**Package Labeling**



# **GREENCAINE BLAST**

**LIDOCAINE 4%**

**TOPICAL  
ANESTHETIC GEL**

Discard if foil seal under cap bearing  
'SEALED for YOUR PROTECTION'  
is broken or missing.

Cap is Child Resistant  
Always replace cap after use

Manuf. for  
  
ALMA Laboratories, Inc.  
Palm Bch Gdns, FL 33410  
MADE in USA

**NET WT: 4 Oz (113 grams)**

# GREENCAINE BLAST

## Drug Facts

Active Ingredient	Purpose
Lidocaine 4%	Topical Anesthetic

**Uses** For the temporary relief of pain and itching associated with minor skin irritations, minor cuts, minor burns, scrapes or insect bites.

**Warnings** *For external use only*

**Flammable** Keep away from heat, sparks, electrical, fire or flame.

**When using this product** avoid contact with the eyes. Do not use in large quantities, particularly over raw surfaces or blistered areas.

**Stop use and ask a doctor** if condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product.

### Keep out of the reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily. Children under 2 years of age consult a doctor.

**Inactive ingredients:** Aloe barbadensis leaf juice (aloe vera), caprylyl glycol, carbomer, disodium EDTA, glycerin, glyceryl laurate, jojoba oil, SD alcohol 40-B, triethanolamine, water.

**Questions:** Call (888) 306-6933 or visit [www.greencaine.com](http://www.greencaine.com)



## GREENCAINE BLAST

lidocaine gel

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69747-040
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>LIDOCAINE</b> (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg in 1 g

Inactive Ingredients	
Ingredient Name	Strength
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>CARBOXYPOLYMETHYLENE</b> (UNII: 0A5MM307FC)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>GLYCERYL LAURATE</b> (UNII: Y98611C087)	
<b>JOJOBA OIL</b> (UNII: 724GKU717M)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	
<b>WATER</b> (UNII: 059QF0KO0R)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69747-040-01	113 g in 1 TUBE; Type 0: Not a Combination Product	01/18/2018	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/18/2018	

**Labeler** - ALMA Laboratories, Inc. (012180032)