

**LIQUID CORN AND CALLUS REMOVER- salicylic acid liquid**  
**Meijer Distribution Inc**

-----  
**Meijer Liquid Corn and Callus Remover**

***Active ingredient***

Salicylic acid 17% w/w

***Purpose***

Corn and callus remover

***Uses***

- for the removal of corns and calluses
- relieves pain by removing corns and calluses

**Warnings**

For external use only.

**Flammable**

- keep away from fire or flame

**Do not use**

- on irritated skin
- on any area that is infected or reddened
- if you are a diabetic, or if you have poor blood circulation

**When using this product**

- if product gets into the eye, flush with water for 15 minutes
- avoid inhaling vapors
- cap bottle tightly and store at room temperature away from heat

**Stop and ask a doctor if**

discomfort persists.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- wash affected area and dry thoroughly
- apply one drop at a time with applicator to sufficiently cover each corn/callus
- let dry

- use cushion with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)
- hold cushion down 2-3 seconds to adhere to skin
- repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)
- may soak corn/callus in warm water for 5 minutes to assist in removal

### ***Other information***

- store between 20° to 25°C (68° to 77°F)
- avoid surrounding skin when applying product
- close tightly to prevent solidification
- wipe top of bottle clean after each use
- do not allow to come into contact with fabric, floors, countertops or other surfaces -- will stain

### ***Inactive ingredients***

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

### ***Questions?***

Call 1-866-6964-0939

### **Principal Display Panel**

**meijer**

**liquid corn &**

**callus remover**

Salicylic Acid

with Cushions

Safely removes corns & calluses

Soft foam cushions & protects

3 Cushions

0.33 FL OZ (9.8 mL)

**meijer**

# Liquid Corn & Callus Remover

SALICYLIC ACID 17%/  
CORN & CALLUS REMOVER

SAFELY REMOVES CORNS & CALLUSES

NDC 41250-398-98

COMPARE TO DR. SCHOLL'S®  
LIQUID CORN & CALLUS  
REMOVER ACTIVE INGREDIENT\*

Soft foam  
cushions & protects

3 CUSHIONS

0.33 FL. OZ. [9.8 mL]



### Drug Facts

#### Active ingredient

Salicylic acid 17% w/w.....Corn and callus remover

#### Purpose

#### Uses

- for the removal of corns and calluses
- relieves pain by removing corns and calluses

#### Warnings

For external use only.

#### Flammable

- keep away from fire or flame

#### Do not use

- on irritated skin
- on any area that is infected or reddened
- if you are a diabetic, or if you have poor blood circulation

#### When using this product

- if product gets into the eye, flush with water for 15 minutes
- avoid inhaling vapors
- cap bottle tightly and store at room temperature away from heat

Stop use and ask a doctor if discomfort persists.

#### Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- wash the affected area and dry thoroughly
- apply one drop at a time with applicator to sufficiently cover each corn/callus
- let dry
- use cushion with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)
- hold cushion down 2-3 seconds to adhere to skin
- repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)
- may soak corn/callus in warm water for 5 minutes to assist in removal

#### Other information

- store between 20°–25°C (68°–77°F)
- avoid surrounding skin when applying product
- close tightly to prevent solidification
- wipe top of bottle clean after each use
- do not allow to come into contact with fabrics, floors, countertops or other surfaces – will stain

**Inactive ingredients** camphor, castor oil, ethanol, ethyl ether, nitrocellulose

**Questions?** Call 1-866-964-0939

\*This product is not manufactured or distributed by Scholl's Wellness Company LLC, owner of the registered trademark Dr. Scholl's®.

PID 2872044

DIST. BY MEIJER DISTRIBUTION, INC.  
GRAND RAPIDS, MI 49544

www.meijer.com

MADE IN USA WITH U.S. AND IMPORTED PARTS

41-030ME-05



IMPORTANT: CLOSE CAP TIGHTLY AFTER USE

**Active ingredient:** Salicylic acid (17% w/w)  
**Purpose:** Corn and callus remover **Uses:** For the removal of corns and calluses. Relieves pain by removing corns and calluses. **Warnings:** For external use only. **Flammable:** Keep away from fire or flame. **Do not use** this product on irritated skin, on any area that is infected or reddened, if you are a diabetic, or if you have poor blood circulation. **Stop use and ask a doctor if** discomfort persists.

NDC 41250-398-98

# meijer Liquid Corn & Callus Remover

SALICYLIC ACID 17%/  
CORN & CALLUS  
REMOVER

CLOSE CAP TIGHTLY  
AFTER USE

0.33 FL. OZ. [9.8 mL]

**When using this product** if product gets into the eye, flush with water for 15 minutes. Avoid inhaling vapors. Cap bottle tightly and store at room temperature away from heat. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. **Directions:** Wash affected area and dry thoroughly. Apply one drop at a time with applicator to sufficiently cover each corn/callus. Let dry. Use cushions with hole centered over corn or callus to relieve pressure. Hold cushion down 2-3 seconds to adhere to skin. Repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed). May soak corn/callus in warm water for 5 minutes to assist in removal. **Other information:** Store at 20°–25°C (68°–77°F). Close tightly to prevent solidification. **Inactive ingredients:** camphor, castor oil, ethanol, ethyl ether, nitrocellulose **Questions?** Call 1-866-964-0939 **Keep packaging for complete drug facts information** DIST. BY MEIJER DISTRIBUTION, INC. GRAND RAPIDS, MI 49544 AND IMPORTED PARTS www.meijer.com

50-030ME-05

## LIQUID CORN AND CALLUS REMOVER

salicylic acid liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:79481-0612
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	170 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>PYROXYLIN</b> (UNII: KYR8BR2X6O)	
<b>CAMPHOR (NATURAL)</b> (UNII: N20HL7Q941)	
<b>CASTOR OIL</b> (UNII: D5340Y2I9G)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-0612-1	1 in 1 BLISTER PACK	08/30/2023	
1		9.8 mL in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M030	07/16/2015	

**Labeler** - Meijer Distribution Inc (006959555)