

**HEMORRHOIDAL PAIN RELIEF CREAM- glycerin, phenylephrine hcl, pramoxine hcl, white petrolatum cream
WALGREENS**

Walgreens Hemorrhoidal Cream

Drug Facts

Active ingredients

Glycerin 14.4%
Phenylephrine HCl 0.25%
Pramoxine HCl 1%
White petrolatum 15%

Purposes

Protectant
Vasoconstrictor
Local anesthetic
Protectant

Uses

- for temporary relief of pain, soreness and burning
- helps relieve the local itching and discomfort associated with hemorrhoids
- temporarily shrinks hemorrhoidal tissue
- temporarily provides a coating for relief of anorectal discomforts
- temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful

Warnings

For external use only

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are presently taking a prescription drug for high blood pressure or depression.

When using this product

- do not exceed the recommended daily dosage unless directed by a doctor
- do not put into rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if

- bleeding occurs

- condition worsens or does not improve within 7 days
- an allergic reaction develops
- the symptom being treated does not subside or if redness, irritation, swelling, pain or
- other symptoms develop or increase

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe. Gently dry by patting or blotting with a tissue or a soft cloth before applying cream.
- when first opening the tube, peel off the foil seal
- apply externally or in the lower portion of the anal canal only
- apply externally to the affected area up to 4 times daily, especially at night, in the morning or after each bowel movement
- for application in the lower anal canal: remove cover from dispensing cap. Attach dispensing cap to tube. Lubricate dispensing cap well, then gently insert dispensing cap partway into the anus.
- thoroughly cleanse dispensing cap after each use and replace cover
- children under 12 years of age: ask a doctor

Other information

- store at 20-25 °C (68-77 °F)

Inactive ingredients aloe barbadensis leaf extract, butylated hydroxy anisole, cetostearyl alcohol, cetyl ester wax, cetyl palmitate, glyceryl monostearate, isopropyl myristate, lanolin, methylparaben, mineral oil, polysorbate 60, propylene glycol, propylparaben, purified water, sodium citrate, stearic acid, vitamin E acetate

Questions or comments?

Call **1-877-290-4008**



NDC 0363-9127-03

Maximum Strength

+ Aloe & Vitamin E

HEMORRHOIDAL

Pain Relief Cream

- Soothing pain relief from burning, itching & discomfort
- Shrinks swollen hemorrhoidal tissue
- Protects irritated tissue
- Relieves external discomfort

NET WT 1.8 OZ (51 g)

Drug Facts

Active ingredients

Glycerin 14.4%.....	Protectant
Phenylephrine HCl 0.25%.....	Vasoconstrictor
Pramoxine HCl 1%.....	Local anesthetic
White petrolatum 15%.....	Protectant

Purposes

Uses

- for temporary relief of pain, soreness and burning
- helps relieve the local itching and discomfort associated with hemorrhoids
- temporarily shrinks hemorrhoidal tissue
- temporarily provides a coating for relief of anorectal discomforts
- temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful

Warnings

For external use only

Ask a doctor before use if you have

- heart disease ■ high blood pressure ■ thyroid disease ■ diabetes
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are presently taking a prescription drug for high blood pressure or depression.

When using this product

- do not exceed the recommended daily dosage unless directed by a doctor
- do not put into rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if

- bleeding occurs ■ condition worsens or does not improve within 7 days
- an allergic reaction develops ■ the symptom being treated does not subside or if redness, irritation, swelling, pain or other symptoms develop or increase

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe. Gently dry by patting or blotting with a tissue or a soft cloth before applying cream.
- when first opening the tube, peel off the foil seal
- apply externally or in the lower portion of the anal canal only
- apply externally to the affected area up to 4 times daily, especially at night, in the morning or after each bowel movement
- for application in the lower anal canal: remove cover from dispensing cap. Attach dispensing cap to tube. Lubricate dispensing cap well, then gently insert dispensing cap partway into the anus.
- thoroughly cleanse dispensing cap after each use and replace cover
- children under 12 years of age: ask a doctor

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients

aloe barbadensis leaf extract, butylated hydroxy anisole, cetostearyl alcohol, cetyl ester wax, cetyl palmitate, glyceryl monostearate, isopropyl myristate, lanolin, methylparaben, mineral oil, polysorbate 60, propylene glycol, propylparaben, purified water, sodium citrate, stearic acid, vitamin E acetate

Walgreens Pharmacist Recommended.

Our pharmacists recommend the Walgreens brand.

We invite you to compare to national brands.

DISTRIBUTED BY: WALGREEN CO., DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED walgreens.com

1-877-290-4008 ©2023 Walgreen Co. MADE IN INDIA

ITEM 621066 W00000-0000-0

737A 1023

W3ORG1123-F

30079501 Code No.: GO/DRUGS/1025

DO NOT USE IF SEAL ON TUBE IS PUNCTURED OR MISSING



5

Walgreens



Compare to the active ingredients in Preparation H® Hemorrhoidal Cream*

HEMORRHOIDAL

Pain Relief Cream

Maximum Strength + Aloe & Vitamin E

- Soothing pain relief from burning, itching & discomfort
- Shrinks swollen hemorrhoidal tissue
- Protects irritated tissue
- Relieves external discomfort



NET WT 0.9 OZ (25.5 g)

NDC 0363-9127-01

Our pharmacists recommend the Walgreens brand. You'll find it in the Hemorrhoid Cream aisle.

*This product is not manufactured or distributed by Haleon group of companies, owner of the registered trademark Preparation H® Hemorrhoidal Cream.

DO NOT USE IF SEAL ON TUBE IS PUNCTURED OR MISSING.

DISTRIBUTED BY: WALGREEN CO.
DEERFIELD, IL 60015
www.walgreens.com ©2023 Walgreen Co.
MADE IN INDIA

how2recycle.info
PAPER
PLASTIC
TUBE
737A 1023



Drug Facts		Drug Facts (continued)	
Active ingredients		Warnings	
Glycerin 14.4%	Protectant	For external use only	
Phenylephrine HCl 0.25%	Vasoconstrictor	Ask a doctor before use if you have: heart disease, high blood pressure, thyroid disease, diabetes, or difficulty in urination due to enlargement of the prostate gland.	
Pramoxine HCl 1%	Local anesthetic	Ask a doctor or pharmacist before use if you are presently taking a prescription drug for high blood pressure or depression.	
White petrolatum 15%	Protectant	When using this product do not exceed the recommended daily dosage unless directed by a doctor. do not put into rectum by using fingers or any mechanical device or applicator.	
Uses		Stop use and ask a doctor if: bleeding occurs, condition worsens or does not improve within 7 days, an allergic reaction develops, the symptom being treated does not subside or if redness, irritation, swelling, pain or other symptoms develop or increase.	
<ul style="list-style-type: none"> • for temporary relief of pain, soreness and burning • helps relieve the local itching and discomfort associated with hemorrhoids • temporarily shrinks hemorrhoidal tissue • temporarily provides a coating for relief of anorectal discomforts • temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful 		<ul style="list-style-type: none"> • do not exceed the recommended daily dosage unless directed by a doctor • do not put into rectum by using fingers or any mechanical device or applicator 	
Purposes		Other information	
Protectant		store at 20-25°C (68-77°F)	
Vasoconstrictor		Inactive ingredients aloe barbadensis leaf extract, butylated hydroxy anisole, cetostearyl alcohol, cetyl ester wax, cetyl palmitate, glyceryl monostearate, isopropyl myristate, lanolin, methylparaben, mineral oil, polysorbate 80, propylene glycol, propylparaben, purified water, sodium citrate, stearic acid, vitamin E acetate.	
Local anesthetic		Questions or comments? Call 1-877-290-4008	
Protectant			

W309G1123-F

Case No. G09D8US1025

Lot #: _____
Exp. Date: _____

ITEM 619481 W309G1123
3 1917 04275 6

No Print/No Varnish

NET WT 0.9 OZ (25.5 g)



- Soothing pain relief from burning, itching & discomfort
- Shrinks swollen hemorrhoidal tissue
- Protects irritated tissue
- Relieves external discomfort

Pain Relief Cream

Maximum Strength + Aloe & Vitamin E



NDC 0363-9127-01

Drug Facts (continued)		Drug Facts (continued)	
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).		for application in the lower anal canal: remove cover from dispensing cap. Attach dispensing cap to tube. Lubricate dispensing cap well, then gently insert dispensing cap partway into the anus. Thoroughly cleanse dispensing cap after each use and replace cover. children under 12 years of age: ask a doctor.	
Directions		Other information	
<ul style="list-style-type: none"> • adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe. Gently dry by patting or blotting with a tissue or a soft cloth before applying cream. • when first opening the tube, peel off the foil seal • apply externally or in the lower portion of the anal canal only • apply externally to the affected area up to 4 times daily, especially at night, in the morning or after each bowel movement 		<ul style="list-style-type: none"> • store at 20-25°C (68-77°F) 	
		Inactive ingredients	
		aloe barbadensis leaf extract, butylated hydroxy anisole, cetostearyl alcohol, cetyl ester wax, cetyl palmitate, glyceryl monostearate, isopropyl myristate, lanolin, methylparaben, mineral oil, polysorbate 80, propylene glycol, propylparaben, purified water, sodium citrate, stearic acid, vitamin E acetate.	
		Questions or comments? Call 1-877-290-4008	

4017301

Walgreens

NDC 0363-9127-01

HEMORRHOIDAL

Pain Relief Cream

Maximum Strength

+ Aloe & Vitamin E

- Soothing pain relief from burning, itching & discomfort
- Shrinks swollen hemorrhoidal tissue
- Protects irritated tissue
- Relieves external discomfort

NET WT 0.9 OZ (25.5 g)

Drug Facts

Active ingredients

Glycerin 14.4%	Protectant
Phenylephrine HCl 0.25%	Vasoconstrictor
Pramoxine HCl 1%	Local anesthetic
White petrolatum 15%	Protectant

Purposes

- for temporary relief of pain, soreness and burning
- helps relieve the local itching and discomfort associated with hemorrhoids
- temporarily shrinks hemorrhoidal tissue
- temporarily provides a coating for relief of anorectal discomforts
- temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful

Warnings

For external use only

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

- presently taking a prescription drug for high blood pressure or depression.

When using this product

- do not exceed the recommended daily dosage unless directed by a doctor
- do not put into rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if

- bleeding occurs
- condition worsens or does not improve within 7 days
- an allergic reaction develops
- the symptom being treated does not subside or if redness, irritation, swelling, pain or

other symptoms develop or increase

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

■ adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe. Gently dry by patting or blotting with a tissue or a soft cloth before applying cream.

■ when first opening the tube, peel off the foil seal

■ apply externally or in the lower portion of the anal canal only

■ apply externally to the affected area up to 4 times daily, especially at night, in the morning or after each bowel movement

■ for application in the lower anal canal: remove cover from dispensing cap. Attach dispensing cap to tube. Lubricate dispensing cap well, then gently insert dispensing cap partway into the anus.

■ thoroughly cleanse dispensing cap after each use and replace cover

■ children under 12 years of age: ask a doctor

Other information ■ store at 20-25°C (68-77°F)

Inactive ingredients aloe barbadensis leaf extract, butylated hydroxy anisole, cetostearyl alcohol, cetyl ester wax, cetyl palmitate, glyceryl monostearate, isopropyl myristate, lanolin, methylparaben, mineral oil, polysorbate 60, propylene glycol, propylparaben, purified water, sodium citrate, stearic acid, vitamin E acetate

Walgreens Pharmacist Recommended. Our pharmacists recommend

the Walgreens brand. We invite you to compare to national brands.

DISTRIBUTED BY: WALGREEN CO., DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED walgreens.com

1-877-290-4008 ©2023 Walgreen Co. MADE IN INDIA

ITEM 619481

737A 1023 30073401

DO NOT USE IF SEAL ON TUBE IS PUNCTURED OR MISSING

Code No.: 600DRUGS/11025

SR

HEMORRHOIDAL PAIN RELIEF CREAM

glycerin, phenylephrine hcl, pramoxine hcl, white petrolatum cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-9127
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	144 mg in 1 g
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	2.5 mg in 1 g
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g
PETROLATUM (UNII: 4T6H12BN9U) (PETROLATUM - UNII:4T6H12BN9U)	PETROLATUM	150 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
LANOLIN (UNII: 7EV65EAW6H)	
MINERAL OIL (UNII: T5L8T28FGP)	
WATER (UNII: 059QF0KO0R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CETYL ESTERS WAX (UNII: D072FFP9GU)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
CETYL PALMITATE (UNII: 5ZA2S6B08X)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	

Product Characteristics

Color	white (White to off white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-9127-01	1 in 1 CARTON	01/15/2024	
1		25.5 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:0363-9127-03	1 in 1 CARTON	01/15/2024	
2		51 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/15/2024	

Labeler - WALGREENS (008965063)

Registrant - TIME CAP LABORATORIES, INC. (037052099)

Establishment

Name	Address	ID/FEI	Business Operations
MARKSANS PHARMA LIMITED		677604129	manufacture(0363-9127)

Revised: 12/2023

WALGREENS