PAIN TERMINATOR ANALGESIC- menthol and methyl salicylate cream Nan Mei Pharmaceutical Co., Ltd.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

PAIN Terminator Analgesic Cream

Topical Analgesic

Active Ingredients

Menthol 2% - Topical Analgesic, Wintergreen Oil 0.5% - Topical Analgesic

Indications

For the temporary relief of minor aches of muscles and joints associated with:

- simple backache
- arthritis
- strains
- bruises
- sprains

Directions

Apply to affected area not more than 2 to 3 times daily. Try on small area first to test for sensitivity. Children under 4 years of age should not use, unless consulted by a physician.

Warnings

- FOR EXTERNAL USE ONLY
- Avoid contac with eyes or mucous membranes.
- Do not apply to wounds or damaged or irritated skin.
- Do not use if skin is sensitive, or have allergies to any ingredients in this product. Discontinue use and consult a doctor if signs of irritation or rash appear.
- In case of ingestion, seek professional assistance or contact a Poison Control Center immediately.
- If pregnant or breast feeding consult a doctor before use.
- Keep out of reach of children.

Other Ingredients

Jojoba oil, paeonia veitchii radix, angelicae sinensis radix, carthami flos, pyritum, draconis resina, myrrha, ligustici rhizoma, acanthopanacis cortex, achyranthis radix, atractylodis rhizoma, gentianae macrophyllae radix, pinelliae tuber, sausureae radix, cnidii monnieri fructus, cinnamomum cortex, dioscoreae tokoro rhizoma, jasmine oil, tourmaline.

For Questions or Comments Call:

1 (800) 798-3977

PAIN Terminator sleeve for 50g tube.

PT Cream Sleeve for 50g Tube.jpg



Drug Facts

Active Ingredients

Menthol 2% - Topical Analgesic, Wintergreen Oil 0.5% - Topical Analgesic

Indications

For the temporary relief of minor aches of muscles and joints associated with:

• simple backache • arthritis • strains • bruises • sprains

Directions

Apply to affected area not more than 2 to 3 times daily. Try on small area first to test for sensitivity. Children under 4 years of age should not use, unless consulted by a physician.

Drug Facts (continued)

Warnings

• FOR EXTERNAL USE ONLY.

- Avoid contact with eyes or mucous membranes.
- Do not apply to wounds or damaged or irritated skin.
- Do not use if skin is sensitive, or have allergies to any ingredients in this product. Discontinue use and consult a doctor if signs of irritation or rash appear.
- In case of ingestion, seek professional assistance or contact a Poison Control Center immediately.
- If pregnant or breast feeding consult a doctor before use.
- Keep out of reach of children.

Drug Facts (continued)

Other Ingredients

Jojoba oil, paeonia veitchii radix, angelicae sinensis radix, carthami flos, pyritum, draconis resina, myrrha, ligustici rhizoma, acanthopanacis cortex, achyranthis radix, atractylodis rhizoma, gentianae macrophyllae radix, pinelliae tuber, saussureae radix, cnidii monnieri fructus, cinnamonomi cortex, dioscoreae tokoro rhizoma, jasmine oil, tourmaline, indigo carmine, tartrazine.

Contains 1.77 oz (50 gm) Exp. Date:

For Ouestions or Comments Call 1 (200) 792-3977





BAR CODE 89101400016 8

PAIN TERMINATOR ANALGESIC

topical analgesic cream

Product Information			
Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:62699-3313
Route of Administration	TOPICAL	DEA Schedule	

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
MENTHOL (MENTHOL)	MENTHOL	.02 g in 1 g
METHYL SALICYLATE (SALICYLIC ACID)	METHYL SALICYLATE	.005 g in 1 g

Inactive Ingredients		
Ingredient Name	Strength	
JO JOBA OIL	.75 g in 1 g	
PAEO NIA VEITCHII ROOT	.04 g in 1 g	
ANGELICA SINENSIS ROOT	.02 g in 1 g	
CARTHAMUS TINCTORIUS FLOWER BUD	.02 g in 1 g	
PYRITIDIUM	.02 g in 1 g	
DAEMONOROPS DRACO RESIN	.02 g in 1 g	
MYRRH	.02 g in 1 g	
LIGUSTICUM SINENSE ROOT	.015 g in 1 g	
ELEUTHERO CO CCUS NO DIFLO RUS ROOT BARK	.1 g in 1 g	
ACHYRANTHES BIDENTATA ROOT	.01g in 1g	
ATRACTYLODES JAPONICA ROOT	.01g in 1g	
GENTIANA MACROPHYLLA ROOT	.006 g in 1 g	
PINELLIA TERNATA ROOT	.006 g in 1 g	
SAUSSUREA COSTUS ROOT	.006 g in 1 g	
CNIDIUM MO NNIERI FRUIT	.006 g in 1 g	

CHINESE CINNAMON	.005 g in 1 g
DIOSCOREA JAPONICA ROOT	.005 g in 1 g
JASMINUM OFFICINALE FLO WER	.003 g in 1 g
SCHORL TOURMALINE	.003 g in 1 g
FD&C BLUE NO. 2	.0001g in 1g
FD&C YELLOW NO.5	.0001g in 1g

Pá	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62699-3313-1	500 g in 1 JAR		
2	NDC:62699-3313-2	12 in 1 BOX		
2		1 in 1 BOX		
2		50 g in 1 TUBE		
3	NDC:62699-3313-3	5 g in 1 TUBE		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	02/23/2009	

Labeler - Nan Mei Pharmaceutical Co., Ltd. (656348505)

Revised: 4/2013 Nan Mei Pharmaceutical Co., Ltd.