

**PRIMA SANITIZING PRE AND POST TEAT DIP- hydrogen peroxide solution  
DeLaval**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**DeLaval Prima Sanitizing pre and post teat dip Sanitizante pre y post ordeno**

**Sanitizing pre and post teat dip**  
Sanitizante pre y post ordeno

**ACTIVE INGREDIENTS:**

Hydrogen Peroxide ..... 0.5%  
with 5% Glycerin  
Contains FD and C Yellow No. 6

**Accelerated  
Hydrogen Peroxide**

**US Patent No.:** 7,632,523  
Other patents pending

The Accelerated Hydrogen Peroxide technology and logo are the property of Virox Technologies Inc. and are being used under license.

**KEEP OUT OF REACH OF CHILDREN**

**!CAUTION**

**MANTENER FUERA DEL ALCANCE DE LOST NINOS**

**!CUIDADO**

**SI USTED NO PUEDE LEER ESTA ETIQUETA POR FAVOR PIDA A ALGUIEN MAS QUE SE LA LEA ANTES DE USAR ESTE PRODUCTO  
READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE USING THIS PRODUCT**

**FIRST AID**

Contact with product can cause irritation to eyes. Avoid contact with eyes.

**Eye Contact:** Flush with water. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Get immediate medical attention.

**If Swallowed:** Do not induce vomiting. If victim is conscious, give a cupful of water. Never give anything by mouth to an unconscious person. Get immediate medical attention.

**STORAGE AND DISPOSAL**

**THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN.** Avoid contact with food or feed. Avoid storing near heat or open flame. Keep container tightly closed when not in use. If product has frozen, store in a warm room and shake well before use. Do not reuse empty container. Rinse empty container before disposing of in a safe manner. Do not store in direct sunlight.

**CHEM-TREC EMERGENCY NUMBER 1-800-424-9300**

**Not for human use**

**Additional Information on Material Safety Data Sheet**

**GENERAL INSTRUCTIONS**

- Use at full strength. (Do not dilute.)
- Consult your veterinarian before using teat dip on a cow with sore or chapped teats.

- Thoroughly clean and sanitize teat dip foaming cup before each milking. Use fresh teat dip for each milking.
- Foaming solution should be changed if it becomes visibly dirty, or if sediment is introduced.
- Do not pour used dip back into original container.
- Do not use **DeLaval Prima** for cleaning or sanitizing equipment.
- Good dairy practices suggest the thorough cleaning and sanitizing of teats before milking to avoid contamination and assist in the control of mastitis.

## **PRE DIPPING**

- Remove excess soil and forestrip. (If water is used, use minimal amount and dry thoroughly with clean, single-service paper towel before forestripping.)
- Dip teats with **DeLaval Prima** to base of udder.
- Allow 15 to 30 seconds contact time.
- Dry teats thoroughly with a clean, single-service paper towel.
- Attach milking unit.

## **POST DIPPING**

- Immediately after removing milking unit, dip or spray teats with **DeLaval Prima** teat dip. Do not wipe.
- If outside temperature is below freezing, allow **DeLaval Prima** teat dip to air dry on teats before cow leaves the parlor; or allow teat dip to remain on teats for one minute, then dry teats with single service paper towel. Failure to follow these instructions may result in frozen teats and injured animals.

Manufactured for:

**DeLaval**

Kansas City, MO 64153

Copyright 2012, DeLaval

Made in U.S.A.

**NET CONTENTS:**

**LOT NO.:**

**EXP. DATE:**

KEEP OUT OF REACH OF CHILDREN



MANTENER FUERA DEL ALCANCE DE LOS NIÑOS



1266

SI USTED NO PUEDE LEER ESTA ETIQUETA, POR FAVOR PIDA A ALGUIEN MAS QUE SE LA LEA ANTES DE USAR ESTE PRODUCTO

READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE USING THIS PRODUCT

FIRST AID

Contact with product can cause irritation to eyes. Avoid contact with eyes.  
**Eye Contact:** Flush with water. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Get immediate medical attention.  
**If Swallowed:** Do not induce vomiting. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person. Get immediate medical attention.

STORAGE AND DISPOSAL

**THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN.** Avoid contact with food or feed. Avoid storing near heat or open flame. Keep container tightly closed when not in use. If product has frozen, thaw in a warm room and shake well before use. Do not reuse empty container. Rinse empty container before disposing of in a safe manner. Do not store in direct sunlight.

**CHEM-TREC EMERGENCY NUMBER 1-800-424-9300**

**Not For Human Use**  
**Additional Information on Material Safety Data Sheet**

GENERAL INSTRUCTIONS

- Use at full strength. (Do not dilute.)
- Consult your veterinarian before using teat dip on a cow with sore or chapped teats.
- Thoroughly clean and sanitize teat dip foaming cup before each milking. Use fresh teat dip for each milking.
- Foaming solution should be changed if it becomes visibly dirty, or if sediment is introduced.
- Do not pour used dip back into original container.
- Do not use DeLaval Prima™ for cleaning or sanitizing equipment.
- Good dairy practices suggest the thorough cleaning and sanitizing of teats before milking to avoid contamination and assist in the control of mastitis.

PRE-DIPPING

- Remove excess soil and forestrip. (If water is used, use a minimal amount and dry thoroughly with clean, single-service paper towel before forestripping.)
- Dip teats with DeLaval Prima™ to base of udder.
- Allow 15 to 30 seconds contact time.
- Dry teats thoroughly with a clean, single-service paper towel.
- Attach milking unit.

POST-DIPPING

- Immediately after removing milking unit, dip or spray teats with DeLaval Prima™ teat dip. Do not wipe.
- If outside temperature is below freezing, allow DeLaval Prima™ teat dip to air-dry on teats before cow leaves the parlor; or allow teat dip to remain on teats for one minute, then dry teats with a single-service paper towel. Failure to follow these directions may result in frozen teats and injured animals.

NET CONTENTS:

LOT NO.:

EXP. DATE:

Manufactured for:



Kansas City, MO 64153

©Copyright 2012, DeLaval  
 Made in U.S.A.

**PRIMA SANITIZING PRE AND POST TEAT DIP**

hydrogen peroxide solution

**Product Information**

<b>Product Type</b>	OTC ANIMAL DRUG LABEL	<b>Item Code (Source)</b>	NDC:55756-266
<b>Route of Administration</b>	TOPICAL	<b>DEA Schedule</b>	

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
Hydrogen Peroxide (Hydrogen Peroxide)	Hydrogen Peroxide	5.1 g in 1 L

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55756-266-08	19 L in 1 CONTAINER		
2	NDC:55756-266-02	56.8 L in 1 CONTAINER		
3	NDC:55756-266-01	208.4 L in 1 DRUM		
4	NDC:55756-266-27	1042.2 L in 1 DRUM		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/01/2012	

**Labeler** - Delaval (173704867)

**Registrant** - WestAgro, Inc. (069288728)

## Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		147528723	analysis, label, manufacture, pack, api manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
K Klean dba WestAgro, Inc.		002222368	analysis, label, manufacture, pack, api manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		044610140	analysis, label, manufacture, pack, api manufacture

Revised: 4/2014

Delaval